# Type of augmentation of labour

Important note: This is an archived metadata standard from the AIHW Knowledgebase. For current metadata standards and related information please access METeOR, the AIHW's Metadata Online Registry at <a href="http://meteor.aihw.gov.au">http://meteor.aihw.gov.au</a>

#### Identifying and Definitional Attributes

Data Dictionary: NHDD

Knowledgebase ID: 000167 Version number: 1

Metadata type: DATA ELEMENT

Registration NHIMG Admin status: SUPERSEDED

Authority: Effective date: 30-JUN-00

Definition: Methods used to assist progress of labour.

Context: Neonatal care: type of augmentation determines the progress and

duration of labour and may influence the method of delivery and the

health status of the baby at birth.

### Relational and Representational Attributes

Datatype: Numeric

Representational CODE

form:

Representation N

layout:

Minimum Size: 1
Maximum Size: 1

Data Domain: 0 None

1 Oxytocin

2 Prostaglandins

3 Artificial rupture of membranes (ARM)

4 Other

Guide For Use: More than one method of augmentation can be recorded, except

where 0=none applies.

Related metadata: is used in conjunction with Onset of labour version 1

is used in conjunction with Type of labour induction version 1 has been superseded by Type of augmentation of labour version 2

#### Administrative Attributes

Source Document:

Source Organisation: National Perinatal Data Development Committee

## Data Element Links

Information Model Entities linked to this Data Element

NHIM Birth event

Data Agreements which include this Data Element