

#### © Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# Birth event—anaesthesia administered, code N

# Identifying and definitional attributes

Metadata item type: Data Element

**Short name:** Anaesthesia administered for operative delivery of the baby

METEOR identifier: 292044

**Registration status:** <u>Health,</u> Superseded 07/02/2013

**Definition:** Anaesthesia administered to the woman for the operative delivery of the baby, as

represented by a code.

Data Element Concept: Birth event—anaesthesia administered

Value Domain: Anaesthesia administered code N

Value

6

#### Value domain attributes

## Representational attributes

Representation class: Code

Data type: Number

Format: N

Maximum character length: 1

Permissible values:	1	None
	2	Local anaesthetic to perineum
	3	Pudendal
	4	Epidural or caudal
	5	Spinal

7 Combined spinal-epidural

General anaesthetic

Meaning

8 Other

**Supplementary values:** 9 Not stated/inadequately described

## **Data element attributes**

# Collection and usage attributes

**Guide for use:** Operative delivery includes caesarean section, forceps and vacuum extraction.

Code 7: this code is used when this technique has been selected for the administration of anaesthesia for the operative delivery of the baby.

**Collection methods:** More than one agent or technique can be recorded, except where 1=none applies.

This item should only be recorded for the operative delivery of the baby and not

third stage labour e.g. removal of placenta.

**Comments:** Anaesthetic use may influence the duration of labour, may affect the health status of

the baby at birth and is an indicator of obstetric intervention.

### Source and reference attributes

**Submitting organisation:** National Perinatal Data Development Committee

## **Relational attributes**

Related metadata references:

 $Supersedes \ \underline{Birth} \ \underline{event--anaesthesia} \ \underline{administered}, \underline{code} \ \underline{N}$ 

Health, Superseded 07/12/2005

Has been superseded by Birth event—type of anaesthesia administered, code

<u>N[N]</u>

Health, Superseded 12/12/2018