

Person with cancer—depth of cervical cancer invasion, total millimetres N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person with cancer—depth of cervical cancer invasion, total millimetres N[N]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Depth of cervical cancer invasion
METEOR identifier:	424275
Registration status:	Health , Standard 08/05/2014
Definition:	The depth of invasion of a cervical cancer tumour into the cervical wall for a person with cervical cancer, expressed in millimetres.
Data Element Concept:	Person with cancer—depth of cervical cancer invasion
Value Domain:	Total millimetres N[N]

Value domain attributes

Representational attributes

Representation class:	Total	
Data type:	Number	
Format:	N[N]	
Maximum character length:	2	
Supplementary values:	Value	Meaning
	97	Not applicable
	98	Unknown
	99	Not stated/inadequately described
Unit of measure:	Millimetre (mm)	

Collection and usage attributes

Guide for use:	Size in millimetres with valid values from 1 to 96.
-----------------------	---

Source and reference attributes

Submitting organisation:	Cancer Australia
---------------------------------	------------------

Data element attributes

Collection and usage attributes

Guide for use:	Record the depth of invasion of cervical cancer into the cervical wall in millimetres (mm), where available from a pathology report. The depth of cervical wall invasion ranges from 0 to 30 mm. The depth of tumour invasion is an important prognostic indicator for cervical cancer. All macroscopically visible lesions, even with superficial invasion, are allocated to Stage Ib carcinomas.
Collection methods:	Collect from pathology reports or databases.

Source and reference attributes

Submitting organisation: The Australian e-Health Research Centre/CSIRO

Reference documents: Pecorelli S 2003. 25th Annual Report on the Results of Treatment in Gynecological Cancer. International Journal of Gynecology & Obstetrics 83(Supp 1): 1-230

Bertrand M Lickrish GM, Colgan TJ 1987. The anatomic distribution of cervical adenocarcinoma in situ: Implications for the treatment. American Journal of Obstetrics & Gynecology 157: 21-28

Wei J 2009. Pathology of Cervical Carcinoma. Global library of women's medicine.

Relational attributes

Implementation in Data Set [Gynaecological cancer \(clinical\) DSS](#)

Specifications: [Health](#), Superseded 14/05/2015

Conditional obligation: This data element is only to be recorded for patients with cervical cancer, as indicated by [Person with cancer—primary site of cancer, topography code \(ICD-O-3\) ANN.N.](#)

[Gynaecological cancer \(clinical\) NBPDS](#)

[Health](#), Standard 14/05/2015

Conditional obligation:

This data element is only to be recorded for patients with cervical cancer, as indicated by [Person with cancer—primary site of cancer, topography code \(ICD-O-3\) ANN.N.](#)