

Cancer treatment—treatment complication type, cancer-related primary surgery complication type code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Cancer treatment—treatment complication type, cancer-related primary surgery complication type code N[N]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Surgical treatment complication type
Synonymous names:	Critical event type
METEOR identifier:	424310
Registration status:	Health , Standard 08/05/2014
Definition:	The type of treatment complication/s arising within 30 days of undergoing surgical treatment for cancer, as represented by a code.
Data Element Concept:	Cancer treatment—treatment complication type
Value Domain:	Cancer-related primary surgery complication type code N[N]

Value domain attributes

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N[N]	
Maximum character length:	2	
	Value	Meaning
Permissible values:	1	Unplanned return to theatre
	2	Death within 30 days of surgery
	3	Post-operative fistula
	4	Intra-operative haemorrhage (greater than 6 units of transfusion)
	5	Pulmonary embolism
	6	Unplanned transfer to intensive care unit (ICU)
	7	Post-operative stay greater than 21 days
	88	Other complication or critical event
Supplementary values:	98	Unknown
	99	Not stated/inadequately described

Source and reference attributes

Submitting organisation:	Cancer Australia
Reference documents:	Gynaecology Oncology Subspecialty Practice Improvement Critical Project (GO SPICE) Royal Australian and New Zealand College of Obstetricians and Gynaecologists (RANZCOG).

Data element attributes

Collection and usage attributes

Guide for use: Record the type of any treatment complications that occur within 30 days of primary surgery. If multiple events occur, all events should be recorded.

Collection methods: Collect from medical records.

Source and reference attributes

Submitting organisation: Cancer Australia

Reference documents: Gynaecology Oncology Subspecialty Practice Improvement Critical Project (GO SPICE)

Royal Australian and New Zealand College of Obstetricians and Gynaecologists (RANZCOG)

Relational attributes

Implementation in Data Set [Gynaecological cancer \(clinical\) DSS](#)

Specifications: [Health](#), Superseded 14/05/2015

Conditional obligation: This data element is to be recorded when [Cancer treatment—primary surgical treatment complication indicator, yes/no/unknown code N](#) indicates the presence of a treatment complication.

[Gynaecological cancer \(clinical\) NBPDS](#)

[Health](#), Standard 14/05/2015

Conditional obligation:

This data element is to be recorded when [Cancer treatment—primary surgical treatment complication indicator, yes/no/unknown code N](#) indicates the presence of a treatment complication.