

# Androgen deprivation therapy purpose code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Androgen deprivation therapy purpose code N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Value Domain
<b>METEOR identifier:</b>	505508
<b>Registration status:</b>	<a href="#">Health</a> , Standard 14/05/2015
<b>Definition:</b>	A code set outlining the purpose of <a href="#">androgen deprivation therapy</a> in the treatment of prostate cancer.

## Representational attributes

<b>Representation class:</b>	Code
<b>Data type:</b>	Number
<b>Format:</b>	N
<b>Maximum character length:</b>	1

	Value	Meaning
<b>Permissible values:</b>	1	Neo-adjuvant
	2	Adjuvant
	3	Salvage
	4	Palliative
<b>Supplementary values:</b>	8	Unknown

## Collection and usage attributes

<b>Guide for use:</b>	<p>This code set outlines the purpose of androgen deprivation therapy (ADT) in the treatment of patients with prostate cancer.</p> <p>CODE 1 Neo-adjuvant</p> <p>This code should be recorded when androgen deprivation therapy (ADT) is used prior to the main treatment.</p> <p>CODE 2 Adjuvant</p> <p>This code should be recorded when androgen deprivation therapy (ADT) is used after the main treatment.</p> <p>CODE 3 Salvage</p> <p>This code should be recorded when androgen deprivation therapy (ADT) is used after a recurrence of prostate cancer for a patient who has had a radical prostatectomy.</p> <p>CODE 4 Palliative</p> <p>This code should be recorded when androgen deprivation therapy (ADT) is used to manage and alleviate symptoms and control tumour growth in palliative patients.</p> <p>CODE 9 Unknown</p> <p>This code should be recorded when androgen deprivation therapy (ADT) has been used in the treatment of a patient but the purpose of the therapy is not ascertainable from the data source.</p>
-----------------------	--

## Source and reference attributes

**Submitting organisation:** Cancer Australia

## Relational attributes

**Data elements implementing this value domain:** [Cancer treatment—androgen deprivation therapy purpose, code N Health](#), Standard 14/05/2015