

Person—disease screening test completion status, bowel screening code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person—disease screening test completion status, bowel screening code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Screening test completion status
METEOR identifier:	529906
Registration status:	Health , Standard 29/08/2014
Definition:	The completion status of a person's disease screening test, as represented by a code.
Data Element Concept:	Person—disease screening test completion status
Value Domain:	Bowel screening test completion status code N

Value domain attributes

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N
Maximum character length:	1

	Value	Meaning
Permissible values:	1	Correctly completed
	2	Incorrectly completed
	3	Unsatisfactory

Collection and usage attributes

Guide for use:	CODE 1 Correctly completed A faecal occult blood test (FOBT) screening kit is correctly completed if the participant correctly returns both samples. CODE 2 Incorrectly completed A FOBT screening kit is incorrectly completed if the participant does not return both samples. CODE 3 Unsatisfactory A FOBT screening kit is unsatisfactory if: <ul style="list-style-type: none">• the completed kit has expired• there is a gap of more than 14 days between the dates the two samples are collected• there is more than 14 days between the date of the first sample and arrival of the completed kit at the pathology laboratory.
----------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Data element attributes

Relational attributes

Implementation in Data Set Specifications: [Bowel cancer screening test cluster](#)
[Health](#), Superseded 16/01/2020

[Bowel cancer screening test cluster](#)
[Health](#), Superseded 05/02/2021

[Bowel cancer screening test cluster](#)
[Health](#), Standard 05/02/2021

**Implementation in
Indicators:**

Used as Numerator

[Australian Health Performance Framework: PI 2.1.3a–Cancer screening rates, National Bowel Cancer Screening Program participation rate, 2019](#)

[Health](#), Superseded 13/10/2021

[Australian Health Performance Framework: PI 2.1.3a–Cancer screening rates, National Bowel Cancer Screening Program participation rate, 2020](#)

[Health](#), Superseded 07/09/2023

[Australian Health Performance Framework: PI 2.1.3a–Cancer screening rates, National Bowel Cancer Screening Program participation rate, 2021](#)

[Health](#), Standard 07/09/2023

[Australian Health Performance Framework: PI 2.1.3a–Cancer screening rates, National Bowel Cancer Screening Program participation rate, 2024](#)

[Health](#), Recorded 28/02/2024

[National Bowel Cancer Screening Program: PI 01-Participation rate](#)

[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 01-Participation rate](#)

[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 02-Screening positivity rate](#)

[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 02-Screening positivity rate](#)

[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 05a-Adenoma detection rate](#)

[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 05a-Adenoma detection rate](#)

[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 06a-Colorectal cancer detection rate](#)

[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 06a-Colorectal cancer detection rate](#)

[Health](#), Standard 06/09/2018

Used as Denominator

[National Bowel Cancer Screening Program: PI 02-Screening positivity rate](#)

[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 02-Screening positivity rate](#)

[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 05a-Adenoma detection rate](#)

[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 05a-Adenoma detection rate](#)

[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 06a-Colorectal cancer detection rate](#)

[Health](#), Standard 06/09/2018

[National Bowel Cancer Screening Program: PI 06a-Colorectal cancer detection rate](#)

[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 07-Interval cancer rate](#)

[Health](#), Superseded 06/09/2018

[National Bowel Cancer Screening Program: PI 07-Interval cancer rate](#)

[Health](#), Standard 06/09/2018