Patient—sedation received indicator, yes/no code N

Exported from METEOR (AIHW's Metadata Online Registry)

Patient—sedation received indicator, yes/no code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Sedation received indicator
METEOR identifier:	563828
Registration status:	Health, Superseded 06/09/2018
Definition:	An indicator of whether a patient has received sedation, as represented by a code.
Data Element Concept:	Patient—sedation received indicator
Value Domain:	Yes/no code N

Value domain attributes

Representational attributes

Representation class:	Code	
Data type:	Boolean	
Format:	N	
Maximum character length:	1	
	Value	**Meaning**
Permissible values:	1	Yes
	2	No

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare

Data element attributes

Collection and usage attributes

Guide for use:	CODE 1 Yes
	To be recorded when a patient has received sedation.
	CODE 2 No
	To be recorded when a patient has not received sedation.

Relational attributes

Related metadata references:	Has been superseded by Patient—sedation received indicator, yes/no code N Health, Standard 06/09/2018
	See also Patient—sedation type, code N Health, Superseded 06/09/2018
	See also Patient—type of health professional who administers sedation, bowel cancer diagnostic assessment code N Health, Superseded 06/09/2018

Implementation in Data Set Specifications:

[Bowel cancer diagnostic assessment cluster](#)
    [Health](#), Superseded 06/09/2018

DSS specific information:

The level of sedation used should comply with ANZCA standards (ANZCA 2010). The level of sedation used should generally be related to the risk of complications for each individual patient as documented in the pre-procedure patient assessment. Further, deep sedation and general anaesthesia may only be used in the presence of an anaesthetist or other appropriately trained and credentialed medical specialist within his/her scope of practice. Non-anaesthetist medical staff require adequate training in the safe and correct usage of sedation equipment and drugs, and in the management and monitoring of sedated patients in accordance with the guidelines.

Reference:

ANZCA (Australian and New Zealand College of Anaesthetists) 2010. Guidelines on Sedation and/or Analgesia for Diagnostic and Interventional Medical, Dental or Surgical Procedures. Viewed 23 March 2012,

www.anzca.edu.au/resources/professional-documents/documents/professional-standards/pdf-files/PS9-2010.pdf