5.1 Number of PBS prescriptions dispensed for opioid medicines per 100,000 people, 2013–14

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

5.1 Number of PBS prescriptions dispensed for opioid medicines per 100,000 people, 2013–14

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	Opioid medicines dispensing, 2013-14
METEOR identifier:	611687
Registration status:	Australian Commission on Safety and Quality in Health Care, Standard 23/11/2016 National Health Performance Authority (retired), Retired 01/07/2016
Description:	Number of PBS prescriptions dispensed for opioid medicines per 100,000 people, age standardised. Data are disaggregated by the area in which the person lives.
Indicator set:	Australian Atlas of Healthcare Variation Australian Commission on Safety and Quality in Health Care, Standard 23/11/2016 National Health Performance Authority (retired), Retired 01/07/2016

Collection and usage attributes

Population group age from:	All ages	
Computation description:		
	Presented as a Level 3.	a number per 100,000 people, age standardised by Statistical Area
	of the patient w	atistical Area Level 3 (SA3) is based on postcode of usual residence hich is based on the patient's Medicare enrolment postcode on the iption was dispensed.
	SA3s with a tot	al population of less than 2,500 are excluded.
	Suppression pr	rotocol for calculating age standardised rates:
	Numerator	Total prescriptions dispensed less than 20 (unrounded)
	Denominator	ERP for one or more five year age groups than 30
Computation:	100,000 x (Numerator ÷ Denominator), age standardised	
	For more information about age-standardisation see	
	/content/index.phtml/itemld/327276	
Numerator:	Number of PBS	S prescriptions dispensed for opioid medicines in 2013-14.

Data Element / Data Set-

<u>Pharmaceutical Benefits Scheme (PBS) prescription—PBS item prescribed,</u> <u>code NN[NNN]A</u>

NMDS / DSS

Pharmaceutical Benefits Scheme (PBS) state/territory data extract 2013-14

Guide for use

Data source type: Administrative by-product data

PBS code	Description
08865N, 08866P, 08867Q	BUPRENORPHINE
05063L	CODEINE
05265D, 05277R, 05278T, 05279W, 05280X, 05401G, 05402H, 05403J, 05404K, 05405L, 05406M, 05407N, 05408P, 05409Q, 05410R, 05411T, 05412W, 05437E, 05438F, 05439G, 05440H, 05441J, 08878G, 08891Y, 08892B, 08893C, 08894D	FENTANYL
05115F, 05117H, 05132D, 08420E, 08421F, 08422G, 08423H, 08424J, 08541M, 08542N, 08543P, 09299K, 09406C, 09407D, 09408E, 09409F	HYDROMORPHONE
01606M, 01609Q, 05399E, 05400F	METHADONE
01607N, 01644M, 01645N, 01646P, 01647Q, 01653B, 01654C, 01655D, 01656E, 02122Q, 02123R, 02124T, 02332R, 02839K, 02840L, 02841M, 03479D, 03480E, 04349X, 05163R, 05168B, 05169C, 05170D, 05239R, 05391R, 05392T, 05393W, 05394X, 05395Y, 05396B, 08035X, 08146R, 08305D, 08306E, 08349K, 08453X, 08454Y, 08489T, 08490W, 08491X, 08492Y, 08493B, 08494C, 08669G, 08670H	MORPHINE
02481N, 02622B, 05190E, 05191F, 05195K, 05197M, 08385H, 08386J, 08387K, 08388L, 08464L, 08501K, 08502L, 08644Y, 08681X, 09399Q, 09400R	OXYCODONE
08000C, 08934F, 08935G, 08936H	OXYCODONE + NALOXONE
01215Y, 03316M, 08785J	PARACETAMOL + CODEINE
10091D, 10092E, 10094G, 10096J, 10100N	TAPENTADOL
02527B, 03484J, 05150C, 05231H, 05232J, 08455B, 08523N, 08524P, 08525Q, 08582Q, 08611F, 08843K	TRAMADOL

Denominator:

Total population

Denominator data elements:	Data Element / Data Set
	Person—estimated resident population of Australia, total people N[N(7)]
	Data Source
	ABS Estimated resident population (total population)
	Guide for use
	ABS Estimated resident population as at June 2001
	Data source type: Census based plus administrative by-product data
	Statistical Area Level 3, which have been derived from <u>Postcode—Australian</u> (person):
	 Statistical Area Level 3 (SA3s) are geographic areas defined in the ABS Australian Statistical Geography Standard (ASGS). The aim of SA3s is to create a standard framework for the analysis of ABS data at the regional level through clustering groups of SA2s that have similar regional characteristics. There are 333 spatial SA3s covering the whole of Australia without gaps or overlaps. They are designed to provide a regional breakdown of Australia. SA3s generally have a population of between 30,000 and 130,000 people. There are approximately 50 with fewer than 30,000 people and 35 with more than 130,000 as at 30 June 2011. For further information see the ABS publication, Australian Statistical Geography Standard (ASGS): Volume 1 – Main Structure and Greater Capital City Statistical Areas, July 2011 (cat. no. 1270.0.55.001).
Disaggregation data	Data Element / Data Set
elements:	Address—Australian postcode, Australian postcode code (Postcode datafile) {NNNN}
	NMDS / DSS
	COMPLETE - Pharmaceutical Benefits Scheme (PBS) Pharmacy claim script
	detail
	Guide for use
	Guide for use Postcode is based on the patient's Medicare enrolment postcode on the date
	Guide for use Postcode is based on the patient's Medicare enrolment postcode on the date the prescription was dispensed. GPO postcodes 2001, 2124, 3001, 4001, 5001, 6843 excluded from the SA3
	Guide for use Postcode is based on the patient's Medicare enrolment postcode on the date the prescription was dispensed. GPO postcodes 2001, 2124, 3001, 4001, 5001, 6843 excluded from the SA3 analysis but included in state/territory and national level analysis.
	Guide for use Postcode is based on the patient's Medicare enrolment postcode on the date the prescription was dispensed. GPO postcodes 2001, 2124, 3001, 4001, 5001, 6843 excluded from the SA3 analysis but included in state/territory and national level analysis. Data source type: Administrative by-product data

Representational attributes

Representation class:	Rate	
Data type:	Integer	
Unit of measure:	Service event	
Format:	NN[NNNN]	
Data source attributes		

Data Source-

ABS Estimated resident population (total population)
Frequency
Quarterly
Data quality statement
ABS Estimated resident population (total population). QS
Data custodian
Australian Bureau of Statistics

Accountability attributes

Reporting requirements:	Australian Commission of Safety and Quality in Health Care's Atlas of Healthcare Variation, released November 2015	
Organisation responsible for providing data:	Department of Health	
Accountability:	Australian Commission of Safety and Quality in Health Care	
Source and reference attributes		

Submitting organisation: National Health Performance Authority