

# **Australian Atlas of Healthcare Variation: Number of knee replacement hospitalisations per 100,000 people, aged 18 years and over, 2014-15**

**Exported from METEOR (AIHW's Metadata Online Registry)**

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Australian Atlas of Healthcare Variation: Number of knee replacement hospitalisations per 100,000 people, aged 18 years and over, 2014-15

## Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	Knee replacement hospitalisations 18 years and over, 2014-15
<b>METEOR identifier:</b>	641165
<b>Registration status:</b>	<a href="#">Australian Commission on Safety and Quality in Health Care</a> , Standard 07/06/2017
<b>Description:</b>	Number of knee replacement hospitalisations per 100,000 people aged 18 years and over, age and sex standardised. Data are disaggregated by the area in which the person lives.
<b>Indicator set:</b>	<a href="#">Australian Atlas of Healthcare Variation 2017</a> <a href="#">Australian Commission on Safety and Quality in Health Care</a> , Standard 07/06/2017

## Collection and usage attributes

**Population group age from:** 18 years and over

**Computation description:** Inclusion codes, description and additional requirement

ACHI 8th edition code	Description	
49521-00 [1519]	Total arthroplasty of knee with bone graft to femur, unilateral	Include records with at least one of the listed procedures. A record with more than one of the listed procedures is only counted once.
49521-01 [1519]	Total arthroplasty of knee with bone graft to femur, bilateral	
49521-02 [1519]	Total arthroplasty of knee with bone graft to tibia, unilateral	
49521-03 [1519]	Total arthroplasty of knee with bone graft to tibia, bilateral	
49524-00 [1519]	Total arthroplasty of knee with bone graft to femur and tibia, unilateral	
49524-01 [1519]	Total arthroplasty of knee with bone graft to femur and tibia, bilateral	
49518-00 [1518]	Total arthroplasty of knee, unilateral	

49519-00 [1518]	Total arthroplasty of knee, bilateral
49527-00 [1524]	Revision of total arthroplasty of knee
49554-00 [1523]	Revision of total arthroplasty of knee with anatomic specific allograft
49530-00 [1523]	Revision of total arthroplasty of knee with bone graft to femur
49533-00 [1523]	Revision of total arthroplasty of knee with bone graft to femur and tibia
49530-01 [1523]	Revision of total arthroplasty of knee with bone graft to tibia
49517-00 [1518]	Hemiarthroplasty of knee
49534-01 [1518]	Total replacement arthroplasty of patellofemoral joint of knee

#### Exclusion codes and description

Care type	Description
7.3	Newborn—unqualified days only
9.0	Organ procurement—posthumous
10.0	Hospital boarder

Presented as a number per 100,000 people.

Rates are directly age and sex standardised, to the 2001 Australian population aged 18 years and over, using age groups: 18-24, 25-29, ... , 80-84, 85 and over.

Indigenous and other Australian rates are directly age and sex standardised, to the 2001 Australian population aged 18 years and over, using age groups: 18-24, 25-29, ... , 60-64, 65 and over.

For more information about age-standardisation in general see </content/index.phtml/itemId/327276>

Analysis by Statistical Area Level 3 (SA3) is based on Statistical Area Level 2 (SA2) of usual residence of the patient.

Suppress data (number or rate) if at least one of the following conditions are met:

- the total denominator is less than 1,000
- the total numerator is less than 20

Age and sex standardised rates are suppressed where the denominator for at least one of the age and sex groups used to calculate the rate is below 30.

**Computation:**  $100,000 \times (\text{Numerator} \div \text{Denominator})$

**Numerator:** Number of knee replacement hospitalisations 18 years and over.

**Numerator data elements:**

**Data Element / Data Set**

[Person—date of birth, DDMMYYYY](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2014-15](#)

**Guide for use**

Data source type: Administrative by-product data.

**Data Element / Data Set**

[Hospital service—care type, code N\[N\]](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2014-15](#)

**Guide for use**

Data source type: Administrative by-product data.

**Data Element / Data Set**

[Episode of admitted patient care—procedure, code \(ACHI 8th edn\) NNNNN-NN](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2014-15](#)

**Guide for use**

Data source type: Administrative by-product data

**Denominator:** Total population aged 18 years and over as at 30 June, 2014.

**Denominator data elements:**

**Data Element / Data Set**

**Data Element**

Person—estimated resident population of Australia

**Data Source**

[ABS Indigenous experimental estimates and projections \(2001 Census-based\)](#)

**Guide for use**

Data source type: Census based plus administrative by-product data.

**Data Element / Data Set**

[Person—estimated resident population of Australia, total people N\[N\(7\)\]](#)

**Data Source**

[ABS Estimated resident population \(total population\)](#)

**Guide for use**

Data source type: Census based plus administrative by-product data.

**Disaggregation:**

SA3 by:

- Remoteness (ASGC Remoteness structure) and Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socioeconomic Disadvantage (IRSD)

State and territory by:

- Indigenous status
- Patient funding status

**Disaggregation data elements:**

**Data Element / Data Set**

[Person—area of usual residence, statistical area level 2 \(SA2\) code \(ASGS 2011\) N\(9\)](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

**Guide for use**

Data source type: Administrative by-product data.

## Representational attributes

<b>Representation class:</b>	Rate
<b>Data type:</b>	Integer
<b>Unit of measure:</b>	Episode
<b>Format:</b>	N[NNNN]

## Data source attributes

## Data sources:

### Data Source

[ABS Indigenous experimental estimates and projections \(2001 Census-based\)](#)

#### Frequency

Periodic

#### Data quality statement

[ABS Indigenous experimental estimates and projections, QS](#)

#### Data custodian

Australian Bureau of Statistics

### Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

#### Frequency

Annual

#### Data custodian

Australian Institute of Health and Welfare

### Data Source

[ABS Estimated resident population \(total population\)](#)

#### Frequency

Quarterly

#### Data quality statement

[ABS Estimated resident population \(total population\), QS](#)

#### Data custodian

Australian Bureau of Statistics

## Accountability attributes

**Methodology:** Statistical Area Level 3 (SA3s) are geographic areas defined in the ABS Australian Statistical Geography Standard (ASGS). The aim of SA3s is to create a standard framework for the analysis of ABS data at the regional level through clustering groups of SA2s that have similar regional characteristics. There are 333 spatial SA3s covering the whole of Australia without gaps or overlaps. They are designed to provide a regional breakdown of Australia. SA3s generally have a population of between 30,000 and 130,000 people. There are approximately 50 with fewer than 30,000 people and 35 with more than 130,000 as at 30 June 2011. For further information see the ABS publication, Australian Statistical Geography Standard (ASGS): Volume 1 – Main Structure and Greater Capital City Statistical Areas, July 2011 (cat. no. 1270.0.55.001).

The scope of the NHMD is episodes of care for admitted patients in all public and private acute and psychiatric hospitals, free-standing day hospital facilities and alcohol and drug treatment centres in Australia. Hospitals operated by the Australian Defence Force, corrections authorities and in Australia's off-shore territories are not in scope, but some are included.

Private hospitals include private free-standing day hospital facilities and other private hospitals (which also include private psychiatric hospitals).

**Reporting requirements:** Australian Commission on Safety and Quality in Health Care

*Australian Atlas of Healthcare Variation*

**Organisation responsible for providing data:** Australian Institute of Health and Welfare

**Accountability:** Australian Commission on Safety and Quality in Health Care

**Release date:** 07/06/2017

## Source and reference attributes

**Submitting organisation:** Australian Commission on Safety and Quality in Health Care