

# Female—type of hypertensive disorder during pregnancy

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Female—type of hypertensive disorder during pregnancy

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element Concept
<b>METEOR identifier:</b>	655609
<b>Registration status:</b>	<a href="#">Health</a> , Superseded 03/12/2020
<b>Definition:</b>	The type of <a href="#">hypertensive disorder during pregnancy</a> which a female has been diagnosed with.

## Object Class attributes

### Identifying and definitional attributes

<b>Object class:</b>	<a href="#">Female</a>
<b>Definition:</b>	A human being of the sex which conceives and brings forth young.
<b>Specialisation of:</b>	<a href="#">Person/group of persons</a>

### Source and reference attributes

<b>Submitting organisation:</b>	Australia Institute of Health and Welfare
<b>Origin:</b>	Macquarie University 2003. The Macquarie Dictionary 3rd ed. Sydney: The Macquarie Library Pty Ltd.

## Property attributes

### Identifying and definitional attributes

<b>Property:</b>	<a href="#">Type of hypertensive disorder during pregnancy</a>
<b>Definition:</b>	The type of <a href="#">hypertensive disorder during pregnancy</a> which is characterised by high blood pressure but could also be accompanied by other symptoms such as proteinuria, oedema, high body temperature or seizures.
<b>Property group:</b>	<a href="#">Illness and/or Injury event</a>

### Source and reference attributes

<b>Submitting organisation:</b>	National Perinatal Data Development Committee
<b>Origin:</b>	National Perinatal Data Development Committee Australian Institute of Health and Welfare
<b>Reference documents:</b>	Lowe SA, Bowyer L, Lust K, McMahon LP, Morton MR, North RA et al. 2014. Guideline for the management of hypertensive disorders of pregnancy. Society of Obstetric Medicine of Australia and New Zealand.

## Data element concept attributes

### Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

**Related metadata  
references:**

Supersedes [Female—type of hypertensive disorder during pregnancy  
Health](#), Superseded 05/10/2016

Has been superseded by [Female—type of hypertensive disorder during pregnancy  
Health](#), Standard 03/12/2020

**Data Elements  
implementing this Data  
Element Concept:**

[Female—type of hypertensive disorder during pregnancy, code N  
Health](#), Superseded 12/12/2018

[Female—type of hypertensive disorder during pregnancy, code N  
Health](#), Superseded 02/08/2017

[Female—type of hypertensive disorder during pregnancy, code N  
Health](#), Superseded 20/11/2019

[Female—type of hypertensive disorder during pregnancy, code N  
Health](#), Superseded 03/12/2020