

# **KPIs for Australian Public Mental Health Services: PI 02J – Mental health readmissions to hospital, 2018**

**Exported from METEOR (AIHW's Metadata Online Registry)**

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# KPIs for Australian Public Mental Health Services:

## PI 02J – Mental health readmissions to hospital, 2018

### Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	MHS PI 02J: Mental health readmissions to hospital, 2018
<b>METEOR identifier:</b>	692976
<b>Registration status:</b>	<a href="#">Health</a> , Superseded 13/01/2021
<b>Description:</b>	<p>The percentage of in-scope overnight <a href="#">separations</a> from state/territory acute <a href="#">admitted patient mental health care service</a> unit(s) that are followed by readmission to the same or to another public sector acute admitted patient mental health care service unit within 28 days of separation.</p> <p><b>NOTE:</b> This specification has been adapted from the indicator <i>Mental health readmissions to hospital, 2018 (Service level)</i> using terminology consistent with the National Health Data Dictionary. There are no technical differences in the calculation methodologies between the Service level version and the Jurisdictional level version of this indicator.</p>
<b>Rationale:</b>	<p>Readmissions to an acute admitted patient mental health care service unit following a recent discharge may indicate that inpatient treatment was incomplete or ineffective, or that follow-up care was inadequate to maintain the person's treatment out of hospital. In this sense, rapid readmissions may point to deficiencies in the functioning of the overall care system.</p> <p>Avoidable rapid readmissions place pressure on finite beds and may reduce access to care for other consumers in need.</p> <p>International literature identifies one month as an appropriate defined time period for the measurement of unplanned readmissions following separation from an acute admitted patient mental health care service unit.</p>
<b>Indicator set:</b>	<p><a href="#">Key Performance Indicators for Australian Public Mental Health Services (Jurisdictional level version) (2018)</a></p> <p><a href="#">Health</a>, Superseded 13/01/2021</p>

### Collection and usage attributes

**Computation description:** Coverage/Scope:

State/territory public acute admitted patient mental health care service units.

The following readmissions are excluded when calculating the **numerator**:

- same-day separations
- separations where the length of stay is one night only and a procedure code for Electroconvulsive therapy (ECT) is recorded.

The following separations are excluded when calculating the **denominator**:

- same-day separations
- separations where the length of stay is one night only and a procedure code for Electroconvulsive therapy (ECT) is recorded.
- statistical and change of care type separations
- separations that end in death or left against medical advice/discharge at own risk
- separations that end by transfer to another acute or psychiatric hospital.

Methodology:

- Reference period for 2018 performance reporting: 2016–17. Readmissions where the initial separation occurred within the reference period are in scope.
- Readmission is considered to have occurred if the person is admitted to any public acute admitted patient mental health care service unit within the state/territory. Consequently, a state-wide unique patient identifier is required for accurate construction of this indicator.
- Readmissions where the person is separated and readmitted on the same day are included.
- For the purpose of this indicator, when a mental health service organisation has more than one unit of a particular admitted patient care program, those units should be combined.
- The categorisation of the admitted patient mental health care service unit is based on the principal purpose(s) of the admitted patient care program rather than the care type of the individual consumers.
- The following Australian Classification of Health Interventions (ACHI) ECT procedure codes are relevant for the excluded separations specified above:
  - \* ACHI 5th edition use procedure codes 93340-02 and 93340-03.
  - \* ACHI 6th to 9th editions use procedure codes 93341-00 to 93341-99.
  - \* ACHI 10th edition use procedure codes 14224-00 to 14224-06.
  - \* ACHI 5th to 10th editions ECT Block 1907 may be selected to capture all data regardless of code changes over time.
- No distinction is made between planned and unplanned readmissions.

**Computation:** (Numerator ÷ Denominator) x 100

**Numerator:** Number of readmissions to a state/territory public acute admitted patient mental health care service unit(s) occurring within the reference period.

**Numerator data elements:** **Data Element / Data Set**

Number of readmissions to a public acute admitted patient mental health care service unit within 28 days

**Data Source**

[State/territory admitted patient data](#)

**Guide for use**

Determining whether there was a readmission for in-scope separations for the numerator requires data for the 28 days of the next financial year to be included in determining whether a readmission has occurred.

**Denominator:** Number of in-scope overnight separations from state/territory acute admitted patient mental health care service unit(s) occurring within the reference period.

**Denominator data elements:**

**Data Element / Data Set**

Number of separations from public acute admitted patient mental health care service unit(s)

**Data Source**

[State/territory admitted patient data](#)

**Guide for use**

In-scope separations for the denominator are identified prior to determining whether a readmission has occurred. The total number of in-scope separations is expected to comprise separations for the full 12 months of the data set year.

**Disaggregation:**

Consumer attributes: age, sex, Socio-Economic Indexes for Areas (SEIFA), remoteness, Indigenous status. Disaggregated data excludes missing or not reported data.

All disaggregated data are to be calculated as at the admission for the first index separation, even if the value is null. The index separation refers to the separation data point included in the denominator data set. The data at admission for the index separation should be used for the associated numerator data pair, when present, and any subsequent denominator and data pairs for a uniquely identifiable person.

**Disaggregation data elements:**

**Data Element / Data Set**

Person—age

**Data Source**

[State/territory admitted patient data](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

Person—area of usual residence

**Data source**

[State/territory admitted patient data](#)

**Guide for use**

Data source type: Administrative by-product data

Used for disaggregation by remoteness and SEIFA

**Data Element / Data Set**

Person—Indigenous status

**Data Source**

[State/territory admitted patient data](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

Person—sex

**Data Source**

[State/territory admitted patient data](#)

**Guide for use**

Data source type: Administrative by-product data

## Representational attributes

<b>Representation class:</b>	Percentage
<b>Data type:</b>	Real
<b>Unit of measure:</b>	Service event
<b>Format:</b>	N[NN].N

# Indicator conceptual framework

Framework and dimensions:

[Effective](#)

[Continuous](#)

## Accountability attributes

**Reporting requirements:** State/territory supplied data.

**Benchmark:** State/territory level

**Further data development / collection required:** This indicator cannot be accurately constructed using the Admitted Patient Care National Minimum Data Set (NMDS). While the data set comprehensively provides a collection of separations from Australian public hospitals, its inability to uniquely identify a patient across episodes and across hospitals, and the inability to identify patient transfers into and separations from acute admitted patient mental health care service units, limits its capacity to count readmissions.

There is no proxy solution available. In order to report this indicator at a national level, states and territories are required to individually provide separate indicator data.

A reliable system of patient identifiers within the Admitted Patient Care NMDS is required to enable unique identification of individual consumers across multiple years, multiple admitted episodes and multiple hospitals.

When data for this indicator are requested, jurisdictions are required to answer whether a state-wide unique client identifier system is in place, or some comparable approach has been used in the data analysis to allow tracking of service utilisation by an individual consumer across all public specialised mental health services in the jurisdiction. Collection of this information is aimed at assessing the degree of consistency between jurisdictions in data reported, the result of which are explored in the data quality statement for this indicator.

**Other issues caveats:** Due to data limitations this indicator cannot differentiate between planned and unplanned readmissions. This indicator does not track readmissions across state and territory boundaries or track movement between public and private hospitals.

## Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare on behalf of the National Mental Health Performance Subcommittee

**Reference documents:** National Mental Health Performance Subcommittee (NMHPSC) 2013. Key Performance Indicators for Australian Public Mental Health Services, 3rd edn. Canberra: NMHPSC.

## Relational attributes

**Related metadata references:** Supersedes [KPIs for Australian Public Mental Health Services: PI02J – 28 day readmission rate, 2017](#)  
[Health](#), Superseded 13/01/2021

Has been superseded by [KPIs for Australian Public Mental Health Services: PI02J – Mental health readmissions to hospital, 2019](#)  
[Health](#), Superseded 13/01/2021

See also [Specialised mental health service—admitted patient care program type, code N](#)  
[Health](#), Standard 08/12/2004