

Allied health service event—indicator for allied health intervention

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Allied health service event—indicator for allied health intervention

Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	705858
Registration status:	Health , Standard 12/12/2018
Definition:	The patient specific reason for allied health intervention as determined by the allied health service provider for the allied health service event .

Object Class attributes

Identifying and definitional attributes

Object class:	Allied health service event
Definition:	A specific encounter between a person and an allied health service provider .

Collection and usage attributes

Guide for use:	<p>An allied health service event is performed by an allied health professional, allied health assistant or allied health student.</p> <p>An allied health service event must:</p> <ul style="list-style-type: none">• be attributable to an individual patient with a known patient identifier• contain therapeutic/clinical content, have an individual patient attributable duration against the encounter and result in a dated entry in the person's medical record. <p>An allied health service event may be an individual or a group encounter.</p> <p>A person may or may not be in physical attendance for an allied health service event.</p> <p>An allied health service event typically occurs within the boundary of a single day, but may occur over 2 days. For example, a social worker performing an on-call, overnight shift, from 10:30pm until 4:00am.</p> <p>Within each episode of care, a person may have one or more allied health service events. There may be one or more allied health service events provided by the same allied health service provider on the same or following day.</p>
----------------	---

Source and reference attributes

Submitting organisation:	Allied Health Professions Australia
--------------------------	-------------------------------------

Property attributes

Identifying and definitional attributes

Property:	Indicator for allied health intervention
Definition:	The patient specific reason for allied health intervention as determined by the allied health service provider .

Source and reference attributes

Submitting organisation:	Allied Health Professions Australia
--------------------------	-------------------------------------

Data element concept attributes

Source and reference attributes

Submitting organisation: Allied Health Professions Australia

Relational attributes

**Data Elements
implementing this Data
Element Concept:**

[Allied health service event—indicator for allied health intervention, text X\[X\(59\)\]
Health](#), Standard 12/12/2018