National Core Maternity Indicators, 2019



© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Core Maternity Indicators, 2019

Identifying and definitional attributes

Metadata item type: Indicator Set

Indicator set type: Other

METEOR identifier: 717443

Registration status: Health, Superseded 16/09/2020

Description: The Maternity Services Inter-Jurisdictional Committee of the Australian Health

Ministers' Advisory Council was tasked with developing a set of national core maternity indicators to monitor the quality of maternity care in Australia. This work was undertaken by the Australian Institute of Health and Welfare (AlHW), after initial development by Women's Healthcare Australasia and the Western Australian

Department of Health.

The indicators are clinical indicators that apply to the field of maternity care. A clinical indicator is specifically defined as a measure of the clinical management and outcome of care, and should be based on evidence that confirms the underlying causal relationship between a particular process or intervention and

health outcome (WHA 2007).

Clinical indicators have a key role in the assessment, monitoring and evaluation of patient care. They allow for monitoring of change in practice and outcomes relative to individual and peer organisations over time with the objective of improving

patient care.

Relational attributes

Related metadata references:

Supersedes National Core Maternity Indicators, 2018

Health, Superseded 19/06/2019

Has been superseded by National Core Maternity Indicators, 2020

Health, Superseded 17/12/2021

Indicators linked to this Indicator set:

National Core Maternity Indicators: PI 01–Tobacco smoking in pregnancy for all females giving birth, 2019

Health, Superseded 16/09/2020

National Core Maternity Indicators: PI 02—Antenatal care visits in the first trimester for all females giving birth, 2019

Health, Superseded 16/09/2020

National Core Maternity Indicators: PI 03—Episiotomy for females giving birth for the first time and giving birth vaginally, 2019

Health, Superseded 16/09/2020

National Core Maternity Indicators: PI 04–Apgar score of less than 7 at 5 minutes for births at or after term, 2019

Health, Superseded 16/09/2020

National Core Maternity Indicators: PI 05—Induction of labour for selected females giving birth for the first time, 2019

Health, Superseded 16/09/2020

National Core Maternity Indicators: PI 06—Caesarean section for selected females giving birth for the first time, 2019

Health, Superseded 16/09/2020

National Core Maternity Indicators: PI 07–Non-instrumental vaginal birth for selected females giving birth for the first time, 2019

Health, Superseded 16/09/2020

National Core Maternity Indicators: PI 08—Instrumental vaginal birth for selected females giving birth for the first time, 2019

Health, Superseded 16/09/2020

National Core Maternity Indicators: PI 09—General anaesthetic for females giving birth by caesarean section, 2019

Health, Superseded 16/09/2020

National Core Maternity Indicators: PI 10–Small babies among births at or after 40 weeks gestation, 2019

Health, Superseded 16/09/2020

National Core Maternity Indicators: PI 13—Third and fourth degree tears for vaginal births, 2019

Health, Superseded 16/09/2020

National Core Maternity Indicators: PI 15–Females having their second birth vaginally whose first birth was by caesarean section, 2019

Health, Superseded 16/09/2020

Collection and usage attributes

Comments:

NOTE: Not all of the data used to derive these indicators are collected in a standardised way, or are available for all years across all jurisdictions; therefore, results should be interpreted with caution.

Data for 2019 indicator reporting include annual data for the calendar years 2004 to 2017. Data are not available for all indicators for all years.

For reporting purposes, the terms 'females' and 'women' are used interchangeably.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare.

Origin:

AlHW National Perinatal Epidemiology and Statistics Unit and AlHW 2013. National core maternity indicators. Cat no. PER 58. Canberra: AlHW. Viewed 29 May 2019, https://www.aihw.gov.au/reports/mothers-babies/national-core-maternity-indicators/contents/table-of-contents.

AlHW 2014. National core maternity indicators—stage 2 report: 2007–2011. Cat. no. PER 68. Canberra: AlHW. Viewed 29 May 2019, https://www.aihw.gov.au/reports/mothers-babies/national-core-maternity-indicators-stage-2-report/contents/table-of-contents.

AlHW 2016a. National core maternity indicators—stage 3 and 4 from 2010—2013. Cat. no. PER 84. Canberra: AlHW. 29 May 2019,

https://www.aihw.gov.au/reports/mothers-babies/national-core-maternity-indicators-stage-3-4/contents/table-of-contents.

AlHW 2016b. National core maternity indicators data visualisations. Viewed 29 May 2019, https://www.aihw.gov.au/reports/mothers-babies/ncmi-data-visualisations/contents/summary.

Reference documents:

WHA (Women's Healthcare Australasia) 2007. Supporting excellence in maternity care: the core maternity indicators project: findings from the core maternity indicators project. Canberra: WHA.