

Anaesthesia during birth event

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Anaesthesia during birth event

Identifying and definitional attributes

Metadata item type:	Glossary Item
METEOR identifier:	733095
Registration status:	Health , Standard 03/12/2020 Tasmanian Health , Standard 29/03/2023
Definition:	A technique used to introduce an agent to produce a state of reduced or absence of sensation to a female for the operative or instrumental delivery of the baby.
Context:	Perinatal

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
---------------------------------	---

Relational attributes

Related metadata references:	Supersedes Anaesthesia Health , Superseded 03/12/2020 See also Analgesia during birth event Health , Standard 03/12/2020 Tasmanian Health , Standard 29/03/2023
-------------------------------------	---

**Metadata items which use
this glossary item:**

[Birth event—anaesthesia administered indicator](#)

[Health](#), Standard 03/12/2020

[Birth event—anaesthesia administered indicator, yes/no/not stated/inadequately described code N](#)

[Health](#), Standard 09/12/2022

[Birth event—anaesthesia administered indicator, yes/no/not stated/inadequately described code N](#)

[Health](#), Superseded 09/12/2022

[Birth event—type of anaesthesia administered](#)

[Health](#), Standard 03/12/2020

[Tasmanian Health](#), Standard 08/11/2023

[Birth event—type of anaesthesia administered, code N\[N\]](#)

[Health](#), Superseded 17/12/2021

[Birth event—type of anaesthesia administered, code N\[N\]](#)

[Health](#), Standard 17/12/2021

[Tasmanian Health](#), Standard 08/11/2023

[Perinatal NBEDS 2021–22](#)

[Health](#), Superseded 17/12/2021

[Perinatal NBEDS 2022–23](#)

[Health](#), Superseded 09/12/2022

[Perinatal NBEDS 2023–24](#)

[Health](#), Superseded 06/12/2023

[Perinatal NBEDS 2024–25](#)

[Health](#), Standard 06/12/2023

[Perinatal NMDS 2021–22](#)

[Health](#), Superseded 17/12/2021

[Perinatal NMDS 2022–23](#)

[Health](#), Superseded 09/12/2022

[Perinatal NMDS 2023–24](#)

[Health](#), Superseded 06/12/2023

[Perinatal NMDS 2024–25](#)

[Health](#), Standard 06/12/2023

[Type of birth anaesthesia administered code N\[N\]](#)

[Health](#), Superseded 17/12/2021

[Type of birth anaesthesia administered code N\[N\]](#)

[Health](#), Standard 17/12/2021

[Tasmanian Health](#), Standard 08/11/2023