

# © Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# Stillbirth (fetal death)

# Identifying and definitional attributes

**Metadata item type:** Glossary Item

METEOR identifier: 733271

Registration status: Health, Standard 03/12/2020

Indigenous, Standard 14/07/2021

Tasmanian Health, Standard 24/12/2021

**Definition:** A fetal death prior to the complete expulsion or extraction from its mother of a

product of conception of 20 or more completed weeks of gestation or of 400 grams

or more birthweight.

The death is indicated by the fact that after such separation the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of

the umbilical cord, or definite movement of voluntary muscles.

Context: Perinatal

# Collection and usage attributes

**Comments:** Terminations of pregnancy performed at gestational ages of 20 or more weeks

should be included in perinatal collections and should be recorded either as stillbirths or, in the unlikely event of showing evidence of life, as live births.

Fetus papyraceous and fetus compressus are products of conception recognisable as a deceased fetus. These fetal deaths are likely to have occurred before 20 weeks gestation but should be included as stillbirths in perinatal collections if they are recognisable as a fetus and have been expelled or extracted with other

products of conception at 20 or more weeks gestational age.

# Source and reference attributes

**Submitting organisation:** National Perinatal Data Development Committee

# Relational attributes

Related metadata Supersedes Stillbirth (fetal death)

references: Health, Superseded 03/12/2020 Indigenous, Superseded 14/07/2021

Tasmanian Health, Superseded 24/03/2023

See also Live birth

Health, Standard 03/12/2020 Indigenous, Standard 14/07/2021 Tasmanian Health, Standard 24/12/2021

Metadata items which use this glossary item:

Aboriginal and Torres Strait Islander specific primary health care NBEDS

December 2023

Indigenous, Superseded 27/04/2024

Aboriginal and Torres Strait Islander specific primary health care NBEDS June

2024

Indigenous, Standard 27/04/2024

Birth status code N

Health, Standard 03/12/2020 Indigenous, Standard 14/07/2021

**Birthweight** 

Health, Standard 03/12/2020 Indigenous, Standard 14/07/2021 Tasmanian Health, Standard 24/12/2021

Female—parity

Health, Standard 03/12/2020

#### Tasmanian Health, Standard 11/06/2021

#### Female—parity, total pregnancies N[N]

Health, Standard 03/12/2020

Tasmanian Health, Standard 11/06/2021

# Indigenous-specific primary health care NBEDS December 2020

Indigenous, Superseded 03/07/2022

# Indigenous-specific primary health care NBEDS December 2021

Indigenous, Superseded 12/06/2023

# Indigenous-specific primary health care NBEDS December 2022

Indigenous, Superseded 18/12/2023

### Indigenous-specific primary health care NBEDS June 2021

Indigenous, Superseded 06/11/2022

#### Indigenous-specific primary health care NBEDS June 2022

Indigenous, Superseded 27/08/2023

#### Indigenous-specific primary health care NBEDS June 2023

Indigenous, Superseded 25/02/2024

#### Perinatal death

Health, Standard 17/12/2021

#### Perinatal Mortality NBEDS 2022-23

Health, Superseded 07/02/2023

#### Perinatal Mortality NBEDS 2023-24

Health, Standard 07/02/2023

### Perinatal Mortality NBEDS 2024–25

Health, Qualified 12/09/2023

#### Perinatal NBEDS 2021-22

Health, Superseded 17/12/2021

#### Perinatal NBEDS 2022-23

Health, Superseded 09/12/2022

#### Perinatal NBEDS 2023-24

Health, Superseded 06/12/2023

#### Perinatal NBEDS 2024-25

Health, Standard 06/12/2023

### Perinatal NMDS 2021–22

Health, Superseded 17/12/2021

# Perinatal NMDS 2022–23

Health, Superseded 09/12/2022

#### Perinatal NMDS 2023-24

Health, Superseded 06/12/2023

# Perinatal NMDS 2024-25

Health, Standard 06/12/2023

### Pregnancy—birth plurality, code N

Health, Standard 03/12/2020

Indigenous, Standard 14/07/2021

Tasmanian Health, Standard 24/03/2023

#### Product of birth

Health, Standard 03/12/2020

Indigenous, Standard 14/07/2021

Tasmanian Health, Standard 07/11/2023

#### Product of birth—birthweight

Health, Standard 03/12/2020

Indigenous, Standard 14/07/2021

Tasmanian Health, Standard 07/11/2023

### Product of birth—birthweight, code N

Indigenous, Standard 14/07/2021

#### Product of birth—birthweight, total grams N[NNN]

Health, Standard 03/12/2020

Indigenous, Standard 12/06/2023
Tasmanian Health, Standard 07/11/2023

# Product of birth—head circumference, total centimetres NN[N].N

Health, Standard 03/12/2020

Tasmanian Health, Standard 24/03/2023

# Product of birth—perinatal death type, code N

Health, Standard 17/12/2021

# Product of birth—timing of fetal death

Health, Standard 17/12/2021

# Product of birth—timing of fetal death, code N

Health, Standard 17/12/2021

### Timing of fetal death

Health, Standard 17/12/2021

# Timing of fetal death code N

Health, Standard 17/12/2021