

# **Acute Anaphylaxis Clinical Care Standard: 6b- Proportion of patients treated for anaphylaxis separated from hospital with a completed ASCIA Action Plan for Anaphylaxis or ASCIA Action Plan for Drug (Medication) Allergy.**

**Exported from METEOR (AIHW's Metadata Online Registry)**

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Acute Anaphylaxis Clinical Care Standard: 6b-Proportion of patients treated for anaphylaxis separated from hospital with a completed ASCIA Action Plan for Anaphylaxis or ASCIA Action Plan for Drug (Medication) Allergy.

## Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	6b-Proportion of patients treated for anaphylaxis separated from hospital with a completed ASCIA Action Plan for Anaphylaxis or ASCIA Action Plan for Drug (Medication) Allergy.
METEOR identifier:	745155
Registration status:	<a href="#">Australian Commission on Safety and Quality in Health Care</a> , Standard 24/11/2021
Description:	Proportion of patients treated for anaphylaxis separated from hospital with a completed <a href="#">ASCIA Action Plan for Anaphylaxis</a> or <a href="#">ASCIA Action Plan for Drug (Medication) Allergy</a> .
Indicator set:	<a href="#">Clinical care standard indicators: Acute Anaphylaxis</a> <a href="#">Australian Commission on Safety and Quality in Health Care</a> , Standard 24/11/2021

## Collection and usage attributes

Population group age from:	All ages
Computation description:	For the numerator and denominator separations involving patients with anaphylaxis in hospital settings can be identified using the ICD codes specified in Table A.

**Table A: ICD-10-AM 11<sup>th</sup> edition codes for anaphylaxis**

Code	Description
T78.0	Anaphylaxis and anaphylactic shock due to adverse food reaction
T78.2	Anaphylaxis and anaphylactic shock, unspecified
T80.5	Anaphylaxis and anaphylactic shock due to serum
T88.6	Anaphylaxis and anaphylactic shock due to adverse effect of correct drug or medicament properly administered

Computation:	Presented as a percentage. (Numerator ÷ Denominator) x 100
Numerator:	The number of patients treated for anaphylaxis separated from hospital with a completed <i>ASCIA Action Plan for Anaphylaxis</i> or <i>ASCIA Action Plan for Drug (Medication) Allergy</i> .
Denominator:	The number of patients treated for anaphylaxis separated from hospital.

## Representational attributes

Representation class:	Percentage
Data type:	Real

**Unit of measure:** Person

**Format:** N[NN]

## Accountability attributes

**Other issues caveats:** Applicable settings: public and private hospitals.

## Source and reference attributes

**Submitting organisation:** Australian Commission on Safety and Quality in Health Care

**Reference documents:** Australian Commission on Safety and Quality in Health Care 2021. Acute Anaphylaxis clinical care standard. Australian Commission on Safety and Quality in Health Care, Sydney.