

# Perinatal NMDS 2023–24

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Perinatal NMDS 2023–24

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Set Specification
<b>METEOR identifier:</b>	756062
<b>Registration status:</b>	<a href="#">Health</a> , Superseded 06/12/2023
<b>DSS type:</b>	National Minimum Data Set (NMDS)
<b>Scope:</b>	<p>The scope of the Perinatal national minimum data set (NMDS) is all births in Australia in hospitals, birth centres and the community. The data set includes information on all births, both <a href="#">live births</a> and <a href="#">stillbirths</a>, of at least 20 weeks gestation or 400 grams birthweight.</p> <p>These data have two dimensions, which are the baby and the mother. All data relevant to the birth are conveyed in relation to one of these.</p>

## Collection and usage attributes

<b>Statistical unit:</b>	<p>As there are two dimensions to the data, there are two statistical units:</p> <ol style="list-style-type: none"><li>1. Mother (Female)</li><li>2. Baby (Product of birth).</li></ol> <p>In the case of multiple births, data are collected once for each mother and once for each baby.</p>
<b>Collection methods:</b>	<p>National reporting arrangements:</p> <p>State and territory health authorities provide the data to the Australian Institute of Health and Welfare for national collation, on an annual basis.</p> <p>Periods for which data are collected:</p> <p>Financial year ending 30 June each year.</p>
<b>Implementation start date:</b>	01/07/2023
<b>Implementation end date:</b>	30/06/2024
<b>Comments:</b>	<p>The terms 'product of birth' and 'baby,' and 'female' and 'mother' are used interchangeably throughout the NMDS.</p> <p>Glossary terms that are relevant to this NMDS include:</p> <p><a href="#">Anaesthesia during birth event</a></p> <p><a href="#">Analgesia during birth event</a></p> <p><a href="#">Antenatal care visit</a></p> <p><a href="#">Birthweight</a></p> <p><a href="#">Gestational diabetes mellitus</a></p> <p><a href="#">Hospital-in-the-home care</a></p> <p><a href="#">Hypertensive disorder during pregnancy</a></p> <p><a href="#">Live birth</a></p> <p><a href="#">Registered nurse</a></p> <p><a href="#">Separation</a></p> <p><a href="#">Stillbirth (fetal death)</a></p>

## Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

## Relational attributes

**Related metadata references:** Supersedes [Perinatal NMDs 2022–23 Health](#), Superseded 09/12/2022

Has been superseded by [Perinatal NMDs 2024–25 Health](#), Standard 06/12/2023

See also [Perinatal Mortality NBEDs 2023–24 Health](#), Standard 07/02/2023

See also [Perinatal NBEDs 2023–24 Health](#), Superseded 06/12/2023

**Implementation in Data Set Specifications:** [Perinatal NBEDs 2023–24 Health](#), Superseded 06/12/2023

**Implementation start date:** 01/07/2023

**Implementation end date:** 30/06/2024

## Metadata items in this Data Set Specification

Seq No.	Metadata item	Obligation	Max occurs
-	<a href="#">Birth event—actual setting of birth, code N</a>	Mandatory	1
<b>DSS specific information:</b>			
Used to analyse the risk factors and outcomes by place of birth. While most births occur within hospitals, an increasing number of births now occur in other settings. It is important to monitor the births occurring outside hospitals and to ascertain whether or not the actual place of birth was planned.			
If a jurisdiction is unable to record this data element for each baby in a multiple birth then the place of birth of the first-born baby should be recorded.			
-	<a href="#">Birth event—anaesthesia administered indicator, yes/no/not stated/inadequately described code N</a>	Conditional	1
<b>Conditional obligation:</b>			
This data element is only to be recorded if the response to the <a href="#">Birth event—birth method, code N</a> data element is Code 2 (Vaginal—forceps), Code 4 (Caesarean section) or Code 5 (Vaginal—vacuum extraction).			
-	<a href="#">Birth event—analgesia administered indicator, yes/no/not stated/inadequately described code N</a>	Conditional	1
<b>Conditional obligation:</b>			
This data element is only to be recorded if the response to the <a href="#">Birth event—labour onset type, code N</a> data element is Code 1 (Spontaneous) or Code 2 (Induced).			
-	<a href="#">Birth event—birth method, code N</a>	Mandatory	1
<b>DSS specific information:</b>			
In the case of multiple births, this data element should be recorded for each baby born.			

Seq No.	Metadata item	Obligation	Max occurs
-	<a href="#">Birth event—birth presentation, code N</a>	Mandatory	1
	<p><b>DSS specific information:</b></p> <p>In the case of multiple births, this data element should be recorded for each baby born.</p>		
-	<a href="#">Birth event—labour induction method, code N[N]</a>	Conditional	6
	<p><b>Conditional obligation:</b></p> <p>The data element is only to be recorded if the response to the <a href="#">Birth event—labour onset type, code N</a> data element is Code 2 (Induced).</p>		
-	<a href="#">Birth event—labour onset type, code N</a>	Mandatory	1
	<p><b>DSS specific information:</b></p> <p>How labour commenced is closely associated with method of birth and maternal and neonatal morbidity. Induction rates vary for maternal risk factors and obstetric complications and are important indicators of obstetric intervention.</p> <p>This data element is recorded for the mother only.</p>		
-	<a href="#">Birth event—state/territory of birth, code N</a>	Mandatory	1
	<p><b>DSS specific information:</b></p> <p>This data element is recorded for the mother only.</p>		
-	<a href="#">Birth event—type of anaesthesia administered, code N[N]</a>	Conditional	7
	<p><b>Conditional obligation:</b></p> <p>This data element is only to be recorded if the response to the <a href="#">Birth event—birth method, code N</a> data element is Code 2 (Vaginal—forceps), Code 4 (Caesarean section) or Code 5 (Vaginal—vacuum extraction) and <a href="#">Birth event—anaesthesia administered indicator, yes/no/not stated/inadequately described code N</a> data element is Code 1 (Yes).</p> <p><b>DSS specific information:</b></p> <p>This data element does not include the removal of the placenta.</p> <p>This is a multiple response data element and is therefore operationalised for data collection across 7 individual data items (one data item per permissible value, excluding Code 99 (Not stated/inadequately described)).</p>		

- [Birth event—type of analgesia administered, code N\[N\]](#)

Conditional 6

**Conditional obligation:**

This data element is only to be recorded if the response to the [Birth event—labour onset type, code N](#) data element is Code 1 (Spontaneous) or Code 2 (Induced) and the [Birth event—analgesia administered indicator, yes/no/not stated/inadequately described code N](#) data element is Code 1 (Yes).

**DSS specific information:**

This data element is to be recorded for first and second stage labour, but not for third stage labour, e.g. removal of placenta.

This is a multiple response data element and is therefore operationalised for data collection across 6 individual data items (one data item per permissible value, excluding Code 99 (Not stated/inadequately described)).

- [Episode of admitted patient care—separation date, DDMMYYYY](#)

Conditional 2

**Conditional obligation:**

This data element is only to be recorded if the response to the [Birth event—actual setting of birth, code N](#) data element is Code 1 (Hospital, excluding birth centre), Code 2 (Birth centre, attached to hospital) or Code 3 (Birth centre, free standing).

**DSS specific information:**

For the provision of state and territory hospital data to Australian Government agencies this field must:

- be ≤ last day of financial year
- be ≥ first day of financial year
- be ≥ admission date

This data element is recorded once for the mother and once for the baby. In the case of multiple births, this data element should be recorded for each baby born.

- [Establishment—organisation identifier \(Australian\), NNX\[X\]NNNNN](#)

Mandatory 1

**DSS specific information:**

This data element is recorded for the mother only.

The following code has been agreed by the National Perinatal Data Development Committee (NPDDC) as a supplementary code for use in the Perinatal NMDS:

Value	Meaning
999999997	Not applicable
999999999	Not stated

- [Female—caesarean section at most recent previous birth indicator, yes/no/not applicable/not stated/inadequately described code N](#)

Mandatory 1

**DSS specific information:**

This data element is recorded for the mother only.

Seq No.	Metadata item	Obligation	Max occurs
-	<a href="#">Female—diabetes mellitus during pregnancy indicator, yes/no/not stated/inadequately described code N</a>	Mandatory	1
	<p><b>DSS specific information:</b></p> <p>It is acceptable for jurisdictions to report only Code 1, Yes and Code 9, Not stated/inadequately described against this item.</p> <p>This data element is recorded for the mother only.</p>		
-	<a href="#">Female—hypertensive disorder during pregnancy indicator, yes/no/not stated/inadequately described code N</a>	Mandatory	1
	<p><b>DSS specific information:</b></p> <p>It is acceptable for jurisdictions to report only Code 1, Yes and Code 9, Not stated/inadequately described against this item.</p> <p>This data element is recorded for the mother only.</p>		
-	<a href="#">Female—number of antenatal care visits, total N[N]</a>	Mandatory	1
	<p><b>DSS specific information:</b></p> <p>This data element is recorded for the mother only.</p>		
-	<a href="#">Female—number of tobacco cigarettes smoked per day after 20 weeks of pregnancy, total N[NN]</a>	Conditional	1
	<p><b>Conditional obligation:</b></p> <p>The data element is only to be recorded if the response to the <a href="#">Female—tobacco smoking after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N</a> data element is Code 1 (Yes).</p> <p><b>DSS specific information:</b></p> <p>This data element is recorded for the mother only.</p>		
-	<a href="#">Female—parity, total pregnancies N[N]</a>	Mandatory	1
	<p><b>DSS specific information:</b></p> <p>This data element is recorded for the mother only.</p>		
-	<a href="#">Female—postpartum perineal status, code N[N]</a>	Mandatory	2
	<p><b>DSS specific information:</b></p> <p>This is a multiple response data element and is therefore operationalised for data collection across 7 individual data items (one data item per permissible value, excluding Code 99 (Not stated/inadequately described)).</p> <p>This data element is recorded for the mother only.</p>		

Seq No.	Metadata item	Obligation	Max occurs				
-	<a href="#">Female—tobacco smoking after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N</a>	Mandatory	1				
	<b>DSS specific information:</b>  This data element is recorded for the mother only.						
-	<a href="#">Female—tobacco smoking in the first 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N</a>	Mandatory	1				
	<b>DSS specific information:</b>  This data element is recorded for the mother only.						
-	<a href="#">Person—area of usual residence, statistical area level 2 (SA2) code (ASGS Edition 3) N(9)</a>	Mandatory	1				
	<b>DSS specific information:</b>  This data element is recorded for the mother only.  The following code has been agreed by the National Perinatal Data Development Committee (NPDDC) as a supplementary code for use in the Perinatal NMDS:						
	<table><tr><th>Value</th><th>Meaning</th></tr><tr><td>999999999</td><td>Not stated/inadequately described</td></tr></table>			Value	Meaning	999999999	Not stated/inadequately described
Value	Meaning						
999999999	Not stated/inadequately described						
-	<a href="#">Person—country of birth, code (SACC 2016) NNNN</a>	Mandatory	1				
	<b>DSS specific information:</b>  This data element is recorded for the mother only.						
-	<a href="#">Person—date of birth, DDMMYYYY</a>	Mandatory	2				
	<b>DSS specific information:</b>  This data element is recorded once for the mother and once for the baby. In the case of multiple births, this data element should be recorded for each baby born.						
-	<a href="#">Person—Indigenous status, code N</a>	Mandatory	2				
	<b>DSS specific information:</b>  This data element is recorded once for the mother and once for the baby. In the case of multiple births, this data element should be recorded for each baby born.						
-	<a href="#">Person—person identifier, XXXXXX[X(14)]</a>	Mandatory	2				
	<b>DSS specific information:</b>  This data element is recorded once for the mother and once for the baby. In the case of multiple births, this data element should be recorded for each baby born.						

Seq No.	Metadata item	Obligation	Max occurs				
-	<a href="#">Person—sex, code X</a>	Mandatory	1				
	<b>DSS specific information:</b>  This data element is recorded for the baby only. In the case of multiple births, this data element should be recorded for each baby born.						
-	<a href="#">Pregnancy—birth plurality, code N</a>	Mandatory	1				
	<b>DSS specific information:</b>  This data element is recorded for the mother only.						
-	<a href="#">Pregnancy—estimated duration of pregnancy at the first antenatal care visit, total completed weeks N[N]</a>	Mandatory	1				
	<b>DSS specific information:</b>  This data element is recorded for the mother only.  The following code has been agreed by the National Perinatal Data Development Committee (NPDDC) as a supplementary code for use in the Perinatal NMDS:						
	<table><tr><th>Value</th><th>Meaning</th></tr><tr><td>99</td><td>Not stated/inadequately described</td></tr></table>	Value	Meaning	99	Not stated/inadequately described		
Value	Meaning						
99	Not stated/inadequately described						
-	<a href="#">Product of birth—active resuscitation indicator, yes/no/not stated/inadequately described code N</a>	Mandatory	1				
-	<a href="#">Product of birth—active resuscitation method, code N[N]</a>	Conditional	7				
	<b>Conditional obligation:</b>  The data element is only to be recorded if the response to the <a href="#">Product of birth—active resuscitation indicator, yes/no/not stated/inadequately described code N</a> data element is Code 1 (Yes).						
-	<a href="#">Product of birth—Apgar score at 5 minutes, code NN</a>	Mandatory	1				
	<b>DSS specific information:</b>  In the case of multiple births, this data element should be recorded for each baby born.						



- [Product of birth—birth order, code N](#)

Mandatory 1

**DSS specific information:**

Birth order is only assigned to births that are in scope for the Perinatal NMDS (i.e. births of at least 20 weeks gestation or 400 grams birthweight). In the case of multiple pregnancies, if one or more fetuses were removed from the mother's uterus before 20 weeks gestation, for example, by abortion (spontaneous, induced or fetal reduction), they are not considered in the assignment of birth order for any remaining fetuses that are born. For example, in a twin pregnancy, where one fetus is aborted before 20 weeks gestation, no birth order would be recorded for that twin. If the remaining twin is born and is in scope for the Perinatal NMDS, then their birth order would be recorded as Code 1 (Singleton or first of a multiple birth). If both twins are born and are in scope for the Perinatal NMDS, the first twin would be assigned a birth order of Code 1 (Singleton or first of a multiple birth) and the second twin would be assigned a birth order of Code 2 (Second of a multiple birth).

In the case of multiple births, this data element should be recorded for each baby born.

- [Product of birth—birth status, code N](#)

Mandatory 1

**DSS specific information:**

Essential to analyse outcome of pregnancy.

In the case of multiple births, this data element should be recorded for each baby born.

- [Product of birth—birthweight, total grams N\[NNN\]](#)

Mandatory 1

**DSS specific information:**

Weight is an important indicator of pregnancy outcome, is a major risk factor for neonatal morbidity and mortality and is required to analyse perinatal services for high-risk infants.

In the case of multiple births, this data element should be recorded for each baby born.

- [Product of conception—gestational age, total completed weeks N\[N\]](#)

Mandatory 1

**DSS specific information:**

The first day of the last menstrual period (LMP) is required to estimate gestational age, which is a key marker in pregnancy and an important risk factor for neonatal outcomes. Although the date of the LMP may not be known, or may sometimes be erroneous, estimation of gestational age based on clinical assessment may also be inaccurate. Gestational age is usually estimated based on available information on LMP and clinical assessment.

In the case of multiple births, this data element should be recorded for each baby born.

The following code has been agreed by the National Perinatal Data Development Committee (NPDDC) as a supplementary code for use in the Perinatal NMDS:

Value	Meaning
99	Not stated/inadequately described

