



**National Health Data  
Dictionary Version 13.3  
Volume 7  
NMDSs, DSSs, Object Classes,  
Properties A-H**

**Exported from METeOR  
*AIHW's Metadata Online Registry***

© Australian Institute of Health and Welfare 2008

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced without prior written permission from the Australian Institute of Health and Welfare. Requests and enquiries concerning reproduction and rights should be directed to the Head, Business Promotion and Media, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601.

Any enquiries about or comments on this publication should be directed to:

National Data Development and Standards Unit  
Australian Institute of Health and Welfare  
GPO Box 570  
Canberra ACT 2601  
Email: [datadevelopment@aihw.gov.au](mailto:datadevelopment@aihw.gov.au)  
Phone: (02) 6244 1222 Fax: (02) 6244 1166

## List of metadata items

National minimum data sets.....	9
Admitted patient care NMDS 2008-2009.....	10
Admitted patient mental health care NMDS 2008-2009.....	13
Admitted patient palliative care NMDS 2008-09.....	15
Alcohol and other drug treatment services NMDS 2008-2009.....	17
Community mental health care NMDS 2008-2009.....	19
Elective surgery waiting times (census data) NMDS.....	20
Elective surgery waiting times (removals data) NMDS.....	22
Government health expenditure NMDS 2008-2009.....	24
Health labour force NMDS.....	26
Mental health establishments NMDS 2008-2009.....	27
Non-admitted patient emergency department care NMDS 2008-2009.....	32
Outpatient care NMDS.....	34
Perinatal NMDS 2008-2009.....	36
Public hospital establishments NMDS 2008-2009.....	37
Residential mental health care NMDS 2008-2009.....	42
Data set specifications.....	44
Acute coronary syndrome (clinical) DSS.....	45
Cancer (clinical) DSS.....	50
Cardiovascular disease (clinical) DSS.....	52
Computer Assisted Telephone Interview demographic module DSS.....	54
Diabetes (clinical) DSS.....	55
Functioning and Disability DSS.....	58
Health care client identification DSS.....	61
Health care provider identification DSS.....	64
Injury surveillance DSS.....	67
Palliative care performance indicators DSS.....	68
Data element clusters.....	70
Activities and Participation cluster.....	71
Body functions cluster.....	74
Body structures cluster.....	77
Environmental factors cluster.....	80
Government health expenditure function revenue data cluster.....	83
Government health expenditure organisation expenditure data cluster.....	84
Government health expenditure organisation revenue data element cluster.....	85
Supporting metadata items.....	86
Object classes.....	87
Administrative health region.....	88
Admitted patient.....	89
Admitted patient care waiting list episode.....	91
Admitted patient hospital stay.....	92
Adult.....	93
Birth.....	94
Birth event.....	95
Cancer staging.....	96
Cancer treatment.....	97
Child.....	98
Client.....	99
Community nursing service episode.....	101

Contracted hospital care.....	102
Date.....	104
Division of general practice.....	105
Elective care waiting list episode.....	106
Elective surgery waiting list episode .....	107
Emergency department stay .....	108
Episode of admitted patient care.....	109
Episode of care .....	111
Episode of residential care.....	112
Episode of treatment for alcohol and other drugs .....	113
Establishment .....	115
Female .....	119
Health industry relevant organisation.....	120
Health professional .....	121
Health service event.....	122
Hospital.....	123
Hospital census .....	124
Hospital service.....	125
Household .....	126
Individual service provider.....	127
Injury event.....	128
Jurisdiction.....	129
Laboratory standard.....	130
Medical practitioner .....	131
Mental health service contact.....	132
Non-admitted patient emergency department service episode .....	134
Non-admitted patient service event.....	136
Organisation .....	138
Patient.....	139
Person.....	140
Person with cancer.....	148
Pregnancy .....	149
Residential stay .....	150
Service contact.....	151
Service delivery outlet.....	152
Service provider organisation.....	153
Specialised mental health service .....	155
Specialised mental health service organisation .....	157
Specialised mental health service unit.....	160
State or Territory Government.....	161
Properties.....	162
Accommodation services grants to non-government organisations .....	163
Accommodation type.....	164
Accrued mental health care days .....	165
Accuracy indicator.....	166
Activity and participation life area .....	167
Activity type.....	168
Acute coronary syndrome concurrent clinical condition.....	169
Acute coronary syndrome procedure type .....	170
Acute coronary syndrome risk stratum.....	171

Additional diagnosis .....	172
Address line.....	173
Address type .....	174
Admission date .....	175
Admission mode.....	176
Admission time.....	177
Admission urgency status .....	178
Admitted patient care program type .....	179
Advocacy services grants to non-government organisations.....	180
Age.....	181
Age range.....	182
Alcohol consumption amount .....	183
Alcohol consumption frequency .....	184
Anaesthesia administered .....	185
Analgesia administered .....	186
Angiotensin converting enzyme inhibitors therapy status.....	187
Anticipated accommodation status.....	188
Apgar score.....	189
Area of clinical practice.....	190
Area of usual residence.....	191
Aspirin therapy status.....	192
Australian postcode.....	193
Australian state/territory identifier .....	194
Baby resuscitation method .....	195
Behaviour-related risk factor intervention.....	196
Behaviour-related risk factor intervention purpose .....	197
Beta-blocker therapy status .....	198
Birth method.....	199
Birth order.....	200
Birth plurality .....	201
Birth presentation .....	202
Birth status.....	203
Birth weight .....	204
Bleeding episode status .....	205
Blindness.....	206
Blood pressure .....	207
Bodily location of main injury .....	208
Body function .....	209
Body mass index .....	210
Body structure.....	211
Building/complex sub-unit identifier .....	212
Building/complex sub-unit type.....	213
Building/property name .....	214
Caesarean section indicator.....	215
Cancer staging scheme source .....	216
Cancer staging scheme source edition number .....	217
Cancer treatment type.....	218
Cardiovascular disease condition targeted by drug therapy .....	219
Cardiovascular medication taken.....	220
Care type.....	221

Carer participation arrangements .....	222
Cataract status.....	223
Category reassignment date.....	224
Census date.....	225
Cerebral stroke due to vascular disease .....	226
Cessation reason .....	227
Chest pain pattern .....	228
Cholesterol level .....	229
Client type .....	230
Clinical evidence status.....	231
Clinical procedure timing.....	232
Clinical urgency .....	233
Clopidogrel therapy status.....	234
Co-location with acute care hospital.....	235
Community awareness/health promotion services grants to non-government organisations....	236
Compensable status.....	237
Complication .....	238
Condition onset flag .....	239
Congenital malformation.....	240
Consumer committee representation arrangements .....	241
Consumer participation arrangements.....	242
Contract role .....	243
Contract type.....	244
Contracted care commencement date.....	245
Contracted care completed date .....	246
Contracted procedure flag.....	247
Coordinator of volunteers indicator .....	248
Coronary artery disease intervention .....	249
Counselling services grants to non-government organisations .....	250
Country identifier .....	251
Country of birth .....	252
Creatine kinase myocardial band isoenzyme measured date .....	253
Creatine kinase myocardial band isoenzyme measured time .....	254
Creatine kinase-myocardial band isoenzyme level .....	255
Creatinine serum level .....	256
Date of birth.....	257
Date of change to qualification status.....	258
Date of death .....	259
Degree of spread of a cancer .....	260
Dependency in activities of daily living.....	261
Depreciation expenses .....	262
Diabetes mellitus status .....	263
Diabetes therapy type .....	264
Diagnosis date.....	265
Diagnosis related group.....	266
Distant metastasis status.....	267
Drug of concern .....	268
Dyslipidaemia treatment with anti-lipid medication indicator .....	269
Elective care type .....	270
Electrocardiogram change location.....	271

Electrocardiogram change type.....	272
Electronic communication address.....	273
Electronic communication medium.....	274
Electronic communication usage code.....	275
Eligibility status.....	276
Employee related expenses.....	277
End-stage renal disease status.....	278
Environmental factor.....	279
Episode end date.....	280
Episode end mode.....	281
Episode end status.....	282
Episode end time.....	283
Episode start date.....	284
Episode start mode.....	285
Erectile dysfunction.....	286
Establishment type.....	287
Estimated gestational age.....	288
Expenses.....	289
Extended wait patient indicator.....	290
Extent of environmental factor influence.....	291
Extent of impairment of body function.....	292
Extent of impairment of body structure.....	293
Extent of participation in a life area.....	294
Extent of primary cancer.....	295
External cause.....	296
Family name.....	297
Fasting indicator.....	298
Feedback collection indicator.....	299
Feedback collection method.....	300
Fibrinolytic drug administered.....	301
Fibrinolytic therapy status.....	302
First angioplasty balloon inflation or stenting date.....	303
First angioplasty balloon inflation or stenting time.....	304
First contact date.....	305
First day of the last menstrual period.....	306
First service delivery date.....	307
Floor/level identifier.....	308
Floor/level type.....	309
Foot deformity indicator.....	310
Foot lesion indicator.....	311
Foot ulcer indicator.....	312
Formal community support access indicator.....	313
Full-time equivalent staff.....	314
Functional stress test element.....	316
Functional stress test ischaemic result.....	317
Funding eligibility indicator.....	318
Geographic location.....	319
Given name.....	320
Given name sequence number.....	321
Glycoprotein IIb/IIIa receptor antagonist therapy status.....	322

Glycosylated haemoglobin level.....	323
Goal of care.....	324
Government funding identifier .....	325
Gross capital expenditure.....	326
Gross income .....	328
Group session status .....	329
Health professionals attended for diabetes mellitus .....	330
Heart rate .....	331
Heart rhythm type.....	332
Height.....	333
High-density lipoprotein cholesterol level.....	334
Hip circumference .....	335
Histopathological grade.....	336
Hospital insurance status .....	337
Hours on-call.....	338
Hours worked .....	339
House/property identifier .....	340
Human intent of injury .....	341
Hypertension treatment with antihypertensive medication indicator.....	342



# National minimum data sets

---

## Admitted patient care NMDS 2008-2009

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	361679
<i>Registration status:</i>	Health, Standard 05/02/2008
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	<p>The purpose of this National Minimum Data Set is to collect information about care provided to admitted patients in Australian hospitals.</p> <p>The scope is episodes of care for admitted patients in all public and private acute and psychiatric hospitals, free standing day hospital facilities and alcohol and drug treatment centres in Australia. Hospitals operated by the Australian Defence Force, corrections authorities and in Australia's off-shore territories may also be included. Hospitals specialising in dental, ophthalmic aids and other specialised acute medical or surgical care are included.</p> <p>Hospital boarders and still births are not included as they are not admitted to hospital. Posthumous organ procurement episodes are also not included.</p>

### Collection and usage attributes

<i>Statistical unit:</i>	Episodes of care for admitted patients
<i>Collection methods:</i>	<p>Data are collected at each hospital from patient administrative and clinical record systems. Hospitals forward data to the relevant state or territory health authority on a regular basis (e.g. monthly).</p> <p><i>National reporting arrangements</i></p> <p>State and territory health authorities provide the data to the Australian Institute of Health and Welfare for national collation, on an annual basis.</p> <p><i>Periods for which data are collected and nationally collated</i></p> <p>Financial years ending 30 June each year.</p>
<i>Implementation start date:</i>	01/07/2008
<i>Comments:</i>	<p><i>Scope links with other NMDS</i></p> <p>Episodes of care for admitted patients which occur partly or fully in designated psychiatric units of public acute hospitals or in public psychiatric hospitals:</p> <ul style="list-style-type: none"><li>• Admitted patient mental health care NMDS.</li></ul> <p>Episodes of care for admitted patients where care type is palliative care:</p> <ul style="list-style-type: none"><li>• Admitted patient palliative care NMDS.</li></ul> <p><i>Glossary items</i></p> <p>Some previous Knowledgebase data element concepts are available in the METeOR glossary. Glossary items are available online through links in the relevant metadata items. In addition links to the glossary terms that are relevant to this National minimum data set are listed below.</p> <p><b>Admission</b></p> <p><b>Diagnosis</b></p> <p><b>Episode of acute care</b></p>

**Hospital boarder**  
**Hospital-in-the-home care**  
**Live birth**  
**Neonate**  
**Newborn qualification status**  
**Organ procurement - posthumous**  
**Same-day patient**  
**Separation**

## Relational attributes

*Related metadata references:* Supersedes [Admitted patient care NMDS 2007-2008](#) Health,  
 Superseded 05/02/2008

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Activity when injured	Mandatory	50
-	Additional diagnosis	Mandatory	50
-	Admission date	Mandatory	1
-	Admitted patient election status	Mandatory	1
-	Area of usual residence	Mandatory	1
-	Australian State/Territory identifier (establishment)	Mandatory	1
-	Care type	Mandatory	1
-	Condition onset flag	Mandatory	50
-	Country of birth	Mandatory	1
-	Date of birth	Mandatory	1
-	Diagnosis related group	Mandatory	1
-	Establishment number	Mandatory	1
-	Establishment sector	Mandatory	1
-	External cause (admitted patient)	Mandatory	50
-	Funding source for hospital patient	Mandatory	1
-	Hospital insurance status	Mandatory	1
-	Indigenous status	Mandatory	1
-	Intended length of hospital stay	Mandatory	1
-	Inter-hospital contracted patient	Mandatory	1
-	Major diagnostic category	Mandatory	1
-	Mental health legal status	Mandatory	1
-	Mode of admission	Mandatory	1
-	Mode of separation	Mandatory	1
-	Number of days of hospital-in-the-home care	Mandatory	1
-	Number of qualified days for newborns	Mandatory	1
-	Person identifier	Conditional	1
-	Place of occurrence of external cause of injury (ICD-10-AM)	Mandatory	50
-	Principal diagnosis	Mandatory	1
-	Procedure	Mandatory	50
-	Region code	Mandatory	1
-	Separation date	Mandatory	1

- Sex	Mandatory	1
- Source of referral to public psychiatric hospital	Mandatory	1
- Total leave days	Conditional	1
- Total psychiatric care days	Mandatory	1
- Urgency of admission	Mandatory	1
- Weight in grams (measured)	Mandatory	1

---

## Admitted patient mental health care NMDS 2008-2009

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	362305
<i>Registration status:</i>	Health, Standard 05/02/2008
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	The scope of this minimum data set is restricted to admitted patients receiving care in psychiatric hospitals or in designated psychiatric units in acute hospitals. The scope does not currently include patients who may be receiving treatment for psychiatric conditions in acute hospitals who are not in psychiatric units.

### Collection and usage attributes

<i>Statistical unit:</i>	Episodes of care for admitted patients
<i>Collection methods:</i>	<p>Data are collected at each hospital from patient administrative and clinical record systems. Hospitals forward data to the relevant state or territory health authority on a regular basis (for example, monthly).</p> <p><i>National reporting arrangements</i></p> <p>State and territory health authorities provide the data to the Australian Institute of Health and Welfare for national collation, on an annual basis.</p> <p><i>Periods for which data are collected and nationally collated</i></p> <p>Financial years ending 30 June each year.</p>
<i>Implementation start date:</i>	01/07/2008
<i>Comments:</i>	<p>Number of days of hospital in the home care data will be collected from all states and territories except Western Australia from 1 July 2001. Western Australia will begin to collect data from a later date.</p> <p><i>Scope links with other NMDS</i></p> <p>Episodes of care for admitted patients which occur partly or fully in designated psychiatric units of public acute hospitals or in public psychiatric hospitals:</p> <ul style="list-style-type: none"><li>• Admitted patient care NMDS</li><li>• Admitted patient palliative care NMDS</li></ul> <p><i>Glossary items</i></p> <p>Some previous Knowledgebase data element concepts are available in the METeOR glossary. Currently the metadata search in METeOR does not cover glossary items however these items are available through links in the relevant metadata items. In addition links to the glossary terms that are relevant to this National minimum data set are included here.</p> <p><b>Resident</b></p> <p><b>Residential mental health care service</b></p> <p><b>Same-day patients</b></p> <p><b>Separation</b></p>

### Source and reference attributes

<i>Submitting organisation:</i>	National Health Information Group
---------------------------------	-----------------------------------

## Relational attributes

Related metadata references:

Supersedes [Admitted patient mental health care NMDS 2007-2008](#) Health, Superseded 05/02/2008

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Additional diagnosis	Mandatory	1
-	Admission date	Mandatory	1
-	Area of usual residence	Mandatory	1
-	Care type	Mandatory	1
-	Country of birth	Conditional	1
-	Date of birth	Mandatory	1
-	Diagnosis related group	Mandatory	1
-	Employment status (admitted patient)	Mandatory	1
-	Employment status – public psychiatric hospital admissions	Mandatory	1
-	Establishment identifier	Mandatory	1
-	Indigenous status	Mandatory	1
-	Major diagnostic category	Mandatory	1
-	Marital status	Conditional	1
-	Mental health legal status	Mandatory	1
-	Mode of separation	Mandatory	1
-	Person identifier	Mandatory	1
-	Previous specialised treatment	Mandatory	1
-	Principal diagnosis	Mandatory	1
-	Referral destination to further care (psychiatric patients)	Mandatory	1
-	Separation date	Mandatory	1
-	Sex	Mandatory	1
-	Source of referral to public psychiatric hospital	Mandatory	1
-	Total leave days	Mandatory	1
-	Total psychiatric care days	Mandatory	1
-	Type of accommodation	Mandatory	1
-	Type of usual accommodation	Mandatory	1

---

## Admitted patient palliative care NMDS 2008-09

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	361960
<i>Registration status:</i>	Health, Standard 05/02/2008
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	The scope of this data set is admitted patients receiving palliative care in all public and private acute hospitals, and free standing day hospital facilities. Hospitals operated by the Australian Defence Force, correctional authorities and Australia's external territories are not currently included. Palliative care patients are identified by the data element <i>Hospital service – care type</i> , code N[N].N.

### Collection and usage attributes

<i>Statistical unit:</i>	Episodes of care for admitted patients.
<i>Collection methods:</i>	<i>National reporting arrangements</i> State and territory health authorities provide the data to the Australian Institute of Health and Welfare for national collation, on an annual basis. <i>Periods for which data collected and collated nationally</i> Financial years ending 30 June each year.
<i>Implementation start date:</i>	01/07/2008
<i>Comments:</i>	<i>Scope links with other NMDSs</i> Episodes of care for admitted patients receiving palliative care in all public and private acute hospitals and free standing day hospital facilities: <ul style="list-style-type: none"><li>• Admitted patient care NMDS.</li><li>• Admitted patient mental health care NMDS.</li></ul>

### Source and reference attributes

<i>Submitting organisation:</i>	National Health Information Group
---------------------------------	-----------------------------------

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Admitted patient palliative care NMDS 2007-08</a> Health, Superseded 05/02/2008
-------------------------------------	---

### Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Additional diagnosis	Mandatory	1
-	Area of usual residence	Mandatory	1
-	Date of birth	Conditional	1
-	Funding source for hospital patient	Mandatory	1
-	Indigenous status	Mandatory	1
-	Person identifier	Conditional	1
-	Principal diagnosis	Conditional	1
-	Sex	Mandatory	1
-	Admission date	Mandatory	1

-	Care type	Mandatory	1
-	Country of birth	Mandatory	1
-	Establishment identifier	Mandatory	1
-	Mode of admission	Mandatory	1
-	Mode of separation	Mandatory	1
-	Number of days of hospital-in-the-home care	Mandatory	1
-	Previous specialised treatment	Mandatory	1
-	Separation date	Mandatory	1



---

# Alcohol and other drug treatment services NMDS 2008-2009

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	362318
<i>Registration status:</i>	Health, Standard 05/02/2008
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	<p>This metadata set is nationally mandated for collection and reporting.</p> <p>Publicly funded government and non-government agencies providing alcohol and/or drug treatment services. Including community-based ambulatory services and outpatient services. The following services are currently not included in the coverage:</p> <ul style="list-style-type: none"><li>• services based in prisons and other correctional institutions;</li><li>• agencies that provide primarily accommodation or overnight stays such as 'sobering-up shelters' and 'half-way houses';</li><li>• agencies that provide services concerned primarily with health promotion;</li><li>• needle and syringe programs;</li><li>• agencies whose sole function is to provide prescribing and/or dosing of methadone; and</li><li>• acute care and psychiatric hospitals, or alcohol and drug treatment units that report to the admitted patient care National Minimum Data Set and do not provide treatment to non-admitted patients.</li></ul> <p>Clients who are on a methadone maintenance program may be included in the collection where they also receive other types of treatment.</p>

## Collection and usage attributes

<i>Statistical unit:</i>	Completed treatment episodes for clients who participate in a treatment type as specified in the data element Episode of treatment for alcohol and other drugs – treatment type (main), code N.
<i>Collection methods:</i>	<p>Data to be reported in each agency on completed treatment episode and then forwarded to state/territory authorities for collation.</p> <p><i>National reporting requirements</i></p> <p>State and territory health authorities provide the data to the Australian Institute of Health and Welfare for national collation, on an annual basis.</p> <p><i>Periods for which data are collected and nationally collated</i></p> <p>Financial years ending 30 June each year.</p>
<i>Implementation start date:</i>	01/07/2008

## Source and reference attributes

<i>Submitting organisation:</i>	National Health Information Group
---------------------------------	-----------------------------------

## Relational attributes

Related metadata references:

Supersedes [Alcohol and other drug treatment services NMDS 2007-2008](#) Health, Superseded 05/02/2008

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Client type (alcohol and other drug treatment services)	Mandatory	1
-	Country of birth	Mandatory	1
-	Date of birth	Mandatory	1
-	Date of cessation of treatment episode for alcohol and other drugs	Mandatory	1
-	Date of commencement of treatment episode for alcohol and other drugs	Mandatory	1
-	Establishment identifier	Mandatory	1
-	Geographical location of service delivery outlet	Mandatory	1
-	Indigenous status	Mandatory	1
-	Injecting drug use status	Conditional	1
-	Main treatment type for alcohol and other drugs	Mandatory	1
-	Method of use for principal drug of concern	Conditional	1
-	Other drug of concern	Conditional	4
-	Other treatment type for alcohol and other drugs	Mandatory	4
-	Person identifier	Mandatory	1
-	Preferred language	Mandatory	1
-	Principal drug of concern	Conditional	1
-	Reason for cessation of treatment episode for alcohol and other drugs	Mandatory	1
-	Sex	Mandatory	1
-	Source of referral to alcohol and other drug treatment service	Mandatory	1
-	Treatment delivery setting for alcohol and other drugs	Mandatory	1

---

## Community mental health care NMDS 2008-2009

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	362308
<i>Registration status:</i>	Health, Standard 05/02/2008
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	This NMDS includes data about service contacts provided by specialised mental health services for patients/clients, other than those admitted to psychiatric hospitals or designated psychiatric units in acute care hospitals, and those resident in 24 hour staffed specialised residential mental health services.

### Collection and usage attributes

<i>Statistical unit:</i>	Mental health service contact
<i>Implementation start date:</i>	01/07/2008

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Community mental health care NMDS 2007-2008</a> Health, Superseded 05/02/2008
-------------------------------------	---

### Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Area of usual residence	Mandatory	1
-	Australian State/Territory identifier (establishment)	Mandatory	1
-	Country of birth	Conditional	1
-	Date of birth	Mandatory	1
-	Establishment identifier	Mandatory	1
-	Establishment number	Mandatory	1
-	Establishment sector	Mandatory	1
-	Indigenous status	Mandatory	1
-	Marital status	Mandatory	1
-	Mental health legal status	Mandatory	1
-	Mental health service contact date	Mandatory	1
-	Mental health service contact duration	Mandatory	1
-	Mental health service contact – patient/client participation indicator	Mandatory	1
-	Mental health service contact – session type	Mandatory	1
-	Person identifier	Mandatory	1
-	Principal diagnosis	Mandatory	1
-	Region code	Mandatory	1
-	Sex	Mandatory	1

---

## Elective surgery waiting times (census data) NMDS

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	335002
<i>Registration status:</i>	Health, Standard 07/12/2005
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	<p>The scope of this minimum data set is patients on waiting lists for elective surgery (as defined in the Waiting list category data element) which are managed by public acute hospitals. This will include private patients treated in public hospitals, and may include public patients treated in private hospitals.</p> <p>Hospitals may also collect information for other care (as defined in the Waiting list category data element), but this is not part of the National Minimum Data Set (NMDS) for Elective surgery waiting times.</p> <p>Patients on waiting lists managed by hospitals operated by the Australian Defence Force, corrections authorities and Australia's external territories are not currently included.</p> <p>Census data:</p> <p>Data are collected for patients on elective surgery waiting lists who are yet to be admitted to hospital or removed for another reason. The scope is patients on elective surgery waiting lists on a census date who are 'ready for care' as defined in the Elective surgery waiting list episode – patient listing status, readiness for care code N data element.</p>

### Collection and usage attributes

<i>Statistical unit:</i>	Patients on waiting lists on census dates.
<i>Collection methods:</i>	<p>Elective care waiting list episode – category reassignment date, DDMMYYYY is not required for reporting to the NMDS, but is necessary for the derivation of Elective surgery waiting list episode – waiting time (at a census date), total days N[NNN].</p> <p>Elective care waiting list episode – elective care type, code N and Elective surgery waiting list episode – patient listing status, readiness for care code N are not required for reporting to the NMDS, but are necessary for determining whether patients are in scope for the NMDS. These data elements should be collected at the local level and reported to state and territory health authorities as required.</p> <p><i>National reporting arrangements</i></p> <p>State and territory health authorities provide the data to the Australian Institute of Health and Welfare for national collation, on an annual basis.</p> <p><i>Periods for which data are collected and nationally collated</i></p> <p>Census dates are 30 September, 31 December, 31 March and 30 June.</p>
<i>Implementation start date:</i>	30/09/2006
<i>Comments:</i>	<p>There are two different types of data collected for this national minimum data set (census data and removals data) and the scope and list of data elements associated with each is different.</p> <p>For the purposes of this NMDS, public hospitals include hospitals which are set up to provide services for public</p>

patients (as public hospitals do), but which are managed privately.

The inclusion of public patients removed from elective surgery waiting lists managed by private hospitals will be investigated in the future.

## Source and reference attributes

*Submitting organisation:* National Health Information Management Group

## Relational attributes

*Related metadata references:* Supersedes [Elective surgery waiting times \(census data\) NMDS Health](#), Superseded 07/12/2005

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Census date	Mandatory	1
-	Clinical urgency	Mandatory	1
-	Establishment identifier	Mandatory	1
-	Extended wait patient	Mandatory	1
-	Indicator procedure	Mandatory	1
-	Listing date for care	Mandatory	1
-	Overdue patient	Mandatory	1
-	Surgical specialty	Mandatory	1
-	Waiting time at a census date	Mandatory	1

---

## Elective surgery waiting times (removals data) NMDS

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	335007
<i>Registration status:</i>	Health, Standard 07/12/2005
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	<p>The scope of this minimum data set is patients removed from waiting lists for elective surgery (as defined in the Waiting list category data element) which are managed by public acute hospitals. This will include private patients treated in public hospitals, and may include public patients treated in private hospitals.</p> <p>Hospitals may also collect information for other care (as defined in the Waiting list category data element), but this is not part of the National Minimum Data Set (NMDS) for elective surgery waiting times.</p> <p>Patients removed from waiting lists managed by hospitals operated by the Australian Defence Force, corrections authorities and Australia's external territories are not currently included.</p> <p>Removals data:</p> <p>Data are collected for patients who have been removed from an elective surgery waiting list (for admission or another reason). Patients who were 'ready for care' and patients who were 'not ready for care' at the time of removal are included.</p>

### Collection and usage attributes

<i>Statistical unit:</i>	Patients removed from waiting lists (for admission or other reason) during each financial year.
<i>Collection methods:</i>	<p>Elective care waiting list episode – category reassignment date, DDMMYYYY is not required for reporting to the NMDS, but is necessary for the derivation of Elective surgery waiting list episode – waiting time (at a census date), total days N[NNN].</p> <p>Elective care waiting list episode – elective care type, code N and Elective surgery waiting list episode – patient listing status, readiness for care code N are not required for reporting to the NMDS, but are necessary for determining whether patients are in scope for the NMDS. These data elements should be collected at the local level and reported to state and territory health authorities as required.</p> <p><i>National reporting arrangements</i></p> <p>State and territory health authorities provide the data to the Australian Institute of Health and Welfare for national collation, on an annual basis.</p> <p><i>Periods for which data are collected and nationally collated</i></p> <p>Financial years ending 30 June each year for removals data.</p>
<i>Implementation start date:</i>	01/07/2006
<i>Comments:</i>	<p>There are two different types of data collected for this national minimum data set (census data and removals data) and the scope and list of data elements associated with each is different.</p> <p>For the purposes of this NMDS, public hospitals include hospitals which are set up to provide services for public</p>

patients (as public hospitals do), but which are managed privately.

The inclusion of public patients removed from elective surgery waiting lists managed by private hospitals will be investigated in the future.

## Source and reference attributes

*Submitting organisation:* National Health Information Group

## Relational attributes

*Related metadata references:* Supersedes [Elective surgery waiting times \(removals data\)](#)  
[NMDS](#) Health, Superseded 07/12/2005

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Indicator procedure	Mandatory	1
-	Clinical urgency	Mandatory	1
-	Establishment identifier	Mandatory	1
-	Extended wait patient	Mandatory	1
-	Listing date for care	Mandatory	1
-	Overdue patient	Conditional	1
-	Reason for removal from elective surgery waiting list	Mandatory	1
-	Removal date	Mandatory	1
-	Surgical specialty	Mandatory	1
-	Waiting time at removal from elective surgery waiting list	Mandatory	1

---

# Government health expenditure NMDS 2008-2009

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	352482
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	The scope of this dataset is direct government and government-funded expenditure on health and health-related goods and services.

## Collection and usage attributes

<i>Statistical unit:</i>	Providers of health or health related goods and services or non-health services that support the health services industry; health or health related functions; and the sources of funds for these providers or functions.
<i>Guide for use:</i>	<p>The GHE NMDS consists of 2 mandatory data clusters and 1 conditional data cluster.</p> <p>The first two data elements named in each data cluster form one of the two axes of a matrix that combine to provide all data in Australian Dollars.</p> <p>Data are to be reported in Australian Dollars except when reporting the State/Territory identifier of the Jurisdiction.</p>
<i>Collection methods:</i>	<p>Data are collected by a number of providers from their administrative systems and forwarded to the relevant state or territory health authority on a regular basis (for example, monthly). Hospitals forward data obtained from patient administrative and clinical record systems to the relevant state or territory health authority on a regular basis (for example, monthly). Other data is obtained either directly from annual reports or through surveys.</p> <p>National reporting arrangements</p> <p>State and Territory health authorities provide the data to the Australian Institute of Health and Welfare for national collation, on an annual basis.</p> <p>Periods for which data are collected and nationally collated: Financial years ending 30 June each year.</p>
<i>Implementation start date:</i>	01/07/2008
<i>Comments:</i>	<p>Scope links with other NMDSs</p> <ul style="list-style-type: none"><li>• National Public Hospital Establishments NMDS</li><li>• Mental Health Establishments NMDS</li></ul>

## Source and reference attributes

<i>Submitting organisation:</i>	Health Expenditure Advisory Committee
---------------------------------	---------------------------------------

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
1	<b>Government health expenditure organisation revenue data element cluster</b> Health industry relevant organisation type	Mandatory	1



	Source of public and private revenue		
	Organisation revenues		
2	<b>Government health expenditure organisation expenditure data cluster</b>	Mandatory	1
	Health industry relevant organisation type		
	Type of health or health related function		
	Organisation expenses, total Australian Currency		
	Employee expenses		
	Depreciation expenses		
3	<b>Government health expenditure function revenue data cluster</b>	Conditional	1
	Type of health or health related function		
	Source of public and private revenue		
	Organisation revenues		
4	Jurisdiction – Australian state/territory identifier, code N	Mandatory	1

---

# Health labour force NMDS

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	273041
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	The scope of this set of data elements is all health occupations. National collections using this data set have been undertaken for the professions of medicine, nursing, dentistry, pharmacy, physiotherapy and podiatry, using labour force questionnaires in the annual renewal of registration to practice.

## Collection and usage attributes

<i>Statistical unit:</i>	A health professional's labourforce data
<i>Collection methods:</i>	<i>National reporting arrangements</i> State and territory health authorities provide the data to the Australian Institute of Health and Welfare for national collation, on an annual basis. <i>Periods for which data are collected and nationally collated</i> Financial years ending 30 June each year.
<i>Implementation start date:</i>	01/07/2005

## Source and reference attributes

<i>Submitting organisation:</i>	National Health Information Group
---------------------------------	-----------------------------------

## Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Health labour force, NMDS, NHIMG, Superseded 01/03/2005.pdf</a> (113.44 KB)
-------------------------------------	--

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Classification of health labour force job	Mandatory	1
-	Date of birth	Mandatory	1
-	Hours on-call (not worked) by medical practitioner	Mandatory	1
-	Hours worked by health professional	Mandatory	1
-	Hours worked by medical practitioner in direct patient care	Mandatory	1
-	Principal area of clinical practice	Mandatory	1
-	Principal role of health professional	Mandatory	1
-	Profession labour force status of health professional	Mandatory	1
-	Total hours worked by a medical practitioner	Mandatory	1
-	Type and sector of employment establishment	Mandatory	1

---

## Mental health establishments NMDS 2008-2009

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	362299
<i>Registration status:</i>	Health, Standard 05/02/2008
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	<p>All specialised mental health services managed or funded by State or Territory health authorities.</p> <p>The statistical units are specialised mental health services. These are the specialised mental health components of the State and Territory health authorities, and of regions within states and territories; specialised mental health service organisations; service units within those organisations; and private hospital and non-government residential service units funded by specialised mental health services.</p> <p>Non-government residential mental health services and specialised mental health services provided by private hospitals that receive State or Territory government funding are included as service units for this NMDS.</p> <p>In addition, information on funding of non-government organisations by non-health departments for the provision of mental health services is collected through a specific data element.</p> <p>Ambulatory services managed by non-government organisations are not defined as statistical units for this NMDS. The data elements relevant to each of these types of statistical unit differ, as detailed below.</p> <p>States and Territories determine the organisational units that will report as 'regions', 'organisations', and 'service units' for this NMDS. However, as a minimum, each hospital reported to the Public Hospital Establishments NMDS should be defined as a service unit for the purposes of this NMDS and should use the same establishment identifiers in this NMDS as are used in the National Public Hospital Establishments NMDS. In addition, as a minimum, 24 hour staffed residential services and non-24 hour staffed residential services should be defined as separate service units.</p>

### Collection and usage attributes

<i>Statistical unit:</i>	Specialised mental health services.
<i>Collection methods:</i>	<p><i>National reporting arrangements</i></p> <p>State and Territory health authorities provide the data to the Australian Institute of Health and Welfare for national collation, on an annual basis.</p> <p><i>Periods for which data are collected and nationally collated</i></p> <p>Financial years ending 30 June each year.</p>
<i>Implementation start date:</i>	01/07/2007
<i>Comments:</i>	<p><i>Private hospitals and non-government organisation residential services</i></p> <p>Only the following data elements are mandatory for non-government organisation residential mental health services and</p>

specialised mental health services provided by private hospitals that receive State or Territory government funding: Accrued mental health care days, Co-location status of mental health service, Geographical location of establishment, Establishment identifier, Number of available beds for admitted patients, Number of episodes of residential care, Separations, Specialised mental health services – hours staffed and Total recurrent expenditure.

For these services it is not mandatory to disaggregate data elements by Specialised mental health services program type or Specialised mental health services target population where specified.

*Non-residential non-government organisation mental health services*

Information on the total expenditure (\$) on non-residential non-government organisation mental health services (i.e. the 'grants to non-government organisations' data elements) by service type (e.g. accommodation services) is to be reported where available, but is also not mandatory.

*Glossary items*

Some previous Knowledgebase data element concepts are available in the METeOR glossary. Currently the metadata search in METeOR does not cover glossary items however these items are available through links in the relevant metadata items. In addition links to the glossary terms that are relevant to this National minimum data set are included here.

**Episode of residential care end**

**Episode of residential care start**

**Mental health-funded non-government organisation**

**Residential mental health care service**

## Source and reference attributes

*Submitting organisation:* National Health Information Group

## Relational attributes

*Related metadata references:* Supersedes [Mental health establishments NMDS 2007-2008](#)  
Health, Superseded 05/02/2008

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Accrued mental health care days	Mandatory	1
-	Australian State/Territory identifier (establishment)	Mandatory	1
-	Carer participation arrangements – carer consultants employed	Mandatory	1
-	Carer participation arrangements – carer satisfaction surveys	Conditional	1
-	Carer participation arrangements – formal complaints mechanism	Conditional	1
-	Carer participation arrangements – formal participation policy	Conditional	1
-	Carer participation arrangements – regular discussion groups	Conditional	1
-	Co-location status of mental health service	Conditional	1
-	Consumer committee representation arrangements	Mandatory	1
-	Consumer participation arrangements – consumer consultants employed	Conditional	1

- Consumer participation arrangements – consumer satisfaction surveys	Conditional	1
- Consumer participation arrangements – formal complaints mechanism	Conditional	1
- Consumer participation arrangements – formal participation policy	Conditional	1
- Consumer participation arrangements – regular discussion groups	Conditional	1
- Establishment identifier	Mandatory	1
- Establishment number	Mandatory	1
- Establishment sector	Mandatory	1
- Full-time equivalent staff (mental health) – all staff	Conditional	1
- Full-time equivalent staff – administrative and clerical staff	Mandatory	1
- Full-time equivalent staff – carer consultants	Mandatory	1
- Full-time equivalent staff – consultant psychiatrists and psychiatrists	Mandatory	1
- Full-time equivalent staff – consumer consultants	Mandatory	1
- Full-time equivalent staff – diagnostic and health professionals	Mandatory	1
- Full-time equivalent staff – domestic and other staff	Mandatory	1
- Full-time equivalent staff – enrolled nurses	Mandatory	1
- Full-time equivalent staff – occupational therapists	Mandatory	1
- Full-time equivalent staff – other diagnostic and health professionals	Mandatory	1
- Full-time equivalent staff – other medical officers	Mandatory	1
- Full-time equivalent staff – other personal care staff	Mandatory	1
- Full-time equivalent staff – psychiatry registrars and trainees	Mandatory	1
- Full-time equivalent staff – psychologists	Mandatory	1
- Full-time equivalent staff – registered nurses	Mandatory	1
- Full-time equivalent staff – salaried medical officers	Optional	1
- Full-time equivalent staff – social workers	Mandatory	1
- Geographical location of establishment	Mandatory	1
- Grants to non-government organisations – accommodation services	Mandatory	1
- Grants to non-government organisations – advocacy services	Conditional	1
- Grants to non-government organisations – community awareness/health promotion services	Conditional	1
- Grants to non-government organisations – counselling services	Conditional	1
- Grants to non-government organisations – independent living skills support services	Mandatory	1
- Grants to non-government organisations – other and unspecified mental health services	Mandatory	1
- Grants to non-government organisations – pre-vocational training services	Mandatory	1
- Grants to non-government organisations – psychosocial support services	Conditional	1
- Grants to non-government organisations – recreation services	Mandatory	1
- Grants to non-government organisations – respite services	Mandatory	1

- Grants to non-government organisations – self-help support group services	Mandatory	1
- Mental health services grants to non-government organisations by non-health departments	Mandatory	1
- National standards for mental health services review status	Mandatory	1
- Number of available beds for admitted patients	Conditional	1
- Number of episodes of residential care	Mandatory	1
- Recurrent expenditure (mental health) – non-salary operating costs	Conditional	1
- Recurrent expenditure (mental health) – salaries and wages	Optional	1
- Recurrent expenditure (salaries and wages) – administrative and clerical staff	Conditional	1
- Recurrent expenditure (salaries and wages) – carer consultants	Conditional	1
- Recurrent expenditure (salaries and wages) – consultant psychiatrists and psychiatrists	Conditional	1
- Recurrent expenditure (salaries and wages) – consumer consultants	Conditional	1
- Recurrent expenditure (salaries and wages) – diagnostic and health professionals	Conditional	1
- Recurrent expenditure (salaries and wages) – domestic and other staff	Conditional	1
- Recurrent expenditure (salaries and wages) – enrolled nurses	Conditional	1
- Recurrent expenditure (salaries and wages) – occupational therapists	Conditional	1
- Recurrent expenditure (salaries and wages) – other diagnostic and health professionals	Conditional	1
- Recurrent expenditure (salaries and wages) – other medical officers	Conditional	1
- Recurrent expenditure (salaries and wages) – other personal care staff	Conditional	1
- Recurrent expenditure (salaries and wages) – psychiatry registrars and trainees	Conditional	1
- Recurrent expenditure (salaries and wages) – psychologists	Conditional	1
- Recurrent expenditure (salaries and wages) – registered nurses	Conditional	1
- Recurrent expenditure (salaries and wages) – salaried medical officers	Conditional	1
- Recurrent expenditure (salaries and wages) – social workers	Conditional	1
- Recurrent expenditure – administrative expenses	Conditional	1
- Recurrent expenditure – Department of Veterans' Affairs funded	Mandatory	1
- Recurrent expenditure – depreciation	Conditional	1
- Recurrent expenditure – domestic services	Conditional	1
- Recurrent expenditure – drug supplies	Conditional	1
- Recurrent expenditure – food supplies	Conditional	1
- Recurrent expenditure – interest payments	Conditional	1
- Recurrent expenditure – medical and surgical supplies	Conditional	1
- Recurrent expenditure – National Mental Health Strategy funded	Conditional	1

- Recurrent expenditure – other Commonwealth Government funded	Conditional	1
- Recurrent expenditure – other patient revenue funded	Conditional	1
- Recurrent expenditure – other recurrent expenditure	Conditional	1
- Recurrent expenditure – other revenue funded	Conditional	1
- Recurrent expenditure – other State or Territory funded	Conditional	1
- Recurrent expenditure – patient transport	Conditional	1
- Recurrent expenditure – payments to visiting medical officers	Conditional	1
- Recurrent expenditure – recoveries funded	Conditional	1
- Recurrent expenditure – repairs and maintenance	Conditional	1
- Recurrent expenditure – State or Territory health authority funded	Conditional	1
- Recurrent expenditure – superannuation employer contributions	Conditional	1
- Recurrent expenditure – total	Conditional	1
- Region code	Conditional	1
- Residual expenditure (mental health service) – academic positions	Mandatory	1
- Residual expenditure (mental health service) – education and training	Mandatory	1
- Residual expenditure (mental health service) – insurance	Mandatory	1
- Residual expenditure (mental health service) – mental health promotion	Mandatory	1
- Residual expenditure (mental health service) – mental health research	Mandatory	1
- Residual expenditure (mental health service) – other indirect expenditure	Mandatory	1
- Residual expenditure (mental health service) – patient transport services	Mandatory	1
- Residual expenditure (mental health service) – program administration	Mandatory	1
- Residual expenditure (mental health service) – property leasing costs	Mandatory	1
- Residual expenditure (mental health service) – superannuation	Mandatory	1
- Residual expenditure (mental health service) – support services	Mandatory	1
- Residual expenditure (mental health service) – workers compensation	Mandatory	1
- Separations	Mandatory	1
- Specialised mental health service program type	Mandatory	1
- Specialised mental health service setting	Mandatory	1
- Specialised mental health service target population	Mandatory	1
- Specialised mental health service – hours staffed	Conditional	1
- Specialised mental health service – supported public housing places	Mandatory	1

---

# Non-admitted patient emergency department care NMDS 2008-2009

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	363530
<i>Registration status:</i>	Health, Standard 05/02/2008
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	This metadata set is nationally mandated for collection and reporting.

The scope of this National Minimum Data Set (NMDS) is non-admitted patients registered for care in emergency departments in selected public hospitals that are classified as either Peer Group A or B in the Australian Institute of Health and Welfare's Australian Hospital Statistics publication from the preceding financial year.

The care provided to patients in emergency departments is, in most instances, recognised as being provided to 'non-admitted' patients. Patients being treated in emergency departments may subsequently become 'admitted'. The care provided to non-admitted patients who are treated in the emergency department prior to being admitted is included in this NMDS.

Care provided to patients who are being treated in an emergency department site as an admitted patient (e.g. in an observation unit, short-stay unit, 'emergency department ward' or awaiting a bed in an admitted patient ward of the hospital) are excluded from the emergency department care NMDS since the recording of the care provided to these patients is part of the scope of the Admitted patient care NMDS.

## Collection and usage attributes

*Statistical unit:* Non-admitted patient emergency department service episodes.

*Collection methods:*

### **National reporting arrangements**

State and territory health authorities provide the NMDS data to the Australian Institute of Health and Welfare for national collation, on an annual basis within 3 months of the end of a reporting period.

The Institute and the Commonwealth Department of Health and Ageing will agree on a data quality and timeliness protocol. Once cleaned, a copy of the data and a record of the changes made will be forwarded by the Institute to the Commonwealth Department of Health and Ageing. A copy of the cleaned data for each jurisdiction should also be returned to that jurisdiction on request.

### **Periods for which data are collected and nationally collated**

Financial years, ending 30 June each year. Extraction of data for a financial year should be based on the date of the end of the non-admitted emergency department service episode.

*Implementation start date:* 01/07/2008

*Comments:*

### **Scope links with other metadata sets**

Episodes of care for admitted patients are reported through the



Admitted patient care NMDS.

## Source and reference attributes

*Submitting organisation:* National Health Information Management Principal Committee

## Relational attributes

*Related metadata references:* Supersedes [Non-admitted patient emergency department care NMDS 2007-2008](#) Health, Superseded 05/02/2008

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Area of usual residence	Mandatory	1
-	Date of triage	Mandatory	1
-	Emergency department date of commencement of service event	Mandatory	1
-	Emergency department time of commencement of service event	Mandatory	1
-	Time of triage	Mandatory	1
-	Compensable status	Mandatory	1
-	Country of birth	Conditional	1
-	Date of birth	Mandatory	1
-	Date patient presents	Mandatory	1
-	Department of Veterans' Affairs patient	Mandatory	1
-	Emergency department arrival mode - transport	Mandatory	1
-	Emergency department departure date	Mandatory	1
-	Emergency department departure time	Mandatory	1
-	Emergency department episode end date	Mandatory	1
-	Emergency department episode end time	Mandatory	1
-	Emergency department service episode end status	Mandatory	1
-	Establishment identifier	Mandatory	1
-	Indigenous status	Mandatory	1
-	Length of non-admitted patient emergency department service episode	Mandatory	1
-	Non-admitted patient emergency department service episode – triage category, code N	Mandatory	1
-	Person identifier	Mandatory	1
-	Sex	Mandatory	1
-	Time patient presents	Mandatory	1
-	Type of visit to emergency department	Mandatory	1

---

## Outpatient care NMDS

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	336862
<i>Registration status:</i>	Health, Standard 04/07/2007
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	<p>The scope of this National Minimum Data Set (NMDS) is for services provided to non-admitted, non-emergency department, patients registered for care by specialist outpatient clinics of public hospitals that are classified as either principal referral and specialist women's and children's hospitals and large hospitals (Peer Group A or B) as reported in the Australian Institute of Health and Welfare's Australian Hospital Statistics publication from the preceding financial year.</p> <p>Hospitals use the term 'clinic' to describe various arrangements under which they deliver specialist outpatient services to non-admitted non-emergency department patients. <b>Outpatient clinic services</b> should be interpreted as encompassing services provided through specific organisational units staffed to administer and provide a certain range of outpatient care:</p> <ul style="list-style-type: none"><li>• in defined locations;</li><li>• at regular or irregular times; and</li><li>• where one or more specialist providers deliver care to booked patients.</li></ul> <p>Generally, in such clinics, a booking system is administered and patient records are maintained to document patient attendances and care provided.</p> <p>The scope includes all arrangements made to deliver specialist care to non-admitted, non-emergency department patients whose treatment has been funded through the hospital, regardless of the source from which the hospital derives these funds. In particular, Department of Veterans' Affairs, compensable and other patients <b>funded through the hospital</b> (including Medicare ineligible patients) are included.</p> <p>For the purposes of the Outpatient care NMDS, Outreach Services are counted at the specialist clinic where the patient is booked. Outreach services involve travel by the service provider, or services provided by a service provider via ICT (including but not limited to telephone and telehealth consultations). Such services may also be provided in the home, place of work or other non-hospital site.</p> <p>Within the scope as defined, and subject to specific counting rules, occasions of service to be counted include outreach clinic services, services delivered in a multidisciplinary mode. A separate count of services delivered in group sessions is also collected.</p> <p>Excluded from scope are:</p> <ul style="list-style-type: none"><li>• Outreach services which are not funded through the hospital and/or which deliver non-clinical care (Activities such as home cleaning, meals on wheels, home maintenance); and</li><li>• All Private specialist services delivered under private</li></ul>

practice arrangements which are not funded through the hospital, regardless of whether or how these services may be funded by third party arrangements.

- All services covered by NMDS for:
  - Admitted Patient Care,
  - Admitted patient mental health care,
  - Alcohol and other drug treatment services,
  - Community mental health care,
  - Non-admitted patient emergency department.

Admitted patient services are excluded from scope. However, outpatient services booked for reasons independent of, or distinct from the admitted patient episode are in scope.

## Collection and usage attributes

*Statistical unit:* Occasions of service.  
Group sessions.

*Collection methods:* **National reporting arrangements:**  
State and territory Health authorities provide the data to the Department of Health and Ageing and Australian Institute of Health and Welfare on an annual basis by 31 December each calendar year, for the previous financial year.

**Periods for which data are collected and nationally collated:**  
Each financial year ending 30 June.

*Implementation start date:* 01/07/2007

## Source and reference attributes

*Submitting organisation:* Non-admitted patient NMDS Development Working Party, 2006

## Relational attributes

*Related metadata references:* Supersedes [Outpatient care NMDS](#) Health, Superseded 04/07/2007

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Establishment identifier	Mandatory	1
-	Number of group sessions	Conditional	1
-	Number of occasions of service	Mandatory	1
-	Outpatient clinic type	Mandatory	1

---

## Perinatal NMDS 2008-2009

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	362313
<i>Registration status:</i>	Health, Standard 05/02/2008
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	The scope of this minimum data set is all births in Australia in hospitals, birth centres and the community. The data set includes information on all births, both live and stillborn, of at least 20 weeks gestation or 400 grams birth weight.

### Collection and usage attributes

<i>Collection methods:</i>	<i>National reporting arrangements</i> State and territory health authorities provide the data to the Australian Institute of Health and Welfare National Perinatal Statistics Unit for national collation, on an annual basis. <i>Periods for which data are collected and nationally collated</i> Financial years ending 30 June each year.
<i>Implementation start date:</i>	01/07/2008

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Perinatal NMDS 2007-2008</a> Health, Superseded 05/02/2008
-------------------------------------	---

### Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Actual place of birth	Mandatory	1
-	Apgar score at 5 minutes	Mandatory	1
-	Area of usual residence	Mandatory	1
-	Birth order	Mandatory	1
-	Birth plurality	Mandatory	1
-	Date of birth	Mandatory	1
-	Establishment identifier	Mandatory	1
-	Gestational age	Mandatory	1
-	Indigenous status	Mandatory	1
-	Infant weight, neonate, stillborn	Mandatory	1
-	Method of birth	Mandatory	1
-	Onset of labour	Mandatory	1
-	Person identifier	Mandatory	1
-	Presentation at birth	Mandatory	1
-	Separation date	Mandatory	1
-	Sex	Mandatory	1
-	State/Territory of birth	Mandatory	1
-	Status of the baby	Mandatory	1
-	Country of birth	Mandatory	1

---

## Public hospital establishments NMDS 2008-2009

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	362302
<i>Registration status:</i>	Health, Standard 05/02/2008
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	<p>The scope of this dataset is establishment-level data for public acute and psychiatric hospitals, including hospitals operated for or by the Department of Veterans' Affairs, and alcohol and drug treatment centres.</p> <p>Similar data for private hospitals and free standing day hospital facilities is collected by the Australian Bureau of Statistics in the Private Health Establishments Collection.</p> <p>Hospitals operated by the Australian Defence Force, corrections authorities and Australia's external territories are not currently included. Hospitals specialising in dental, ophthalmic aids and other specialised acute medical or surgical care are included.</p>

### Collection and usage attributes

<i>Statistical unit:</i>	Public hospital establishments.
<i>Collection methods:</i>	<p>Data are collected at each hospital from patient administrative and clinical record systems. Hospitals forward data to the relevant state or territory health authority on a regular basis (for example, monthly).</p> <p><i>National reporting arrangements</i></p> <p>State and territory health authorities provide the data to the Australian Institute of Health and Welfare for national collation, on an annual basis.</p> <p><i>Periods for which data are collected and nationally collated</i></p> <p>Financial years ending 30 June each year.</p>
<i>Implementation start date:</i>	01/07/2007
<i>Comments:</i>	<p><i>Scope links with other NMDSs</i></p> <p>Episodes of care for admitted patients which occur partly or fully in designated psychiatric units of public acute hospitals or in public psychiatric hospitals:</p> <ul style="list-style-type: none"><li>• Admitted patient care NMDS, version 1</li><li>• Admitted patient mental health care NMDS, version 1</li><li>• Admitted patient palliative care NMDS, version 1</li></ul>

### Source and reference attributes

<i>Submitting organisation:</i>	National Health Information Group
---------------------------------	-----------------------------------

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Public hospital establishments NMDS 2007-2008</a> Health, Superseded 05/02/2008
-------------------------------------	---

### Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Establishment identifier	Mandatory	1

- Establishment type	Conditional	1
- Full-time equivalent staff – administrative and clerical staff	Mandatory	1
- Full-time equivalent staff – diagnostic and health professionals	Mandatory	1
- Full-time equivalent staff – domestic and other staff	Mandatory	1
- Full-time equivalent staff – enrolled nurses	Mandatory	1
- Full-time equivalent staff – other personal care staff	Mandatory	1
- Full-time equivalent staff – registered nurses	Mandatory	1
- Full-time equivalent staff – salaried medical officers	Mandatory	1
- Full-time equivalent staff – student nurses	Mandatory	1
- Full-time equivalent staff – trainee/pupil nurses	Mandatory	1
- Geographical location of establishment	Mandatory	1
- Gross capital expenditure (accrual accounting) – buildings and building services	Conditional	1
- Gross capital expenditure (accrual accounting) – constructions	Conditional	1
- Gross capital expenditure (accrual accounting) – equipment	Conditional	1
- Gross capital expenditure (accrual accounting) – information technology	Mandatory	1
- Gross capital expenditure (accrual accounting) – intangible assets	Mandatory	1
- Gross capital expenditure (accrual accounting) – land	Mandatory	1
- Gross capital expenditure (accrual accounting) – major medical equipment	Mandatory	1
- Gross capital expenditure (accrual accounting) – other equipment	Mandatory	1
- Gross capital expenditure (accrual accounting) – transport	Mandatory	1
- Gross capital expenditure – computer equipment/installations	Mandatory	1
- Gross capital expenditure – intangible assets	Mandatory	1
- Gross capital expenditure – land and buildings	Mandatory	1
- Gross capital expenditure – major medical equipment	Mandatory	1
- Gross capital expenditure – other	Mandatory	1
- Gross capital expenditure – plant and other equipment	Mandatory	1
- Group sessions (public psychiatric, alcohol and drug hospital) – emergency and outpatient	Mandatory	1
- Group sessions (public psychiatric, alcohol and drug hospital) – outreach and community	Mandatory	1
- Group sessions – alcohol and other drug	Mandatory	1
- Group sessions – allied health services	Mandatory	1
- Group sessions – community health services	Mandatory	1
- Group sessions – dental	Mandatory	1
- Group sessions – dialysis	Mandatory	1
- Group sessions – district nursing services	Mandatory	1
- Group sessions – emergency services	Mandatory	1
- Group sessions – endoscopy and related procedures	Mandatory	1
- Group sessions – mental health	Mandatory	1
- Group sessions – other medical/surgical/diagnostic	Mandatory	1
- Group sessions – other outreach services	Mandatory	1

- Group sessions – pathology	Mandatory	1
- Group sessions – pharmacy	Mandatory	1
- Group sessions – radiology and organ imaging	Mandatory	1
- Individual sessions (public psychiatric, alcohol and drug hospital) - emergency and outpatient	Mandatory	1
- Individual sessions (public psychiatric, alcohol and drug hospital) – outreach and community	Mandatory	1
- Individual sessions – alcohol and drug	Mandatory	1
- Individual sessions – allied health services	Mandatory	1
- Individual sessions – community health services	Mandatory	1
- Individual sessions – dental	Mandatory	1
- Individual sessions – dialysis	Mandatory	1
- Individual sessions – district nursing services	Conditional	1
- Individual sessions – emergency services	Mandatory	1
- Individual sessions – endoscopy and related procedures	Mandatory	1
- Individual sessions – mental health	Mandatory	1
- Individual sessions – other medical/surgical/ diagnostic	Mandatory	1
- Individual sessions – other outreach services	Mandatory	1
- Individual sessions – pathology	Mandatory	1
- Individual sessions – pharmacy	Mandatory	1
- Individual sessions – radiology and organ imaging	Mandatory	1
- Net capital expenditure (accrual accounting) – buildings and building services	Mandatory	1
- Net capital expenditure (accrual accounting) – constructions	Mandatory	1
- Net capital expenditure (accrual accounting) – equipment	Mandatory	1
- Net capital expenditure (accrual accounting) – information technology	Mandatory	1
- Net capital expenditure (accrual accounting) – intangible assets	Mandatory	1
- Net capital expenditure (accrual accounting) – land	Mandatory	1
- Net capital expenditure (accrual accounting) – major medical equipment	Mandatory	1
- Net capital expenditure (accrual accounting) – other equipment	Mandatory	1
- Net capital expenditure (accrual accounting) – transport	Mandatory	1
- Number of available beds for admitted patients	Mandatory	1
- Recurrent expenditure (indirect health care) – (public health and monitoring services	Mandatory	1
- Recurrent expenditure (indirect health care) – central administrations	Mandatory	1
- Recurrent expenditure (indirect health care) – central and statewide support services	Mandatory	1
- Recurrent expenditure (indirect health care) – other	Mandatory	1
- Recurrent expenditure (indirect health care) – patient transport services	Mandatory	1
- Recurrent expenditure (salaries and wages) – administrative and clerical staff	Mandatory	1
- Recurrent expenditure (salaries and wages) – diagnostic and health professionals	Mandatory	1

- Recurrent expenditure (salaries and wages) – domestic and other staff	Mandatory	1
- Recurrent expenditure (salaries and wages) – enrolled nurses	Mandatory	1
- Recurrent expenditure (salaries and wages) – other personal care staff	Mandatory	1
- Recurrent expenditure (salaries and wages) – registered nurses	Mandatory	1
- Recurrent expenditure (salaries and wages) – salaried medical officers	Mandatory	1
- Recurrent expenditure (salaries and wages) – student nurses	Mandatory	1
- Recurrent expenditure (salaries and wages) – total	Mandatory	1
- Recurrent expenditure (salaries and wages) – trainee/pupil nurses	Mandatory	1
- Recurrent expenditure – administrative expenses	Mandatory	1
- Recurrent expenditure – depreciation	Mandatory	1
- Recurrent expenditure – domestic services	Mandatory	1
- Recurrent expenditure – drug supplies	Mandatory	1
- Recurrent expenditure – food supplies	Mandatory	1
- Recurrent expenditure – interest payments	Mandatory	1
- Recurrent expenditure – medical and surgical supplies	Mandatory	1
- Recurrent expenditure – other recurrent expenditure	Mandatory	1
- Recurrent expenditure – patient transport	Mandatory	1
- Recurrent expenditure – payments to visiting medical officers	Mandatory	1
- Recurrent expenditure – repairs and maintenance	Mandatory	1
- Recurrent expenditure – superannuation employer contributions	Mandatory	1
- Revenue – other	Mandatory	1
- Revenue – patient	Mandatory	1
- Revenue – recoveries	Mandatory	1
- Specialised service indicators – acquired immune deficiency syndrome unit	Mandatory	1
- Specialised service indicators – acute renal dialysis unit	Mandatory	1
- Specialised service indicators – acute spinal cord injury unit	Mandatory	1
- Specialised service indicators – alcohol and drug unit	Mandatory	1
- Specialised service indicators – bone marrow transplantation unit	Mandatory	1
- Specialised service indicators – burns unit (level III)	Mandatory	1
- Specialised service indicators – cardiac surgery unit	Mandatory	1
- Specialised service indicators – clinical genetics unit	Mandatory	1
- Specialised service indicators – comprehensive epilepsy centre	Mandatory	1
- Specialised service indicators – coronary care unit	Mandatory	1
- Specialised service indicators – diabetes unit	Mandatory	1
- Specialised service indicators – domiciliary care service	Mandatory	1
- Specialised service indicators – geriatric assessment unit	Mandatory	1
- Specialised service indicators – heart, lung transplantation unit	Mandatory	1
- Specialised service indicators – hospice care unit	Mandatory	1
- Specialised service indicators – in-vitro fertilisation unit	Mandatory	1



- Specialised service indicators – infectious diseases unit	Mandatory	1
- Specialised service indicators – intensive care unit (level III)	Mandatory	1
- Specialised service indicators – liver transplantation unit	Mandatory	1
- Specialised service indicators – maintenance renal dialysis centre	Mandatory	1
- Specialised service indicators – major plastic/reconstructive surgery unit	Mandatory	1
- Specialised service indicators – neonatal intensive care unit (level III)	Mandatory	1
- Specialised service indicators – neuro surgical unit	Mandatory	1
- Specialised service indicators – nursing home care unit	Mandatory	1
- Specialised service indicators – obstetric/maternity	Mandatory	1
- Specialised service indicators – oncology unit, cancer treatment	Mandatory	1
- Specialised service indicators – pancreas transplantation unit	Mandatory	1
- Specialised service indicators – psychiatric unit/ward	Mandatory	1
- Specialised service indicators – rehabilitation unit	Mandatory	1
- Specialised service indicators – renal transplantation unit	Mandatory	1
- Specialised service indicators – sleep centre	Mandatory	1
- Specialised service indicators – specialist paediatric	Mandatory	1
- Teaching status	Mandatory	1

---

## Residential mental health care NMDS 2008-2009

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	362316
<i>Registration status:</i>	Health, Standard 05/02/2008
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	Episodes of residential care for residents in all government-funded residential mental health care services in Australia, except those residential care services that are in receipt of funding under the Aged Care Act and subject to Commonwealth reporting requirements (i.e. report to the System for the payment of Aged Residential Care (SPARC) collection).

### Collection and usage attributes

<i>Statistical unit:</i>	<b>Episodes of residential care.</b> Statistical units are entities from or about which statistics are collected, or in respect of which statistics are compiled, tabulated or published.
<i>Collection methods:</i>	Data are collected at each service from resident administrative and care related record systems. Services forward data to the relevant state or territory health authority on a regular basis (e.g. monthly). <b>National reporting arrangements</b> State and territory health authorities provide the data to the Australian Institute of Health and Welfare for national collection, on an annual basis. Western Australia will be able to only collect data for 2004-05 for those data elements that were included in the <i>National Health Data Dictionary version 12</i> . Government-operated services that employ mental health trained staff on-site 24 hours per day are to be included from 1 July 2004. Government-funded, non-government operated services and non 24-hour staffed services can be included from 1 July 2004, optionally. For non 24-hour staffed services to be included they must employ mental health-trained staff on-site at least 50 hours per week with at least 6 hours staffing on any single day. <b>Periods for which data are collected and nationally collated</b> Financial years ending 30 June each year. The reference period starts on 1 July and ends on 30 June each year.
<i>Implementation start date:</i>	01/07/2008
<i>Comments:</i>	Some admitted patient care services may meet the definition of a residential mental health service. However, as they are admitted patient care services, relevant data on their patients are reported to the National Minimum Data Set for Admitted Patient Care. Glossary items Some previous Knowledgebase data element concepts are available in the METeOR glossary. Currently the metadata

search in METeOR does not cover glossary items however these items are available through links in the relevant metadata items. In addition links to the glossary terms that are relevant to this National minimum data set are included here.

**Episode of residential care end**

**Episode of residential care start**

**Resident**

**Residential mental health care service**

## Relational attributes

*Related metadata references:*

Supersedes [Residential mental health care NMDS 2007-2008](#)  
Health, Superseded 05/02/2008

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Additional diagnosis	Mandatory	1
-	Area of usual residence	Mandatory	1
-	Australian State/Territory identifier (establishment)	Mandatory	1
-	Country of birth	Conditional	1
-	Date of birth	Mandatory	1
-	Episode of residential care end date	Mandatory	1
-	Episode of residential care end mode	Mandatory	1
-	Episode of residential care start date	Mandatory	1
-	Episode of residential care start mode	Mandatory	1
-	Establishment identifier	Mandatory	1
-	Establishment number	Mandatory	1
-	Establishment sector	Mandatory	1
-	Indigenous status	Mandatory	1
-	Leave days from residential care	Mandatory	1
-	Marital status	Mandatory	1
-	Mental health legal status	Mandatory	1
-	Person identifier	Mandatory	1
-	Principal diagnosis	Mandatory	1
-	Referral destination to further care (from specialised mental health residential care)	Mandatory	1
-	Region code	Mandatory	1
-	Residential stay start date	Mandatory	1
-	Sex	Mandatory	1

# Data set specifications

---

## Acute coronary syndrome (clinical) DSS

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	319741
<i>Registration status:</i>	Health, Standard 07/12/2005
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	<p>The collection of acute coronary syndrome core data (ACS-Data) is a voluntary data collection with individual hospitals or health service areas developing collection methods and policies appropriate for their service.</p> <p>Acute coronary syndromes reflect the spectrum of coronary artery disease resulting in acute myocardial ischaemia, and span unstable angina, non-ST segment elevation myocardial infarction (NSTEMI) and ST-segment elevation myocardial infarction (STEMI). Clinically these diagnoses encompass a wide variation in risk, require complex and time urgent risk stratification and represent a large social and economic burden. The definitions used in this data set specification are designed to underpin the data collected by health professionals in their day-to-day acute care practice. They relate to the realities of an acute clinical consultation for patients presenting with chest pain/ discomfort and the need to correctly identify, evaluate and manage patients at increased risk of a coronary event. The data elements specified in this metadata set provide a framework for:</p> <ol style="list-style-type: none"><li>1. promoting the delivery of evidenced-based acute coronary syndrome management care to patients;</li><li>2. facilitating the ongoing improvement in the quality and safety of acute coronary syndrome management in acute care settings in Australia and New Zealand;</li><li>3. improving the epidemiological and public health understanding of this syndrome; and</li><li>4. supporting acute care services as they develop information systems to complement the above.</li></ol> <p>This is particularly important as the scientific evidence supporting the development of the data elements within the ACS data set specification indicate that accurate identification of the evolving myocardial infarction patient or the high/intermediate risk patient leading to the implementation of the appropriate management pathway impacts on the patient's outcome. Having a nationally recognised set of definitions in relation to defining a patient's diagnosis, risk status and outcomes is a prerequisite to achieving the above aims.</p> <p>The ACS data set specification is based on the American College of Cardiology (ACC) Data Set for Acute Coronary Syndrome as published in the Journal of the American College of Cardiology in December 2001 (38:2114-30) as well as more recent scientific evidence around the diagnosis of myocardial infarction. The data elements are alphabetically listed and grouped in a similar manner to the American College of Cardiology's data set format. These features of the Australian ACS data set should ensure that the data is internationally comparable.</p>

The data elements described here have been identified as high priority for inclusion in the NHDD for the collection of data relating to ACS management, along with supporting elements already existing within the NHDD (as listed). It is recommended that other data elements be collected as best practice - however, these are not listed here, as they are considered to be of a secondary priority. Such data elements include date of Coronary Artery Bypass Grafting (CABG), Percutaneous Coronary Intervention (PCI) and diagnostic cardiac catheterisation/angiography and recording the number of units of blood transfused.

However, the working group will approach the Australian Institute of Health and METeOR website.

Many of the data elements in this data set specification may also be used in the collection of other cardiovascular clinical information.

Where appropriate, it may be useful if the data definitions in this data set specification were used to address data definition needs in non-clinical environments such as public health surveys etc. This could allow for qualitative comparisons between data collected in, and aggregated from, clinical settings (i.e. using application of the ACS data set specification), with that collected through other means (e.g. public health surveys, reports).

A set of core ACS data elements and standardised definitions can inform the development and conduct of future registries at both the national and local level.

The working group formed under the National Heart Foundation of Australia (NHFA) and the Cardiac Society of Australia and New Zealand (CSANZ) initiative was diverse and included representation from the following organizations: the NHFA, the CSANZ, the Australasian College of Emergency Medicine, the Australian Institute of Health and Welfare, the Australasian Society of Cardiac & Thoracic Surgeons, Royal Australian College of Physicians (RACP), RACP - Towards a Safer Culture, National Centre for Classification in Health (Brisbane), the NSW Aboriginal Health & Medical Research Council, the George Institute for International Health, the School of Population Health at the University of Western Australia and the National Cardiovascular Monitoring System Advisory Committee.

To ensure the broad acceptance of the data set, the working group also sought consultation from the heads of cardiology departments, other specialist professional bodies and regional key opinion leaders in the field of acute coronary syndromes.

## **Collection and usage attributes**

### *Collection methods:*

This data set specification is primarily concerned with the clinical use of ACS-Data. Acute care environments such as hospital emergency departments, coronary care units or similar acute care areas are the settings in which implementation of the core ACS data set specification should be considered. A wider range of health and health related establishments that create, use or maintain, records on health care clients, could also use it.

## **Relational attributes**

**Metadata items in this Data Set Specification**

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Acute coronary syndrome procedure type	Mandatory	1
-	Acute coronary syndrome stratum	Mandatory	1
-	Angiotensin converting enzyme (ACE) inhibitors therapy status	Mandatory	1
-	Aspirin therapy status	Mandatory	1
-	Beta-blocker therapy status	Mandatory	1
-	Bleeding episode using TIMI criteria (status)	Mandatory	1
-	Blood pressure – diastolic (measured)	Mandatory	1
-	Blood pressure – systolic (measured)	Mandatory	1
-	Chest pain pattern category	Mandatory	1
-	Cholesterol – HDL (measured)	Mandatory	1
-	Cholesterol – LDL (calculated)	Mandatory	1
-	Cholesterol – total (measured)	Mandatory	1
-	Clinical evidence of chronic lung disease (status)	Mandatory	1
-	Clinical evidence of heart failure (status)	Mandatory	1
-	Clinical evidence of peripheral arterial disease (status)	Mandatory	1
-	Clinical evidence of sleep apnoea syndrome (status)	Mandatory	1
-	Clinical evidence of stroke (status)	Mandatory	1
-	Clinical procedure timing (status)	Conditional	1
-	Clopidogrel therapy status	Mandatory	1
-	Concurrent clinical condition (on presentation)	Mandatory	1
-	Country of birth	Mandatory	1
-	Creatine kinase MB isoenzyme level (index code)	Mandatory	1
-	Creatine kinase MB isoenzyme level (international units)	Mandatory	1
-	Creatine kinase MB isoenzyme level (kCat per litre)	Optional	1
-	Creatine kinase MB isoenzyme level (micrograms per litre)	Optional	1
-	Creatine kinase MB isoenzyme level (nanograms per decilitre)	Optional	1
-	Creatine kinase MB isoenzyme level (percentage)	Mandatory	1
-	Creatine kinase MB isoenzyme – upper limit of normal range (index code)	Mandatory	1
-	Creatine kinase MB isoenzyme – upper limit of normal range (international units)	Optional	1
-	Creatine kinase MB isoenzyme – upper limit of normal range (kCat per litre)	Optional	1
-	Creatine kinase MB isoenzyme – upper limit of normal range (micrograms per litre)	Optional	1
-	Creatine kinase MB isoenzyme – upper limit of normal range (nanograms per decilitre)	Conditional	1
-	Creatine kinase MB isoenzyme – upper limit of normal range (percentage)	Mandatory	1
-	Creatinine serum level (measured)	Optional	1

- Date creatine kinase MB isoenzyme measured	Optional	1
- Date of birth	Mandatory	1
- Date of first angioplasty balloon inflation or stenting	Conditional	0
- Date of intravenous fibrinolytic therapy	Mandatory	1
- Date of referral to rehabilitation	Mandatory	1
- Date of triage	Mandatory	1
- Date patient presents	Mandatory	1
- Date troponin measured	Mandatory	1
- Diabetes status	Mandatory	1
- Electrocardiogram change location	Conditional	1
- Electrocardiogram change type	Mandatory	1
- Fibrinolytic drug used	Mandatory	1
- Fibrinolytic therapy status	Mandatory	1
- Functional stress test element	Mandatory	1
- Functional stress test ischaemic result	Mandatory	1
- Glycoprotein IIb/IIIa receptor antagonist (status)	Mandatory	1
- Heart rate	Mandatory	1
- Heart rhythm type	Mandatory	1
- Height (self-reported)	Mandatory	1
- Indigenous status	Mandatory	1
- Killip classification code	Mandatory	1
- Lipid-lowering therapy status	Mandatory	1
- Mode of separation	Mandatory	1
- Myocardial infarction (history)	Mandatory	1
- Non-admitted patient emergency department service episode – triage category, code N	Optional	1
- Person identifier	Mandatory	1
- Premature cardiovascular disease family history (status)	Mandatory	1
- Reason for readmission – acute coronary syndrome	Mandatory	1
- Separation date	Mandatory	1
- Sex	Mandatory	1
- Time creatine kinase MB isoenzyme measured	Optional	1
- Time of first angioplasty balloon inflation or stenting	Mandatory	1
- Time of intravenous fibrinolytic therapy	Mandatory	1
- Time of triage	Mandatory	1
- Time patient presents	Mandatory	1
- Time troponin measured	Mandatory	1
- Tobacco smoking status	Mandatory	1
- Triglyceride level (measured)	Mandatory	1
- Troponin assay type	Mandatory	1
- Troponin assay – upper limit of normal range (micrograms per litre)	Optional	1
- Troponin level (measured)	Mandatory	1
- Type of visit to emergency department	Mandatory	1



- Vascular history Mandatory 1
- Weight (self-reported) Mandatory 1

---

## Cancer (clinical) DSS

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	334019
<i>Registration status:</i>	Health, Standard 07/12/2005
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	<p>This Cancer (clinical) data set specification is not mandated for collection but is recommended as best practice if cancer clinical data are to be collected.</p> <p>The Cancer (clinical) data set underpins the evaluation of cancer treatment services and this can occur at a number of levels; the individual clinician, the health care institution, at state or territory level and ultimately at a national level.</p> <p>Clinicians use such data for ongoing patient management and the ability to link patient management to outcomes allows treatments or outcomes to be identified and assessed.</p> <p>Institutions can monitor through-put in their centres for planning and resource allocation purposes to obtain optimum return for cancer expenditure. End-points can be monitored to ensure that objectives are being met.</p> <p>The principal aim of good-quality and consistent data is to provide information that can lead to improved quality and length of life for all patients by providing a systematic foundation for evidence-based medicine, informing quality assurance and improvement decisions and guiding successful planning and evaluation of cancer control activities.</p>

### Collection and usage attributes

<i>Collection methods:</i>	This data set is primarily concerned with the clinical use of cancer data. It can also be used by a wider range of health and health-related establishments that create, use, or maintain records on health-care clients.
----------------------------	---

### Source and reference attributes

<i>Submitting organisation:</i>	National Cancer Control Initiative (NCCI)
---------------------------------	---

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Cancer (clinical) DSS</a> Health, Superseded 07/12/2005
-------------------------------------	--

### Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Address line (person)	Mandatory	1
-	Cancer initial treatment completion date	Mandatory	1
-	Cancer initial treatment starting date	Mandatory	1
-	Cancer staging—M stage code	Conditional	1
-	Cancer staging—N stage code	Conditional	1
-	Cancer staging—T stage code	Conditional	1
-	Cancer staging—TNM stage grouping code	Conditional	1
-	Cancer treatment type	Mandatory	1

-	Cancer treatment— target site (ICD-10-AM)	Mandatory	1
-	Cancer treatment— target site (ICDO-3)	Mandatory	1
-	Date of birth	Mandatory	1
-	Date of death	Mandatory	1
-	Date of diagnosis of cancer	Mandatory	1
-	Date of diagnosis of first recurrence	Mandatory	1
-	Date of surgical treatment for cancer	Mandatory	1
-	Establishment number	Mandatory	1
-	Family name	Mandatory	1
-	Given name(s)	Mandatory	1
-	Histopathological grade	Mandatory	1
-	Intention of treatment for cancer	Mandatory	1
-	Laterality of primary cancer	Conditional	1
-	Medicare card number	Mandatory	1
-	Morphology of cancer	Conditional	0
-	Most valid basis of diagnosis of cancer	Conditional	1
-	Oestrogen receptor assay status	Mandatory	1
-	Outcome of initial treatment	Mandatory	1
-	Person identifier	Mandatory	1
-	Primary site of cancer (ICD-10-AM code)	Mandatory	1
-	Primary site of cancer (ICDO-3 code)	Conditional	1
-	Progesterone receptor assay results	Conditional	1
-	Radiotherapy treatment type	Mandatory	1
-	Received radiation dose	Mandatory	1
-	Region of first recurrence	Mandatory	1
-	Regional lymph nodes examined	Mandatory	1
-	Regional lymph nodes positive	Conditional	1
-	Sex	Mandatory	1
-	Staging basis of cancer	Mandatory	1
-	Staging scheme source	Conditional	1
-	Staging scheme source edition number	Conditional	1
-	Surgical treatment procedure for cancer	Mandatory	1
-	Systemic therapy agent name	Mandatory	1
-	Tumour size at diagnosis (solid tumours)	Mandatory	1
-	Tumour thickness at diagnosis (melanoma)	Mandatory	1

---

## Cardiovascular disease (clinical) DSS

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	353668
<i>Registration status:</i>	Health, Standard 04/07/2007
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	<p>The collection of cardiovascular data (CV-Data) in this metadata set is voluntary.</p> <p>The definitions used in CV-Data are designed to underpin the data collected by health professionals in their day-to-day practice. They relate to the realities of a clinical consultation and the ongoing nature of care and relationships that are formed between doctors and patients in clinical practice.</p> <p>The data elements specified in this metadata set provide a framework for:</p> <ul style="list-style-type: none"><li>• promoting the delivery of high quality cardiovascular disease preventive and management care to patients,</li><li>• facilitating ongoing improvement in the quality of cardiovascular and chronic disease care predominantly in primary care and other community settings in Australia, and</li><li>• supporting general practice and other primary care services as they develop information systems to complement the above.</li></ul> <p>This is particularly important as general practice is the setting in which chronic disease prevention and management predominantly takes place. Having a nationally recognised set of definitions in relation to defining a patient's cardiovascular behavioural, social and biological risk factors, and their prevention and management status for use in these clinical settings, is a prerequisite to achieving these aims.</p> <p>Many of the data elements in this metadata set are also used in the collection of diabetes clinical information.</p> <p>Where appropriate, it may be useful if the data definitions in this metadata set were used to address data definition needs for use in non-clinical environments such as public health surveys etc. This could allow for qualitative comparisons between data collected in, and aggregated from clinical settings (i.e. using application of CV-Data), with that collected through other means (e.g. public health surveys).</p>

### Collection and usage attributes

<i>Collection methods:</i>	This metadata set is primarily concerned with the clinical use of CV-data. It could also be used by a wider range of health and health related establishments that create, use or maintain, records on health care clients.
----------------------------	---

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Cardiovascular disease (clinical) DSS</a> Health, Superseded 04/07/2007
-------------------------------------	--

### Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Alcohol consumption frequency (self reported)	Mandatory	1
-	Alcohol consumption in standard drinks per day (self reported)	Mandatory	1
-	Behaviour-related risk factor intervention - purpose	Mandatory	5
-	Behaviour-related risk factor intervention purpose	Mandatory	8
-	Blood pressure – diastolic (measured)	Mandatory	1
-	Blood pressure – systolic (measured)	Mandatory	1
-	Cholesterol – HDL (measured)	Mandatory	1
-	Cholesterol – LDL (calculated)	Mandatory	1
-	Cholesterol – total (measured)	Mandatory	1
-	Country of birth	Mandatory	1
-	Creatinine serum level (measured)	Mandatory	1
-	CVD drug therapy – condition	Mandatory	1
-	Date of birth	Mandatory	99
-	Date of diagnosis	Mandatory	1
-	Date of referral to rehabilitation	Conditional	1
-	Diabetes status	Mandatory	1
-	Diabetes therapy type	Mandatory	1
-	Division of General Practice number	Mandatory	1
-	Fasting status	Mandatory	1
-	Formal community support access status	Mandatory	1
-	Height (measured)	Mandatory	1
-	Indigenous status	Mandatory	1
-	Informal carer existence indicator	Mandatory	1
-	Labour force status	Mandatory	1
-	Living arrangement	Mandatory	1
-	Person identifier	Mandatory	1
-	Physical activity sufficiency status	Mandatory	1
-	Postcode – Australian (person)	Mandatory	1
-	Preferred language	Mandatory	1
-	Premature cardiovascular disease family history (status)	Mandatory	1
-	Proteinuria status	Mandatory	1
-	Renal disease therapy	Mandatory	1
-	Service contact date	Mandatory	99
-	Sex	Mandatory	1
-	Tobacco smoking status	Mandatory	1
-	Tobacco smoking – consumption/quantity (cigarettes)	Mandatory	1
-	Triglyceride level (measured)	Mandatory	1
-	Vascular history	Mandatory	1
-	Vascular procedures	Mandatory	1
-	Waist circumference (measured)	Mandatory	1
-	Weight in kilograms (measured)	Mandatory	1

---

# Computer Assisted Telephone Interview demographic module DSS

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	291112
<i>Registration status:</i>	Health, Standard 04/05/2005
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	<p>Key demographic set for use in Computer Assisted Telephone Interviewing (CATI) health surveys. It is intended to be used by anyone conducting population health surveys using the CATI mode, such as State/Territory government health agencies. This data set is to standardise demographic collection in all CATI surveys of health topics, such as CATI asthma and CATI diabetes surveys.</p> <p>The standardisation of the collection of health survey data is a major focus of the National Public Health Partnership (NPHP) work plan. The CATI demographic module DSS is not mandated for collection but recommended as best practice.</p>

## Collection and usage attributes

<i>Collection methods:</i>	Population health surveys conducted by CATI
----------------------------	---

## Source and reference attributes

<i>Submitting organisation:</i>	National Public Health Information Working Group.
---------------------------------	---

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Age	Optional	1
-	Age range	Optional	1
-	Country of birth	Conditional	1
-	Date of birth	Optional	1
-	Household annual gross income range	Optional	1
-	Household annual gross income range (\$ 10,000 range)	Optional	1
-	Indigenous status	Optional	1
-	Marital status	Optional	1
-	Postcode – Australian (person)	Optional	1
-	Sex	Optional	1
-	Suburb/town/locality name (person)	Optional	1
-	Year of arrival in Australia	Optional	1

---

## Diabetes (clinical) DSS

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	304865
<i>Registration status:</i>	Health, Standard 21/09/2005
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	<p>The use of this standard is voluntary.</p> <p>However, if data is to be collected the Diabetes (clinical) Data Set Specification (DSS) aims to ensure national consistency in relation to defining, monitoring and recording information on patients diagnosed with diabetes.</p> <p>The Diabetes (clinical) DSS relates to the clinical status of, the provision of services for, and the quality of care delivered to individuals with diabetes, across all health care settings including:</p> <ul style="list-style-type: none"><li>• General Practitioners;</li><li>• Divisions of General Practice;</li><li>• Diabetes Centres'</li><li>• Specialists in private practice; and</li><li>• Community Health Nurses and Diabetes Educators.</li></ul> <p>The Diabetes (clinical) DSS:</p> <ul style="list-style-type: none"><li>• provides concise, unambiguous definitions for items/conditions related to diabetes quality care, and</li><li>• aims to ensure standardised methodology of data collection in Australia.</li></ul> <p>The expectation is that collection of this data set facilitates good quality of care, contributes to preventive care and has the potential to enhance self-management by patients with diabetes.</p> <p>The underlying goal is improvement of the length and quality of life of patients with diabetes, and prevention or delay in the development of diabetes related complications.</p>

### Collection and usage attributes

<i>Collection methods:</i>	<p>This metadata set is primarily concerned with the clinical use of Diabetes data. It could/should be used by health and health related establishments that create, use or maintain, records on health care clients.</p> <p>One methodology is for data to be collected over a 1-month period of all diabetes patients presenting at sites participating in the collection. The information is de-identified to protect the privacy of individuals. The participation is voluntary. An individual Benchmarking report is provided. The results provide a snapshot of care of people with diabetes.</p>
<i>Comments:</i>	<p>Statistical units are entities from or about which statistics are collected or in respect of which statistics are compiled, tabulated or published.</p> <p><b>Scope links with other Metadata sets</b></p> <p>Cardiovascular disease (clinical) DSS.</p>

### Source and reference attributes

**Relational attributes**

Related metadata references:

Supersedes [Diabetes \(clinical\) DSS](#) Health, Superseded  
21/09/2005**Metadata items in this Data Set Specification**

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Blindness (diabetes complication)	Mandatory	1
-	Blood pressure – diastolic (measured)	Mandatory	1
-	Blood pressure – systolic (measured)	Mandatory	1
-	Cardiovascular medication (current)	Mandatory	1
-	Cataract - history	Mandatory	4
-	Cerebral stroke due to vascular disease (history)	Mandatory	1
-	Cholesterol – HDL (measured)	Mandatory	1
-	Cholesterol – total (measured)	Mandatory	1
-	Coronary artery disease – history of intervention or procedure	Mandatory	1
-	Creatinine serum level (measured)	Mandatory	1
-	Date of birth	Mandatory	1
-	Diabetes status	Mandatory	1
-	Diabetes therapy type	Mandatory	1
-	Dyslipidaemia treatment indicator	Mandatory	1
-	Erectile dysfunction	Mandatory	1
-	Fasting status	Mandatory	1
-	Foot deformity	Mandatory	1
-	Foot lesion (active)	Mandatory	1
-	Foot ulcer (history)	Mandatory	1
-	Foot ulcer (current)	Mandatory	1
-	Glycosylated haemoglobin level (measured)	Mandatory	1
-	Glycosylated Haemoglobin – upper limit of normal range (percentage)	Mandatory	1
-	Health professionals attended (diabetes mellitus)	Mandatory	1
-	Height (measured)	Mandatory	1
-	Hypertension - treatment	Mandatory	1
-	Hypoglycaemia - severe	Mandatory	1
-	Indigenous status	Mandatory	1
-	Initial visit indicator – diabetes mellitus	Mandatory	1
-	Lower limb amputation due to vascular disease	Mandatory	1
-	Microalbumin level – albumin/creatinine ratio (measured)	Conditional	1
-	Microalbumin level – micrograms per minute (measured)	Conditional	1
-	Microalbumin level – milligrams per 24 hour (measured)	Conditional	1
-	Microalbumin level – milligrams per litre (measured)	Conditional	1
-	Microalbumin level – upper limit of normal range (albumin/creatinine ratio)	Conditional	1
-	Microalbumin level – upper limit of normal range	Conditional	1



(micrograms per minute)		
- Microalbumin level – upper limit of normal range (milligrams per 24 hour)	Conditional	1
- Microalbumin level – upper limit of normal range (milligrams per litre)	Conditional	1
- Myocardial infarction (history)	Mandatory	1
- Ophthalmological assessment – outcome (left retina)	Mandatory	1
- Ophthalmological assessment – outcome (right retina)	Mandatory	1
- Ophthalmoscopy performed indicator	Mandatory	1
- Peripheral neuropathy (status)	Mandatory	1
- Peripheral vascular disease in feet (status)	Mandatory	1
- Pregnancy – current status	Mandatory	1
- Referred to ophthalmologist (diabetes mellitus)	Mandatory	1
- Renal disease – end-stage (diabetes complication)	Mandatory	1
- Service contact date	Mandatory	1
- Sex	Mandatory	1
- Tobacco smoking status (diabetes mellitus)	Mandatory	1
- Triglyceride level (measured)	Mandatory	1
- Visual acuity (left eye)	Mandatory	1
- Visual acuity (right eye)	Mandatory	1
- Weight in kilograms (measured)	Mandatory	1
- Year insulin started	Mandatory	1
- Year of diagnosis of diabetes mellitus	Mandatory	1

---

# Functioning and Disability DSS

---

## Identifying and definitional attributes

*Metadata item type:* Data Set Specification

*METeOR identifier:* 320319

*Registration status:* Health, Standard 29/11/2006  
Community services, Standard 16/10/2006

*DSS type:* Data Set Specification (DSS)

*Scope:* The Functioning and Disability DSS aims to ensure national consistency in relation to defining and measuring human functioning and disability. This DSS has been developed to be consistent with the International Classification of Functioning, Disability and Health (ICF).

Functioning and disability are dual concepts in a broad framework.

**Functioning** is the umbrella term for any or all of: body functions, body structures, activities and participation. Functioning is a multidimensional concept denoting the neutral aspects of the interaction between an individual (with a health condition) and that individual's environmental and personal factors.

**Disability** is the umbrella term for any or all of: an impairment of body structure or function, a limitation in activities, or a restriction in participation. Disability is a multi-dimensional and complex concept and is conceived as a dynamic interaction between health conditions and environmental and personal factors (WHO 2001:6).

A health condition may be a disease (acute or chronic), disorder, injury or trauma. Environmental factors make up the physical, social and attitudinal environment in which people live and conduct their lives. Personal factors relate to the individual, such as age, sex and Indigenous status.

The components of functioning and disability are classified and defined in the ICF as **body structures** and **body functions**, **activities** and **participation** and **environmental factors**. Each component is composed of various domains; these are sets of related physiological functions, anatomical structures, actions, tasks, areas of life, and external influences. Qualifiers, the numeric measures coded after the relevant domain, are usually essential to the meaningful use of the classification because of the neutral terms of the domains.

Many different 'definitions' of disability are used in Australia, both in administrative data collections and in Acts of Parliament. The consistent identification of disability in national data collections has been recommended in a number of reports, for instance to enable:

- the monitoring of access to generic services by people with disability;
- the collection of more consistent data on disability support and related services, including data on service use by different groups;
- population data and service data to be related, thereby improving the nation's analytical capacity in relation to the need for and supply of services; and
- improved understanding of the relationship between disability, health conditions and other health outcomes.

Defining disability makes it possible to determine the number of

people in the population with disability, those who are accessing services, both disability specific and generic, and those with a disability in the general population with unmet need. Better definition of disability will aid better targeting of resources to those in need.

The concept 'Disability' can be operationalised in a wide variety of settings and for various purposes, using a combination of related metadata items as building blocks.

The metadata items selected for a particular application may vary depending on the approach to functioning and disability. For example, in hospital rehabilitation, the focus may be on the impairment and activity dimensions, and in community-based care the focus may be primarily on participation. Some applications may require a broad scope for inclusion (e.g. discrimination legislation). Data collections relating to services will select combinations of the data elements, which best reflect the eligibility criteria for the service.

The Functioning and Disability DSS comprises the following four clusters to describe level of human functioning:

1. Body functioning, qualified by extent of impairment
2. Body structure, qualified by extent, nature and location of impairment
3. Activities and participation, qualified by level of difficulty and need for assistance with undertaking activities and extent of and satisfaction with participation
4. Environmental factors, qualified by extent of influence of the environment

Data collected using this DSS can be related to national data collections which use ICF concepts such as the Commonwealth State Territory Disability Agreement (CSTDA) NMDS collection and the ABS Survey of Ageing, Disability and Carers and, from 2006, the Census.

## Collection and usage attributes

### *Collection methods:*

Each of the four clusters that make up the Functioning and Disability DSS should be recorded for a complete description of human functioning. This information can be gathered over time by a range of health and community care providers.

Completion of the DSS will record a person-centred description of the experience of functioning of the individual who is the subject of the data. The experience of functioning is in relation to a health condition, and does not consider decrements in functioning that may be associated with social factors such as ethnic background or economic status. For example, the level of communication is recorded in relation to the health condition, not to the fact that a person does not speak English at home.

The ICF provides a framework for the description of human functioning and disability. The components of ICF are defined in relation to a health condition. A health condition is an umbrella term for 'disease (acute or chronic), disorder, injury or trauma' (WHO 2001). A health condition may be recorded, for example, as:

- Episode of care principal diagnosis, code (ICD-10-AM 5th Ed) ANN{.N[N]}
- Episode of care additional diagnosis, code (ICD-10-AM 5th Ed) ANN{.N[N]}.

This DSS may be used in data collections in the community

services, housing and health sectors.

*Comments:*

The ICF was endorsed by the World Health Assembly in 2001 as a reference member of the WHO Family of International Classifications and of the Australian Family of Health and Related Classifications (endorsed by the National Health Information Management Group in 2002). The ICF is grounded in a human rights philosophy, and its relationship to the UN Standard Rules on Equalization of Opportunities for Persons with Disabilities endorsed by the United Nations in 1994 is acknowledged. The purpose of the Rules is to ensure that people with disabilities, as members of their societies, may exercise the same rights and obligations as others.

## Source and reference attributes

*Submitting organisation:*

Australian Institute of Health and Welfare (AIHW) which is the Australian Collaborating Centre for the World Health Organization Family of International Classifications.

*Origin:*

WHO 2001. ICF: International Classification of Functioning, Disability and Health. Geneva: WHO  
AIHW 2003. ICF Australian User Guide Version 1.0. Canberra: AIHW

*Reference documents:*

Further information on the ICF, including more detailed codes, can be found in the ICF itself and the ICF Australian User Guide (AIHW 2003), at the following websites:

- [WHO ICF website](http://www.who.int/classifications/icf/en/) <http://www.who.int/classifications/icf/en/>
- Australian Collaborating Centre ICF website <http://www.aihw.gov.au/disability/icf/index.html>

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Activities and Participation cluster	Optional	1
	Activity and participation life area		
	Assistance with activities		
	Difficulty with activities		
	Extent of participation		
	Satisfaction with participation		
-	Body functions cluster	Optional	1
	Body function		
	Impairment of body function		
-	Body structures cluster	Optional	1
	Body structure		
	Change to body structure		
	Impairment of body structure		
	Location of impairment		
-	Environmental factors cluster	Optional	1
	Environmental factor		
	Influence of environmental factor		

---

# Health care client identification DSS

---

## Identifying and definitional attributes

*Metadata item type:* Data Set Specification

*METeOR identifier:* 288765

*Registration status:* Health, Standard 04/05/2005

*DSS type:* Data Set Specification (DSS)

*Scope:*

The data elements specified in this metadata set provide a framework for improving the positive identification of persons in health care organisations. This metadata set applies in respect of all potential or actual clients of the Australian health care system. It defines demographic and other identifying data elements suited to capture and use for person identification in health care settings. The objectives in collecting the data elements in this metadata set are to promote uniformly good practice in:

- identifying individuals
- recording identifying data so as to ensure that each individual's health records will be associated with that individual and no other.

The process of positively identifying people within a health care service delivery context entails matching data supplied by those individuals against data the service provider holds about them. The positive and unique identification of health care clients is a critical event in health service delivery, with direct implications for the safety and quality of health care.

There are many barriers to successfully identifying individuals in health care settings, including variable data quality; differing data capture requirements and mechanisms; and varying data matching methods. These definitions provide a base for improving the confidence of health service providers and clients alike that the data being associated with any given individual, and upon which clinical decisions are made, is appropriately associated.

## Collection and usage attributes

*Collection methods:*

This metadata set is primarily concerned with the clinical use of Health care client identification data. It should be used by health and health-related establishments that create, use or maintain, records on health care clients.

Establishments should use this metadata set, where appropriate, for collecting data when registering health care clients or potential health care clients.

The collection of data based on this metadata set is voluntary.

National reporting arrangements

Collectors of this metadata set should refer to relevant privacy legislation, codes of fair information practice and other guidelines so as not to breach personal privacy in their collection, use, storage and disclosure of health care client information. There is no comprehensive privacy legislation covering both the public and private sectors across Australia so users need to consider their particular set of circumstances (i.e. location and sector) and whether privacy legislation covers those circumstances.

A Commonwealth legislative scheme applies to the private sector. Users may refer to the Federal Privacy Commissioner's web site

for assistance in complying with their privacy obligations. In the public sector, in instances where no legislation, code of fair information practice or other guidelines covers the particular circumstances, users should refer to AS 4400 Personal privacy protection in health care information systems.

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Address line (person)	Mandatory	1
-	Address type (person)	Mandatory	1
-	Address – country identifier (person)	Mandatory	1
-	Australian state/territory identifier	Conditional	0
-	Birth order	Mandatory	1
-	Birth plurality	Mandatory	1
-	Building/complex sub-unit number (person)	Mandatory	1
-	Building/complex sub-unit type – abbreviation (person)	Mandatory	1
-	Building/property name (person)	Mandatory	1
-	Centrelink customer reference number	Mandatory	1
-	Country of birth	Mandatory	1
-	Date accuracy indicator	Mandatory	1
-	Date of birth	Mandatory	1
-	Electronic communication address (person)	Mandatory	1
-	Electronic communication medium (person)	Mandatory	1
-	Electronic communication usage code (person)	Mandatory	1
-	Establishment identifier	Mandatory	1
-	Establishment number	Mandatory	1
-	Establishment sector	Mandatory	1
-	Family name	Mandatory	1
-	Floor/level number (person)	Mandatory	1
-	Floor/level type (person)	Mandatory	1
-	Given name sequence number	Mandatory	1
-	Given name(s)	Mandatory	1
-	House/property number (person)	Mandatory	1
-	Indigenous status	Conditional	1
-	Lot/section number (person)	Mandatory	1
-	Medicare card number	Mandatory	1
-	Mother's original family name	Mandatory	1
-	Name context flag	Mandatory	1
-	Name suffix	Mandatory	1
-	Name suffix sequence number	Mandatory	1
-	Name title	Mandatory	1
-	Name title sequence number	Mandatory	1
-	Name type	Mandatory	1
-	Non-Australian state/province (person)	Mandatory	1
-	Person identifier	Mandatory	1

-	Person identifier type – health care (person)	Mandatory	1
-	Postal delivery point identifier (person)	Mandatory	1
-	Postcode – Australian (person)	Mandatory	1
-	Postcode – international (person)	Mandatory	1
-	Region code	Mandatory	1
-	Sex	Mandatory	1
-	State/Territory of birth	Mandatory	1
-	Street name (person)	Mandatory	1
-	Street suffix code (person)	Mandatory	1
-	Street type code (person)	Mandatory	1
-	Suburb/town/locality name (person)	Mandatory	1

---

# Health care provider identification DSS

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	356020
<i>Registration status:</i>	Health, Standard 04/07/2007
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	<p>The scope of these data elements includes identification of individual and organisation health care providers. The data elements also allow for identification of an individual in a health care organisation. The definition of health care provider is:</p> <p>'any person or organisation who is involved in or associated with the delivery of healthcare to a client, or caring for client wellbeing'.</p> <p>The data elements have been defined to enable a common, best practice approach to the way data are captured and stored, to ensure that records relating to a provider will be associated with that individual and/or organisation and no other. The definitions are proposed for clinical and administrative data management purposes.</p> <p>The ability to positively identify health care providers and locate their relevant details is an important support to the provision of speedy, safe, high quality, comprehensive and efficient health care. Unambiguous identification of individual health care providers is necessary for:</p> <ul style="list-style-type: none"><li>• Requesting and reporting of orders, tests and results (e.g. pathology, diagnostic imaging)</li><li>• Other communications and referrals between health care providers regarding ongoing care of patients (e.g. a referral from a GP to a specialist, a hospital discharge plan)</li><li>• Reporting on health care provision to statutory authorities (e.g. reporting of hospital patient administration systems data to State/Territory government health agencies)</li><li>• Payments to providers</li><li>• Registration of providers</li><li>• Directories or lists of providers and their service locations for consumer information.</li></ul>

## Collection and usage attributes

<i>Collection methods:</i>	Collected at point of entry to health care for the purposes of the identification of the provider of that health care.
<i>Comments:</i>	There are many barriers to successfully identifying individuals in health care settings, including variable data quality; differing data capture requirements and mechanisms; and varying data matching methods. This data set specification provides a framework for improving the confidence that the data being associated with any given individual or organisation, is appropriately associated.

## Source and reference attributes

<i>Submitting organisation:</i>	Standards Australia Inc Health Informatics Committee (IT-014)
---------------------------------	---



*Reference documents:*

Health care client identification DSS

The Australian Standard AS4846 Health Care Provider Identification identifies other data that should be collected. These data are collections of free text information and as such are not capable of standardisation as a national health data standard. Within AS4846 however they form part of the data collection necessary for the complete identification of a health care provider.

These data elements are identified in the section Standardised elsewhere section below.

If these data elements are collected in conjunction with those of the Data set specification they form a collection equivalent to that of the Australian Standard AS4846.

## Relational attributes

*Related metadata references:*

Supersedes [Health care provider identification DSS](#) Health, Superseded 04/07/2007

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Address line (person)	Mandatory	1
-	Address line (service provider organisation)	Mandatory	1
-	Address type (person)	Mandatory	1
-	Address type (service provider organisation)	Mandatory	1
-	Address – country identifier (person)	Mandatory	1
-	Australian state/territory identifier	Mandatory	1
-	Australian state/territory identifier (service provider organisation)	Mandatory	1
-	Building/complex sub-unit number (person)	Mandatory	1
-	Building/complex sub-unit number (service provider organisation)	Mandatory	1
-	Building/complex sub-unit type – abbreviation (person)	Mandatory	1
-	Building/complex sub-unit type – abbreviation (service provider organisation)	Mandatory	1
-	Building/property name (person)	Mandatory	1
-	Building/property name (service provider organisation)	Mandatory	1
-	Date accuracy indicator	Mandatory	1
-	Date of birth	Mandatory	1
-	Date of death	Mandatory	1
-	Electronic communication address (person)	Mandatory	1
-	Electronic communication address (service provider organisation)	Mandatory	1
-	Electronic communication medium (person)	Mandatory	1
-	Electronic communication medium (service provider organisation)	Mandatory	1
-	Electronic communication usage code (person)	Mandatory	1
-	Family name	Mandatory	1
-	Floor/level number (person)	Mandatory	1

- Floor/level number (service provider organisation)	Mandatory	1
- Floor/level type (person)	Mandatory	1
- Floor/level type (service provider organisation)	Mandatory	1
- Given name sequence number	Mandatory	1
- Given name(s)	Mandatory	1
- House/property number (person)	Mandatory	1
- House/property number (service provider organisation)	Mandatory	1
- Lot/section number (person)	Mandatory	1
- Lot/section number (service provider organisation)	Mandatory	1
- Name context flag	Mandatory	1
- Name suffix	Mandatory	1
- Name suffix sequence number	Mandatory	1
- Name title	Mandatory	1
- Name title sequence number	Mandatory	1
- Name type	Mandatory	1
- Name type (service provider organisation)	Mandatory	1
- Non-Australian state/province (person)	Mandatory	1
- Non-Australian state/province (service provider organisation)	Mandatory	1
- Organisation end date	Mandatory	1
- Organisation name	Mandatory	1
- Organisation start date	Mandatory	1
- Person identifier	Mandatory	1
- Postal delivery point identifier (person)	Mandatory	1
- Postal delivery point identifier (service provider organisation)	Mandatory	1
- Postcode – Australian (person)	Mandatory	1
- Postcode – Australian (service provider organisation)	Mandatory	1
- Postcode – international (person)	Mandatory	1
- Postcode – international (service provider organisation)	Mandatory	1
- Provider occupation category (self-identified)	Mandatory	1
- Provider occupation end date	Mandatory	1
- Provider occupation start date	Mandatory	1
- Sex	Mandatory	1
- Street name (person)	Mandatory	1
- Street name (service provider organisation)	Mandatory	1
- Street suffix code (person)	Mandatory	1
- Street suffix code (service provider organisation)	Mandatory	1
- Street type code (person)	Mandatory	1
- Street type code (service provider organisation)	Mandatory	1
- Suburb/town/locality name (person)	Mandatory	1
- Suburb/town/locality name (service provider organisation)	Mandatory	1

---

# Injury surveillance DSS

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	361954
<i>Registration status:</i>	Health, Standard 05/02/2008
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	The scope of this minimum data set is patient level data from selected emergency departments of hospitals and other settings.

## Collection and usage attributes

<i>Collection methods:</i>	<i>National reporting arrangements</i> State and territory health authorities provide the data to the Australian Institute of Health and Welfare for national collation, on an annual basis. <i>Periods for which data are collected and nationally collated</i> Financial years ending 30 June each year.
----------------------------	---

## Source and reference attributes

<i>Submitting organisation:</i>	National Health Information Group
---------------------------------	-----------------------------------

## Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Injury surveillance DSS</a> Health, Superseded 05/02/2008
-------------------------------------	--

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Activity when injured	Mandatory	1
-	External cause (admitted patient)	Mandatory	99
-	Place of occurrence of external cause of injury (ICD-10-AM)	Mandatory	1
-	Activity when injured (non-admitted patient)	Mandatory	1
-	Bodily location of main injury	Mandatory	1
-	External cause – human intent	Mandatory	1
-	Narrative description of injury event	Mandatory	1
-	Nature of main injury (non-admitted patient)	Mandatory	1
-	Place of occurrence of external cause of injury (non-admitted patient)	Mandatory	1

---

# Palliative care performance indicators DSS

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	295806
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	<p>This data set specification specifies information for collection about all administrative health regions, and whether they have developed strategic plans which incorporate specified palliative care elements. It also specifies information for collection about all government-funded <b>palliative care agencies</b> (service provider organisations), their approach to some aspects of service delivery, and their efforts in specific areas of quality improvement.</p> <p>This information enables reporting of nationally-agreed palliative care performance indicators. Currently, there are four national performance indicators that have been agreed for reporting by the Palliative Care Intergovernmental Forum. These are:</p> <ol style="list-style-type: none"><li>1. The proportion of administrative health regions that have a written plan for palliative care that incorporates palliative care elements,</li><li>2. The proportion of palliative care agencies, within their setting of care, that routinely undertake or undergo formal assessment against the Palliative Care Australia standards,</li><li>3. The proportion of palliative care agencies, within their setting of care, that actively collect feedback from clients and staff (within the workforce) relating to services and service delivery,</li><li>4. The proportion of palliative care agencies, within their setting of care, that have formal working partnerships with other services provider(s) or organisation(s).</li></ol>

## Collection and usage attributes

<i>Collection methods:</i>	The data for this DSS are obtained from two sources: a survey of administrative health regions and a survey of all government-funded palliative care agencies (service provider organisations) that provide care in community and/or admitted patient settings.
----------------------------	---

## Source and reference attributes

<i>Submitting organisation:</i>	Palliative Care Intergovernmental Forum
---------------------------------	---

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Administrative health region name	Mandatory	1
-	Administrative health region palliative care strategic plan indicator	Mandatory	1
-	Coordinator of volunteers indicator	Mandatory	1
-	Feedback collection indicator	Mandatory	1
-	Feedback collection method	Conditional	8
-	Level of palliative care service	Mandatory	1
-	Most common service delivery setting	Mandatory	1

- Palliative care agency service delivery setting	Mandatory	7
- Partner organisation type	Conditional	8
- Standards assessment indicator	Mandatory	1
- Standards assessment level	Conditional	1
- Standards assessment method	Conditional	2
- Working partnership indicator	Mandatory	1

# Data element clusters

---

## Activities and Participation cluster

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	320111
<i>Registration status:</i>	Health, Standard 29/11/2006 Community services, Standard 16/10/2006
<i>DSS type:</i>	National Minimum Data Set (NMDS)
<i>Scope:</i>	<p>This data cluster is one of four clusters that make up the Functioning and Disability DSS. To ensure a <u>complete</u> description of human functioning it is recommended that this cluster be collected along with the following three clusters over time and by a range of health and community care providers:</p> <ol style="list-style-type: none"><li>1. Body functions cluster</li><li>2. Body structures cluster</li><li>3. Environmental factors cluster</li></ol>

In the context of health, activity refers to the execution of a task or action by an individual, and participation refers to involvement in a life situation.

The Activities and Participation cluster collects information on a person's level of difficulty with activities, assistance needed to perform activities, extent of participation, and satisfaction with participation in the following life areas:

1. Learning and applying knowledge
2. General tasks and demands
3. Communication
4. Mobility
5. Self-care
6. Domestic life
7. Interpersonal interactions and relationships
8. Major life areas
9. Community, social and civic life

The use of this cluster to collect information on activity limitations and participation restrictions should enhance data quality for medical purposes as well as for a range of purposes related to understanding human functioning. This data cluster should be complementary to information on diseases.

The information collected in the Activities and Participation cluster may also indicate the sorts of interventions that could result in improved functioning. This could be in the form of rehabilitation, health-related interventions, equipment, or support for example.

### Collection and usage attributes

<i>Guide for use:</i>	<p>The following four measures are used to describe activities and participation in life areas:</p> <ol style="list-style-type: none"><li>1. <b>Difficulty</b> with activities may include pain involved, time taken, effort, number of errors, clumsiness, and modification of the manner in</li></ol>
-----------------------	---

which the activity is performed. Difficulty is the combination of the frequency with which the problem exists, the duration of the problem and the intensity of the problem.

2. **Need for assistance** with activities includes personal assistance and/or supervision.
3. **Extent of participation** indicates the level of participation restriction. This corresponds to an externally observable measure of participation.
4. **Satisfaction with participation** corresponds to the person's own perspective on their participation, and reflects their attitude to their participation in the various life areas. It is essentially a summary measure in which are embedded the concepts of choice, opportunity and importance.

For each life area code recorded there can be one response for each of the measures. The choice of measure will depend on the user and their information requirements.

There are numerous possible methods for collecting activity, activity limitation, participation and participation restriction. A decision could be made to collect information:

- about every domain;
- on domains of particular relevance; or
- on a number of domains which are prioritised according to specified criteria.

See also the *ICF Australian User Guide* for further guidelines.

*Collection methods:*

The [Person – activities/participation life area, code \(ICF 2001\) AN\[NNN\]](#) data element is supported by a value domain - Activities and participation code (ICF 2001) AN[NNN] - representing a single list of activity and participation domains that are grouped together.

The World Health Organization suggests the list be used in one of four operational ways.

- a) To designate some domains as activities and others as participation, not allowing any overlap.
- b) Same as (a) above, but allowing partial overlap.
- c) To designate all detailed domains as activities and the broad category headings as participation.
- d) To use all domains as both activities and participation.

The ICF Australian User Guide proposes the use of either option (b) or (d) with the use of additional qualifiers to delineate between activity and participation.

The [Person – activities and participation life area, code \(ICF 2001\) AN\[NNN\]](#) data element can be used on its own as a neutral list of tasks, actions and life situations, or together with the four additional data elements in this cluster to record positive or neutral performance as well as activity limitations and participation restrictions. (It is important to note that the [Person – activities and participation life area, code \(ICF 2001\) AN\[NNN\]](#) data element must always be used when recording any of the other four data elements.)

*Comments:*

This cluster is based on the International Classification of



Functioning, Disability and Health (ICF). The ICF is a reference member of the WHO Family of International Classifications (endorsed by the World Health Assembly in 2001) and of the Australian Family of Health and Related Classifications (endorsed by the National Health Information Management Group in 2002).

The ICF provides a framework for the description of human functioning and disability. The components of ICF are defined in relation to a health condition. A health condition is an 'umbrella term for disease (acute or chronic), disorder, injury or trauma' (WHO 2001). A health condition may be recorded, for example, as:

- Episode of care principal diagnosis, code (ICD-10-AM 5th Ed) ANN{.N[N]}
- Episode of care additional diagnosis, code (ICD-10-AM 5th Ed) ANN{.N[N]}.

The ICF recognises two constructs that can be used with 'Activities and Participation': performance and capacity. 'Performance' is what the person does in their usual environment. 'Capacity' describes 'an individual's ability to execute a task or an action in a standardised environment, where a standardised environment may be:

- an actual environment commonly used for assessment in test settings; or
- in cases where this is not possible, an assumed environment which can be thought to have a uniform impact' (WHO 2001).

The standardised environment has not been generally operationalised. However, the recognition of these two constructs in the ICF underscores the importance of recording the environment in which activities are being performed.

## Source and reference attributes

*Submitting organisation:*

Australian Institute of Health and Welfare (AIHW) which is the Australian Collaborating Centre for the World Health Organization Family of International Classifications.

## Relational attributes

*Implementation in Data Set Specification:* [Functioning and Disability DSS](#) Health, Standard 29/11/2006  
Community services, Standard 16/10/2006

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Activity and participation life area	Mandatory	1
-	Assistance with activities	Optional	1
-	Difficulty with activities	Optional	1
-	Extent of participation	Optional	1
-	Satisfaction with participation	Optional	1

---

## Body functions cluster

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	320117
<i>Registration status:</i>	Health, Standard 29/11/2006 Community services, Standard 16/10/2006
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	<p>This data cluster is one of four clusters that make up the Functioning and Disability DSS. To ensure a complete description of human functioning it is recommended that it be collected along with the following three clusters over time and by a range of health and community care providers:</p> <ol style="list-style-type: none"><li>1. Body Structures cluster</li><li>2. Activities and Participation cluster</li><li>3. Environmental factors cluster</li></ol> <p>Body functions are the physiological functions of body systems (including psychological functions). The term 'body' refers to the human organism as a whole; hence it includes the brain and its functions, that is, the mind. The Body functions cluster collects information on the presence and extent of impairment of the eight body function domains listed below:</p> <ol style="list-style-type: none"><li>1. Mental functions</li><li>2. Sensory functions and pain</li><li>3. Voice and speech functions</li><li>4. Functions of the cardiovascular, haematological, immunological and respiratory systems</li><li>5. Functions of the digestive, metabolic and the endocrine system</li><li>6. Genitourinary and reproductive functions</li><li>7. Neuromusculoskeletal and movement-related functions</li><li>8. Functions of the skin and related structures</li></ol> <p>Impairments of body functions, as defined in the ICF, are problems in body functions such as a loss or significant departure from population standards or averages. The ICD uses impairment as 'signs and symptoms', a 'component of disease' or sometimes 'reason for contact with health services'.</p> <p>Impairments are recorded in terms of their extent or magnitude, nature and/or location. Determination of impairment is undertaken primarily by those qualified to evaluate physical and mental functioning or structure according to these standards.</p> <p>Impairments should be detectable or noticeable by others or the person by direct observation or by inference from indirect observation. Impairments are not the same as the underlying pathology, but are manifestations of that pathology.</p> <p>Impairments can be temporary or permanent; progressive, regressive or static; intermittent or continuous. The</p>

deviation from the population norm may be slight or severe and may fluctuate over time. Impairments may result in other impairments.

Impairments may be part, or an expression of a health condition, but do not necessarily indicate that a disease is present or that the individual should be regarded as sick.

The use of this cluster to collect information on impairments of body functions should enhance data quality for medical purposes as well as for a range of purposes related to human functioning. This data cluster should be complementary to information on diseases.

The information collected in the Body functions cluster may also indicate the sorts of interventions that could result in improved functioning. This could be in the form of rehabilitation, health-related interventions, equipment, or support for example.

## Collection and usage attributes

### *Collection methods:*

The [Person—body function, code \(ICF 2001\) AN\[NNNN\]](#) data element is a neutral list of functions that can be used to record positive or neutral body function, as well as impairment of a specified body function when used in conjunction with [Person—extent of impairment of body function, code \(ICF 2001\)N](#). For each body function code recorded there should be a code for impairment of body functions.

There are numerous possible methods for collecting body functions and impairments. A decision could be made to collect information:

- about every domain;
- on domains of particular relevance; or
- on a number of domains which are prioritised according to specified criteria.

See also the *ICF Australian User Guide* for further guidelines.

### *Comments:*

This cluster is based on the International Classification of Functioning, Disability and Health (ICF). The ICF was endorsed by the World Health Assembly in 2001 as a reference member of the WHO Family of International Classifications and of the Australian Family of Health and Related Classifications (endorsed by the National Health Information Management Group in 2002).

The ICF provides a framework for the description of human functioning and disability. The components of ICF are defined in relation to a health condition. A health condition is an 'umbrella term for disease (acute or chronic), disorder, injury or trauma' (WHO 2001). A health condition may be recorded, for example, as:

- Episode of care principal diagnosis, code (ICD-10-AM 5th Ed) ANN{.N[N]}
- Episode of care additional diagnosis, code (ICD-10-AM 5th Ed) ANN{.N[N]}.

## Source and reference attributes

### *Submitting organisation:*

Australian Institute of Health and Welfare (AIHW) which

is the Australian Collaborating Centre for the World Health Organization Family of International Classifications.

## Relational attributes

Implementation in Data Set Specification: [Functioning and Disability DSS](#) Health, Standard 29/11/2006  
Community services, Standard 16/10/2006

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Body function	Mandatory	1
-	Impairment of body function	Mandatory	1

---

## Body structures cluster

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	320151
<i>Registration status:</i>	Health, Standard 29/11/2006 Community services, Standard 16/10/2006
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	<p>This data cluster is one of four clusters that make up the Functioning and Disability DSS. To ensure a complete description of human functioning it is recommended that this cluster be collected along with the following three clusters over time and by a range of health and community care providers:</p> <ol style="list-style-type: none"><li>1. Body functions cluster</li><li>2. Activities and participation cluster</li><li>3. Environmental factors cluster</li></ol> <p>Body structures are anatomical parts of the body such as organs, limbs and their components.</p> <p>The Body structures cluster collects information on the presence and extent of impairment, the nature of the change and the location of the impairment for the eight body structure domains listed below:</p> <ol style="list-style-type: none"><li>1. Structures of the nervous system</li><li>2. The eye, ear and related structures</li><li>3. Structures involved in voice and speech</li><li>4. Structures of the cardiovascular, immunological and respiratory systems</li><li>5. Structures related to the digestive, metabolism and endocrine systems</li><li>6. Structures related to genitourinary and reproductive systems</li><li>7. Structures related to movement</li><li>8. Skin and related structures</li></ol> <p>Impairments of body structures, as defined in the ICF, are problems in body structure such as a loss or significant departure from population standards or averages. The ICD uses impairment as 'signs and symptoms', a 'component of disease' or sometimes 'reason for contact with health services'.</p> <p>Impairments are recorded in terms of their extent or magnitude, nature and/or location. Determination of impairment is undertaken primarily by those qualified to evaluate physical and mental functioning or structure according to population standards or averages.</p> <p>Impairments should be detectable or noticeable by others or the person by direct observation or by inference from indirect observation. Impairments are not the same as the underlying pathology, but are manifestations of that pathology.</p> <p>Impairments can be temporary or permanent; progressive, regressive or static; intermittent or continuous. The deviation from the population norm may be slight or</p>

severe and may fluctuate over time. Impairments may result in other impairments.

Impairments may be part, or an expression of a health condition, but do not necessarily indicate that a disease is present or that the individual should be regarded as sick.

The use of this cluster to collect information on impairments should enhance data quality for medical purposes as well as for a range of purposes related to understanding human functioning. This data cluster should be complementary to information on diseases.

The information collected in the Body structures cluster may also indicate the sorts of interventions that could result in improved functioning. This could be in the form of rehabilitation, health-related interventions, equipment, or support for example.

## Collection and usage attributes

### *Guide for use:*

The [Person – body structure, code \(ICF 2001\) AN\[NNNN\]](#) is a data element supported by the value domain Body structure code (ICF 2001) AN(NNNN) that represents a neutral list of structures from the ICF. This data element can be used to record positive or neutral body structure, as well as impairment of a specified body structure when used in conjunction with [Person – extent of impairment of body structure, code \(ICF 2001\) N](#).

It is optional to record the location and nature of the impairment using [Person – nature of impairment of body structure, code \(ICF 2001\) X](#) and [Person – location of impairment of body structure, code \(ICF 2001\) X](#) respectively.

There are numerous possible methods for collecting body structures and impairments. A decision could be made to collect information:

- about every domain;
- on domains of particular relevance; or
- on a number of domains which are prioritised according to specified criteria.

### *Comments:*

This cluster is based on the International Classification of Functioning, Disability and Health (ICF). The ICF was endorsed by the World Health Assembly in 2001 as a reference member of the WHO Family of International Classifications and of the Australian Family of Health and Related Classifications (endorsed by the National Health Information Management Group in 2002).

The ICF provides a framework for the description of human functioning and disability. The components of ICF are defined in relation to a health condition. A health condition is an 'umbrella term for disease (acute or chronic), disorder, injury or trauma' (WHO 2001). A health condition may be recorded, for example, as:

- Episode of care principal diagnosis, code (ICD-10-AM 5th Ed) ANN{.N[N]}
- Episode of care additional diagnosis, code (ICD-10-AM 5th Ed) ANN{.N[N]}

## Source and reference attributes

*Submitting organisation:* Australian Institute of Health and Welfare (AIHW) which is the Australian Collaborating Centre for the World Health Organization Family of International Classifications.

## Relational attributes

*Implementation in Data Set Specification:* [Functioning and Disability DSS](#) Health, Standard 29/11/2006  
Community services, Standard 16/10/2006

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Body structure	Mandatory	1
-	Change to body structure	Optional	1
-	Impairment of body structure	Mandatory	1
-	Location of impairment	Optional	1

---

## Environmental factors cluster

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	320195
<i>Registration status:</i>	Health, Standard 29/11/2006 Community services, Standard 16/10/2006
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	<p>This data cluster is one of four clusters that make up the Functioning and Disability DSS. To ensure a complete description of human functioning it is recommended that this cluster be collected along with the following three clusters over time and by a range of health and community care providers:</p> <ol style="list-style-type: none"><li>1. Body functions cluster</li><li>2. Body structures cluster</li><li>3. Activities and participation cluster</li></ol> <p>Environmental factors make up the physical, social and attitudinal environment in which people live and conduct their lives. These factors can have a positive or negative influence on a person's participation as a member of society, on performance of activities, or on a person's body function or structure.</p> <p>The Environmental Factors cluster collects information on the extent to which each of the domains in the five chapters listed below influence the body function or structure, activity or participation of a person:</p> <ol style="list-style-type: none"><li>1. Products and technology</li><li>2. Natural environment and human-made changes to environment</li><li>3. Support and relationships</li><li>4. Attitudes</li><li>5. Services, systems and policies</li></ol> <p>Each chapter contains categories at different levels ordered from general to detailed. For detailed information the user should follow the structure of the ICF; the codes should be drawn from the same hierarchical level within any particular chapter.</p> <p>Codes at the ICF chapter headings may be recorded. If further detail is required the Environmental Factors classification includes 3 and 4 digit codes:</p> <ul style="list-style-type: none"><li>e5 Services, systems and policies</li><li>e580 Health services, systems and policies</li><li>e5800 Health services</li></ul> <p>Where multiple environmental factors and the extent of influence are recorded, the following prioritising system may be useful:</p> <ul style="list-style-type: none"><li>• The first recorded environmental factor is the one having the greatest impact on the individual.</li><li>• Second and subsequent environmental factors are also of relevance to the individual.</li></ul> <p>The Environmental factors cluster may be used in health,</p>



community services and other disability-related data collections to record the environmental factors that facilitate or inhibit optimum functioning at the body, person or societal level. Identifying whether, and by how much, these environmental factors are influencing an individual's level of functioning, and whether the influence is a facilitator or barrier, may indicate the sorts of interventions that will optimise the individual's functioning. This information may be useful for policy development, service provision, or advocacy purposes. Preventative strategies could also be indicated by this information.

## Collection and usage attributes

### *Guide for use:*

For each environmental factor code recorded there should be one response for the influence of the environmental factor.

There are numerous possible methods for collecting environmental factors. Information can be collected on:

- all environmental factors;
- environmental factors of particular relevance;
- a number of environmental factors, prioritised according to specified criteria;
- one environmental factor per person; or
- record environmental factors for each recorded body function, body structure, and activities and participation.

See also the *ICF Australian User Guide* for further guidelines.

### *Comments:*

This cluster is based on the International Classification of Functioning, Disability and Health (ICF). The ICF was endorsed by the World Health Assembly in 2001 as a reference member of the WHO Family of International Classifications and of the Australian Family of Health and Related Classifications (endorsed by the National Health Information Management Group in 2002).

The ICF provides a framework for the description of human functioning and disability. The components of ICF are defined in relation to a health condition. A health condition is an 'umbrella term for disease (acute or chronic), disorder, injury or trauma' (WHO 2001). A health condition may be recorded, for example, as:

- Episode of care principal diagnosis, code (ICD-10-AM 5th Ed) ANN{.N[N]}
- Episode of care additional diagnosis, code (ICD-10-AM 5th Ed) ANN{.N[N]}.

## Source and reference attributes

### *Submitting organisation:*

Australian Institute of Health and Welfare (AIHW) which is the Australian Collaborating Centre for the World Health Organization Family of International Classifications.

## Relational attributes

*Implementation in Data Set Specification:* [Functioning and Disability DSS](#) Health, Standard

### Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
-	Environmental factor	Mandatory	1
-	Influence of environmental factor	Mandatory	1

---

# Government health expenditure function revenue data cluster

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	352476
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	The scope of this data cluster is revenue relating to direct government and government-funded expenditure on health and health-related goods and services or non-health care goods and services to support these activities.

## Collection and usage attributes

<i>Guide for use:</i>	Data are collected and nationally collated for the rereporting period - the financial year ending 30th June each year. Revenues are to be reported in millions to the nearest 100,000 e.g. \$4,064,000 should be reported as \$4.1 million.
-----------------------	--

## Source and reference attributes

<i>Submitting organisation:</i>	Health Expenditure Advisory Committee
---------------------------------	---------------------------------------

## Relational attributes

<i>Implementation in Data Set Specification:</i>	<a href="#">Government health expenditure NMDS 2008-2009</a> Health, Standard 05/12/2007
--	--

*Implementation start date:* 01/07/2008

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
1	<a href="#">Organisation – type of health or health related function, code NNN</a>	Conditional	1
2	<a href="#">Health industry relevant organisation – source of revenue, public and private code NNN</a>	Conditional	1
3	<a href="#">Organisation – revenue, total Australian currency NNNNN.N</a>	Conditional	99

---

# Government health expenditure organisation expenditure data cluster

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	352473
<i>Registration status:</i>	Health, Standard 05/11/2007
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	The scope of this data cluster is direct government and government-funded expenditure by a health industry relevant organisation on health and health-related goods and services or non-health care goods and services to support these activities.

## Collection and usage attributes

<i>Guide for use:</i>	Data are collected and nationally collated for the reporting period - the financial year ending 30th June each year. Expenses are to be reported in millions to the nearest 100,000 e.g. \$4,064,000 should be reported as \$4.1 million.
-----------------------	--

## Relational attributes

*Implementation in Data Set Specification:* [Government health expenditure NMDS 2008-2009](#) Health, Standard 05/12/2007

*Implementation start date:* 01/07/2008

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
1	<a href="#">Health industry relevant organisation – main activity type, code NNN</a>	Mandatory	1
2	<a href="#">Organisation – type of health or health related function, code NNN</a>	Mandatory	1
3	<a href="#">Organisation – expenses, total Australian currency NNNNN.N</a>	Mandatory	1
4	<a href="#">Organisation – purchase of goods and services, total Australian currency NNNNN.N</a>	Mandatory	1
5	<a href="#">Organisation – employee related expenses, total Australian currency NNNNN.N</a>	Mandatory	1
6	<a href="#">Organisation – depreciation expenses, total Australian currency NNNNN.N</a>	Mandatory	1

---

# Government health expenditure organisation revenue data element cluster

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Data Set Specification
<i>METeOR identifier:</i>	352462
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>DSS type:</i>	Data Set Specification (DSS)
<i>Scope:</i>	The scope of this data cluster is revenue relating to direct government and government-funded expenditure by a health industry relevant organisation.

## Collection and usage attributes

<i>Guide for use:</i>	Data are collected and nationally collated for the reoporting period - the financial year ending 30th June each year. Revenues are to be reported in millions to the nearest 100,000 e.g. \$4,064,000 should be reported as \$4.1 million.
-----------------------	---

## Source and reference attributes

<i>Submitting organisation:</i>	Health Expenditure Advisory Committee
---------------------------------	---------------------------------------

## Relational attributes

<i>Implementation in Data Set Specification:</i>	<a href="#">Government health expenditure NMDS 2008-2009</a> Health, Standard 05/12/2007
--	--

*Implementation start date:* 01/07/2008

## Metadata items in this Data Set Specification

<i>Seq No.</i>	<i>Metadata item</i>	<i>Obligation</i>	<i>Max occurs</i>
1	<a href="#">Health industry relevant organisation – main activity type, code NNN</a>	Mandatory	1
2	<a href="#">Health industry relevant organisation – source of revenue, public and private code NNN</a>	Mandatory	1
3	<a href="#">Organisation – revenue, total Australian currency NNNNN.N</a>	Conditional	99

# Supporting metadata items

# Object classes

---

## Administrative health region

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	288313
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>Definition:</i>	The administrative unit with responsibility for administering health services in a region, area, district or zone, and for developing and implementing strategic and other plans for health service delivery.

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Administrative health region – palliative care strategic plan indicator Health, Standard 05/12/2007
	Administrative health region – region name Health, Standard 05/12/2007



---

## Admitted patient

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268957
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	<p>A patient who undergoes a hospital's <b>admission</b> process to receive treatment and/or care. This treatment and/or care is provided over a period of time and can occur in hospital and/or in the person's home (for <b>hospital-in-the-home</b> patients). The patient may be admitted if one or more of the following apply:</p> <ul style="list-style-type: none"><li>• the patient's condition requires clinical management and/or facilities not available in their usual residential environment</li><li>• the patient requires observation in order to be assessed or diagnosed</li><li>• the patient requires at least daily assessment of their medication needs</li><li>• the patient requires a procedure(s) that cannot be performed in a stand-alone facility, such as a doctor's room without specialised support facilities and/or expertise available (e.g. cardiac catheterisation)</li><li>• there is a legal requirement for admission (e.g. under child protection legislation)</li><li>• the patient is aged nine days or less.</li></ul>
<i>Specialisation of:</i>	Hospital patient (Admission status)

### Collection and usage attributes

<i>Guide for use:</i>	<p>This metadata item should be used in conjunction with the definition of same-day patient in the glossary item same-day patient.</p> <p>Part 2 of Schedule 3 of the National Health Act (type C) professional attention may be used as a guide for the medical services not normally requiring hospital treatment and therefore not generally related to admitted patients.</p> <p>All babies born in hospital are admitted patients.</p>
<i>Comments:</i>	<p>This definition includes all babies who are nine days old or less. However, all newborn days of stay are further divided into categories of qualified and unqualified for Australian Healthcare Agreements and health insurance benefit purposes. A newborn day is acute (qualified) when a newborn meets at least one of the following criteria:</p> <ul style="list-style-type: none"><li>• is the second or subsequent live born infant of a multiple birth, whose mother is currently an admitted patient;</li><li>• is admitted to an intensive care facility in a hospital, being a facility approved by the Commonwealth Health Minister for the purpose of the provision of special care;</li><li>• remains in hospital without its mother;</li><li>• is admitted to the hospital without its mother.</li></ul> <p>Acute (qualified) newborn days are eligible for health insurance benefit purposes and should be counted under the Australian</p>

Health Care Agreements. Days when the newborn does not meet these criteria are classified as unqualified (if they are nine days old or less) and should be recorded as such. Unqualified newborn days should not be counted under the Australian Health Care Agreements and are not eligible for health insurance benefit purposes.

### **Relational attributes**

*Related metadata references:*

Supersedes [Admitted patient, version 3, DEC, NHDD, NHIMG, Superseded 01/03/2005.pdf](#) (17.17 KB)

*Data Element Concepts  
implementing this Object Class:*

Admitted patient (neonate) – neonatal morbidity Health,  
Standard 01/03/2005

---

## Admitted patient care waiting list episode

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	269012
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The period between entry to and removal from a waiting list for admitted patient care.
<i>Specialisation of:</i>	Service/care event (Episode of admitted patient care waiting list status)

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Admitted patient care waiting list episode – scheduled admission date Health, Standard 01/03/2005
--	---

---

## Admitted patient hospital stay

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268995
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The period of treatment and/or care and/or accommodation provided between a formal hospital <b>admission</b> and <b>separation</b> .
<i>Specialisation of:</i>	Service/care event (Admitted patient hospital stay status)

### Collection and usage attributes

<i>Comments:</i>	An admitted patient hospital stay is composed of one or more episodes of care, each of which is defined by a single care type (for example acute care, palliative care or rehabilitation care).
------------------	---

### Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
---------------------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Admitted patient hospital stay – number of patient days (of contracted care) Health, Standard 01/03/2005 Admitted patient hospital stay – operating theatre time Health, Standard 01/03/2005
--	---

---

# Adult

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	269001
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An individual aged 18 years or older.
<i>Specialisation of:</i>	Person (Age group)

## Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
---------------------------------	---

## Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Adult – body mass index Health, Standard 01/03/2005
	Adult – waist circumference risk indicator Health, Standard 01/03/2005
	Adult – waist-to-hip ratio Health, Standard 01/03/2005
	Adult – weight Health, Superseded 14/07/2005

---

# Birth

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268999
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The complete expulsion or extraction from its mother of a product of conception of at least 20 weeks of gestation or of 400 g or more <b>birthweight</b> , where the product can be liveborn or stillborn.
<i>Context:</i>	Perinatal
<i>Specialisation of:</i>	Person (Birth status)

## Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
---------------------------------	---

## Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Birth – Apgar score Health, Superseded 07/12/2005
	Birth – Apgar score Health, Standard 07/12/2005
	Birth – birth order Health, Standard 01/03/2005
	Birth – birth status Health, Standard 01/03/2005
	Birth – birth weight Health, Standard 01/03/2005

---

## Birth event

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268965
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The sequence of actions by which a baby and the afterbirth (placenta) are expelled or extracted from the uterus at childbirth. The process usually starts spontaneously about 280 days after conception with onset of labour, but it may be started by artificial means.
<i>Specialisation of:</i>	Life event (Birth event status)

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Origin:</i>	University of Oxford 2002. Concise Colour Medical Dictionary 3rd ed. UK: Oxford University Press

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Birth event – anaesthesia administered Health, Superseded 07/12/2005
	Birth event – anaesthesia administered Health, Standard 07/12/2005
	Birth event – analgesia administered Health, Superseded 07/12/2005
	Birth event – analgesia administered Health, Standard 07/12/2005
	Birth event – baby resuscitation method Health, Standard 01/03/2005
	Birth event – birth method Health, Standard 06/09/2006
	Birth event – birth plurality Health, Standard 01/03/2005
	Birth event – birth presentation Health, Standard 06/09/2006
	Birth event – birth presentation Health, Superseded 06/09/2006
	Birth event – complication Health, Standard 01/03/2005
	Birth event – complication (postpartum) Health, Standard 01/03/2005
	Birth event – delivery method Health, Superseded 06/09/2006
	Birth event – labour augmentation type Health, Standard 01/03/2005
	Birth event – labour induction type Health, Standard 01/03/2005
	Birth event – labour onset type Health, Standard 01/03/2005
	Birth event – setting (intended) Health, Superseded 08/12/2005
	Birth event – setting of birth Health, Standard 01/03/2005
	Birth event – state/territory of birth Health, Standard 01/03/2005

---

## Cancer staging

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	313434
<i>Registration status:</i>	Health, Standard 13/10/2005
<i>Definition:</i>	System of determining the extent or stage of cancer.

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Cancer staging—cancer staging scheme source Health, Standard 04/06/2004
	Cancer staging—cancer staging scheme source edition number Health, Standard 04/06/2004
	Cancer staging—staging basis of cancer Health, Standard 04/06/2004



---

# Cancer treatment

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	288059
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The course of cancer directed treatment or treatments, with defined dates of commencement and cessation, given to the patient by a treatment provider or team of providers. It includes all treatments administered to the patient before disease progression or recurrence and applies to surgical treatment, radiation therapy and systemic agent therapy for cancer.
<i>Context:</i>	This metadata item is required to provide the basis for a standard approach to recording and monitoring patterns of initial treatment for cancer patients.

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Origin:</i>	Commission on Cancer, Standards of the Commission on Cancer Registry Operations and Data Standards (ROADS) Volume II (1998) Commission on Cancer, Facility Oncology Registry Data Standards (2002)

## Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Cancer treatment – cancer treatment type Health, Standard 04/06/2004
	Cancer treatment – intention of treatment Health, Standard 04/06/2004
	Cancer treatment – non-surgical cancer treatment completion date Health, Standard 04/06/2004
	Cancer treatment – non-surgical cancer treatment start date Health, Standard 04/06/2004
	Cancer treatment – outcome of treatment Health, Standard 04/06/2004
	Cancer treatment – radiation dose received Health, Standard 13/06/2004
	Cancer treatment – radiotherapy treatment type Health, Standard 13/06/2004
	Cancer treatment – surgical procedure date Health, Standard 04/06/2004
	Cancer treatment – surgical procedure for cancer Health, Standard 04/06/2004
	Cancer treatment – systemic therapy agent name (primary cancer) Health, Standard 04/06/2004
	Cancer treatment – target site for cancer treatment Health, Standard 13/06/2004

---

# Child

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268987
<i>Registration status:</i>	Health, Standard 25/02/2005 Community services, Standard 01/12/2004
<i>Definition:</i>	An individual under the age of 18 years.
<i>Specialisation of:</i>	Person (Age group)

## Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
---------------------------------	---

## Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Child – body mass index Health, Standard 01/03/2005
--	---

---

# Client

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>Synonymous names:</i>	Client
<i>METeOR identifier:</i>	268969
<i>Registration status:</i>	Community services, Standard 01/03/2005
<i>Definition:</i>	<p>A person, group or organisation eligible to receive services either directly or indirectly from an agency.</p>
<i>Context:</i>	<p>Agencies may provide assistance to individual persons, groups of persons (e.g. support groups) or to other organisations. All of these may be considered clients of an agency. Specific data collections may circumscribe the Type of clients that are included in the collection. For example, at the current stage of development of the Home and Community Care (HACC) Minimum Data Set (MDS), HACC funded agencies are only required to report on clients who are individual persons. Future developments may extend the coverage of the HACC MDS collection to include organisational or group clients.</p> <p>The definition of a 'client' may also be circumscribed by the definition of 'assistance'. What is included as 'assistance' may depend on what activities are considered significant enough to warrant separate recording and reporting of the nature and/or amount of the assistance provided to a person. For example, an agency worker answering a telephone call from an anonymous member of the public seeking some basic information (e.g. a phone number for someone) would not usually consider that this interaction constituted assistance of sufficient significance to warrant recording that person as a 'client'.</p> <p>Furthermore, what constitutes 'assistance' may be influenced by the type of assistance the agency was established to provide. In the above example, the agency in question was funded specifically to provide telephone advice, and referral information, to members of the public or specific sub-groups of the public. The agency may have a policy that all persons telephoning the agency for information are classified as clients, albeit anonymous clients.</p> <p>The level of support or the amount of support given to a person by an agency can also be used to define them as a client or not. For example in the Supported Accommodation Assistance Program (SAAP) National data collection, clients are defined by either taking up an amount of time of an agency; being accommodated by an agency; or by entering an ongoing support relationship with an agency.</p>
<i>Specialisation of:</i>	Person (Client status)

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

## Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Client, version 1, DEC, NCSDD, NCSIMG, Superseded 01/03/2005.pdf</a> (15.7 KB)
<i>Data Element Concepts</i>	Client – injecting drug use status Health, Standard 01/03/2005

*implementing this Object Class:*

Client – method of drug use (principal drug of concern) Health,  
Standard 01/03/2005

---

## Community nursing service episode

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268998
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A period of time during which a person receives care from a community nursing service.
<i>Specialisation of:</i>	Episode of care (Community nursing service episode status)

### Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
---------------------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Community nursing service episode – first contact date Health, Standard 01/03/2005
	Community nursing service episode – goal of care Health, Standard 01/03/2005
	Community nursing service episode – last contact date Health, Standard 01/03/2005
	Community nursing service episode – nursing intervention Health, Standard 01/03/2005

---

## Contracted hospital care

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268981
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	Contracted hospital care is provided to a patient under an agreement between a purchaser of hospital care (contracting hospital or external purchaser) and a provider of an admitted or non-admitted service (contracted hospital).
<i>Specialisation of:</i>	Service/care event (Contracted hospital care status)

### Collection and usage attributes

<i>Guide for use:</i>	<p>Related contracted hospital care metadata items should only be completed where services are provided which represent some, but not all of the contracted hospital's total services. It is not necessary to complete contracted hospital care items where all of the hospital services are contracted by a health authority, e.g. privately owned and/or operated public hospitals.</p> <p>Contracted hospital care must involve all of the following:</p> <ul style="list-style-type: none"><li>• a purchaser, which can be a public or private hospital, or a health authority (department or region) or another external purchaser</li><li>• a contracted hospital, which can be a public or private hospital or day procedure centre</li><li>• the purchaser paying the contracted hospital for the contracted service; thus, services provided to a patient in a separate facility during their episode of care, where the patient is directly responsible for payment of this additional service, are not considered contracted services for reporting purposes</li><li>• the patient being physically present in the contracted hospital for the provision of the contracted service.</li></ul> <p>Thus, pathology or other investigations performed at another location on specimens gathered at the contracting hospital would not be considered contracted services for reporting purposes.</p> <p>Allocation of diagnosis and procedure codes should not be affected by the contract status of an episode: the Australian Coding Standards should be applied when coding all episodes. In particular, procedures which would not otherwise be coded should not be coded solely because they were performed at another hospital under contract.</p> <p>Procedures performed by a health care service (i.e. not a recognised hospital) should be coded if appropriate but are not considered to be contracted hospital procedures.</p> <p>Any Diagnosis Related Group (DRG) derived for episodes involving contracted hospital care, should reflect the total treatment provided (all patient days and procedures), even where part of the treatment was provided under contract by another hospital.</p>
-----------------------	--

### Relational attributes

*Related metadata references:*

Supersedes [Contracted hospital care, version 1, DEC, NHDD, NHIMG, Superseded 01/03/2005.pdf](#) (15.92 KB)

*Data Element Concepts  
implementing this Object Class:*

Contracted hospital care – contracted care commencement date  
Health, Standard 01/03/2005

Contracted hospital care – contracted care completed date  
Health, Standard 01/03/2005

Contracted hospital care – organisation identifier Health,  
Standard 01/03/2005

---

## Date

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	294409
<i>Registration status:</i>	Health, Standard 04/05/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	The day of the month and year as specified by a number.

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Reference documents:</i>	Oxford English dictionary.

### Relational attributes

<i>Data Element Concepts</i>	Date—accuracy indicator Health, Standard 04/05/2005
<i>implementing this Object Class:</i>	Community services, Standard 30/09/2005



---

## Division of general practice

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268989
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A geographically based network of general practitioners.
<i>Specialisation of:</i>	Health service provider (Division of general practice status)

### Collection and usage attributes

<i>Guide for use:</i>	In geographical terms, each Division of General Practice can be described by the postcodes that fall within its jurisdiction.
-----------------------	---

### Source and reference attributes

<i>Submitting organisation:</i>	Cardiovascular data working group
---------------------------------	-----------------------------------

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Division of general practice – organisation identifier Health, Standard 01/03/2005
--	--

---

## Elective care waiting list episode

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268974
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The period between entry to and removal from an elective care waiting list.
<i>Specialisation of:</i>	Episode of admitted care waiting list (Elective care status)

### Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
---------------------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Elective care waiting list episode – category reassignment date Health, Standard 01/03/2005
	Elective care waiting list episode – elective care type Health, Standard 01/03/2005
	Elective care waiting list episode – listing date for care Health, Standard 01/03/2005

---

## Elective surgery waiting list episode

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	269007
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The period between entry to and removal from an elective surgery waiting list.
<i>Specialisation of:</i>	Elective care waiting list episode (Elective surgery status)

### Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
---------------------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Elective surgery waiting list episode – anticipated accommodation status Health, Standard 01/03/2005
	Elective surgery waiting list episode – clinical urgency Health, Standard 01/03/2005
	Elective surgery waiting list episode – extended wait patient indicator Health, Standard 01/03/2005
	Elective surgery waiting list episode – indicator procedure Health, Standard 01/03/2005
	Elective surgery waiting list episode – overdue patient status Health, Standard 01/03/2005
	Elective surgery waiting list episode – patient listing status Health, Standard 01/03/2005
	Elective surgery waiting list episode – reason for removal from a waiting list Health, Standard 01/03/2005
	Elective surgery waiting list episode – surgical specialty (of scheduled doctor) Health, Standard 01/03/2005
	Elective surgery waiting list episode – waiting list removal date Health, Standard 01/03/2005
	Elective surgery waiting list episode – waiting time Health, Standard 01/03/2005

---

## Emergency department stay

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	322591
<i>Registration status:</i>	Health, Standard 24/03/2006
<i>Definition:</i>	The period between when a patient presents at an emergency department and when that person departs.
<i>Context:</i>	Emergency department care.

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Government Department of Health and Ageing
---------------------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Emergency department stay – physical departure date Health, Standard 24/03/2006
	Emergency department stay – physical departure time Health, Standard 24/03/2006

---

## Episode of admitted patient care

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268956
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The period of admitted patient care between a formal or statistical <b>admission</b> and a formal or statistical <b>separation</b> , characterised by only one care type.
<i>Context:</i>	Admitted patient care.
<i>Specialisation of:</i>	Episode of care (Episode of admitted patient care status)

### Collection and usage attributes

<i>Guide for use:</i>	This treatment and/or care provided to a patient during an episode of care can occur in hospital and/or in the person's home (for <b>hospital-in-the-home</b> patients).
-----------------------	--

### Source and reference attributes

<i>Origin:</i>	Health Data Standards Committee.
----------------	----------------------------------

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Episode of admitted patient care, version 2, DEC, NHDD, NHIMG, Superseded 01/03/2005 02/10/2003.pdf</a> (13 KB)
<i>Data Element Concepts implementing this Object Class:</i>	Episode of admitted patient care (newborn) – date of change to qualification status Health, Standard 01/03/2005
	Episode of admitted patient care (newborn) – number of qualified days Health, Standard 01/03/2005
	Episode of admitted patient care (procedure) – procedure commencement date Health, Standard 01/03/2005
	Episode of admitted patient care – admission date Health, Standard 01/03/2005
	Episode of admitted patient care – admission mode Health, Standard 01/03/2005
	Episode of admitted patient care – admission time Health, Standard 01/03/2005
	Episode of admitted patient care – admission urgency status Health, Standard 01/03/2005
	Episode of admitted patient care – condition onset flag Health, Standard 05/02/2008
	Episode of admitted patient care – diagnosis onset type Health, Superseded 05/02/2008
	Episode of admitted patient care – diagnosis related group Health, Standard 01/03/2005
	Episode of admitted patient care – elected accommodation status Health, Superseded 28/11/2006
	Episode of admitted patient care – intended length of hospital stay Health, Standard 01/03/2005
	Episode of admitted patient care – length of stay (excluding leave days) Health, Standard 01/03/2005
	Episode of admitted patient care – length of stay (including

leave days) Health, Standard 01/03/2005

Episode of admitted patient care – length of stay (special/neonatal intensive care) Health, Standard 01/03/2005

Episode of admitted patient care – major diagnostic category Health, Standard 01/03/2005

Episode of admitted patient care – number of days of hospital-in-the-home care Health, Standard 01/03/2005

Episode of admitted patient care – number of leave days Health, Standard 01/03/2005

Episode of admitted patient care – number of leave periods Health, Standard 01/03/2005

Episode of admitted patient care – patient election status Health, Standard 28/11/2006

Episode of admitted patient care – procedure Health, Standard 01/03/2005

Episode of admitted patient care – referral destination Health, Standard 01/03/2005

Episode of admitted patient care – referral source Health, Standard 01/03/2005

Episode of admitted patient care – separation date Health, Standard 01/03/2005

Episode of admitted patient care – separation mode Health, Standard 01/03/2005

Episode of admitted patient care – separation time Health, Standard 01/03/2005

---

## Episode of care

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268978
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A period of health care with a defined start and end.
<i>Specialisation of:</i>	Service/care (Episode of care)

### Source and reference attributes

<i>Origin:</i>	National Health Data Committee
----------------	--------------------------------

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Episode of admitted patient care – inter-hospital contracted patient status Health, Standard 01/03/2005
	Episode of care (procedure) – contracted procedure flag Health, Standard 01/03/2005
	Episode of care – additional diagnosis Health, Standard 01/03/2005
	Episode of care – behaviour-related risk factor intervention Health, Standard 01/03/2005
	Episode of care – behaviour-related risk factor intervention purpose Health, Standard 01/03/2005
	Episode of care – expected principal source of funding Health, Superseded 29/11/2006
	Episode of care – first service delivery date (community setting) Health, Standard 01/03/2005
	Episode of care – funding eligibility indicator Health, Standard 01/03/2005
	Episode of care – mental health legal status Health, Standard 01/03/2005
	Episode of care – number of psychiatric care days Health, Standard 01/03/2005
	Episode of care – nursing diagnosis Health, Standard 01/03/2005
	Episode of care – principal diagnosis Health, Standard 01/03/2005
	Episode of care – principal source of funding Health, Standard 29/11/2006
	Episode of care – specialist private sector rehabilitation care indicator Health, Standard 01/03/2005

---

## Episode of residential care

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268968
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The period of care between the start of residential care (either through the formal start of the residential stay or the start of new reference period) and the end of the residential care (either through the formal end of residential care, commencement of leave intended to be greater than seven days or the end of the reference period i.e. 30 June).
<i>Specialisation of:</i>	Episode of care (Episode of residential care status)

### Collection and usage attributes

<i>Comments:</i>	For <b>residents</b> provided with care intended to be on an overnight basis. This may occasionally include episodes of residential care that unexpectedly ended on the same day as they started (for example, the resident died or left against advice) or began at the end of the reference period (i.e. starting care on 30 June).
------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Episode of residential care – episode end date Health, Standard 01/03/2005
	Episode of residential care – episode end mode Health, Standard 01/03/2005
	Episode of residential care – episode start date Health, Standard 01/03/2005
	Episode of residential care – episode start mode Health, Standard 01/03/2005
	Episode of residential care – number of episodes of residential care Health, Standard 08/12/2004
	Episode of residential care – number of leave days Health, Standard 01/03/2005
	Episode of residential care – referral destination (mental health care) Health, Standard 01/03/2005



---

## Episode of treatment for alcohol and other drugs

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268961
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The period of contact, with defined dates of commencement and cessation, between a client and a treatment provider or team of providers in which there is no change in the main treatment type or the principal drug of concern, and there has not been a non-planned absence of contact for greater than three months.
<i>Context:</i>	Alcohol and drug treatment services. This concept is required to provide the basis for a standard approach to recording and monitoring patterns of service utilisation by clients.
<i>Specialisation of:</i>	Episode of care (Episode of treatment for alcohol and other drugs status)

### Collection and usage attributes

<i>Guide for use:</i>	<p>A treatment episode must have a defined date of commencement of treatment episode for alcohol and other drugs and a date of cessation of treatment episode for alcohol and other drugs.</p> <p>A treatment episode can have only one main treatment type for alcohol and other drugs and only one principal drug of concern. If the main treatment or principal drug changes then the treatment episode is closed and a new treatment episode is opened.</p> <p>A treatment episode may also be considered closed (ceased) if there is a change in the treatment delivery setting or the service delivery outlet. Where the change reflects a substantial alteration in the nature of the treatment episode, for instance where an agency operates in more than one treatment setting (or outlet) they may consider that a change from one setting (or outlet), to another necessitates closure of one episode and commencement of a new one.</p>
<i>Collection methods:</i>	Is taken as the period starting from the date of commencement of treatment and ending at the date of cessation of treatment episode.

### Source and reference attributes

<i>Submitting organisation:</i>	Intergovernmental Committee on Drugs National Minimum Data Set - Working Group
---------------------------------	--

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Treatment episode for alcohol and other drugs, version 2, DEC, NHDD, NHIMG, Superseded 01/03/2005.pdf</a> (15.13 KB)
<i>Data Element Concepts implementing this Object Class:</i>	Episode of treatment for alcohol and other drugs – cessation reason Health, Standard 01/03/2005 Episode of treatment for alcohol and other drugs – client type Health, Standard 01/03/2005

Episode of treatment for alcohol and other drugs – drug of concern Health, Standard 01/03/2005

Episode of treatment for alcohol and other drugs – drug of concern (principal) Health, Superseded 13/10/2005

Episode of treatment for alcohol and other drugs – number of service contacts Health, Standard 01/03/2005

Episode of treatment for alcohol and other drugs – referral source Health, Standard 01/03/2005

Episode of treatment for alcohol and other drugs – service delivery setting Health, Standard 01/03/2005

Episode of treatment for alcohol and other drugs – treatment cessation date Health, Standard 01/03/2005

Episode of treatment for alcohol and other drugs – treatment commencement date Health, Standard 01/03/2005

Episode of treatment for alcohol and other drugs – treatment type Health, Standard 01/03/2005

Episode of treatment for alcohol and other drugs – treatment type (other) Health, Superseded 13/10/2005

---

# Establishment

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268953
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	Institutions, organisations or the community from which health services are provided. The term establishment covers conventional health establishments and also organisations which may provide services in the community.
<i>Specialisation of:</i>	Health service provider (Establishment status)

## Source and reference attributes

<i>Origin:</i>	National Health Data Committee
----------------	--------------------------------

## Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Establishment (residential aged care service) – number of occasions of service Health, Standard 01/03/2005
	Establishment – accrued mental health care days Health, Standard 08/12/2004
	Establishment – Australian state/territory identifier Health, Standard 01/03/2005
	Community services, Standard 01/03/2005
	Establishment – establishment type Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (administrative and clerical staff) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (carer consultants) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (consultant psychiatrists and psychiatrists) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (consumer consultants) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (diagnostic and health professionals) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (domestic and other staff) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (enrolled nurses) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (occupational therapists) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (other diagnostic and health professionals) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (other medical officers) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (other personal care staff) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (psychiatry registrars and trainees) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (psychologists) Health, Standard 08/12/2004

Establishment – full-time equivalent staff (paid) (registered nurses) Health, Standard 01/03/2005

Establishment – full-time equivalent staff (paid) (salaried medical officers) Health, Standard 01/03/2005

Establishment – full-time equivalent staff (paid) (social workers) Health, Standard 08/12/2004

Establishment – full-time equivalent staff (paid) (student nurses) Health, Standard 01/03/2005

Establishment – full-time equivalent staff (paid) (trainee/pupil nurses) Health, Standard 01/03/2005

Establishment – geographic location Health, Standard 01/03/2005

Establishment – gross capital expenditure (accrual accounting) Health, Standard 01/03/2005

Establishment – gross capital expenditure (accrual accounting) (buildings and building services) Health, Standard 01/03/2005

Establishment – gross capital expenditure (accrual accounting) (constructions) Health, Standard 01/03/2005

Establishment – gross capital expenditure (accrual accounting) (equipment) Health, Standard 01/03/2005

Establishment – gross capital expenditure (accrual accounting) (information technology) Health, Standard 01/03/2005

Establishment – gross capital expenditure (accrual accounting) (intangible assets) Health, Standard 01/03/2005

Establishment – gross capital expenditure (accrual accounting) (land) Health, Standard 01/03/2005

Establishment – gross capital expenditure (accrual accounting) (major medical equipment) Health, Standard 01/03/2005

Establishment – gross capital expenditure (accrual accounting) (other equipment) Health, Standard 01/03/2005

Establishment – gross capital expenditure (accrual accounting) (transport) Health, Standard 01/03/2005

Establishment – gross capital expenditure (computer equipment/installations) Health, Standard 01/03/2005

Establishment – gross capital expenditure (intangible assets) Health, Standard 01/03/2005

Establishment – gross capital expenditure (land and buildings) Health, Standard 01/03/2005

Establishment – gross capital expenditure (major medical equipment) Health, Standard 01/03/2005

Establishment – gross capital expenditure (other capital expenditure) Health, Standard 01/03/2005

Establishment – gross capital expenditure (plant and other equipment) Health, Standard 01/03/2005

Establishment – net capital expenditure (accrual accounting) (buildings and building services) Health, Standard 01/03/2005

Establishment – net capital expenditure (accrual accounting) (constructions) Health, Standard 01/03/2005

Establishment – net capital expenditure (accrual accounting) (equipment) Health, Standard 01/03/2005

Establishment – net capital expenditure (accrual accounting) (information technology) Health, Standard 01/03/2005

Establishment – net capital expenditure (accrual accounting) (intangible assets) Health, Standard 01/03/2005

Establishment – net capital expenditure (accrual accounting) (land)

Health, Standard 01/03/2005

Establishment – net capital expenditure (accrual accounting) (major medical equipment) Health, Standard 01/03/2005

Establishment – net capital expenditure (accrual accounting) (other equipment) Health, Standard 01/03/2005

Establishment – net capital expenditure (accrual accounting) (transport) Health, Standard 01/03/2005

Establishment – number of available beds for admitted patients/residents Health, Standard 01/03/2005

Establishment – number of day centre attendances Health, Standard 01/03/2005

Establishment – number of group session occasions of service for non-admitted patients Health, Standard 01/03/2005

Establishment – number of group sessions Health, Superseded 04/07/2007

Establishment – number of group sessions Health, Standard 04/07/2007

Establishment – number of individual session occasions of service for non-admitted patients Health, Standard 01/03/2005

Establishment – number of non-admitted patient service events Health, Standard 01/03/2005

Establishment – number of occasions of service Health, Standard 04/05/2005

Establishment – number of patient days Health, Standard 01/03/2005

Establishment – number of separations Health, Standard 01/03/2005

Establishment – organisation identifier Health, Standard 01/03/2005

Establishment – organisation identifier (state/territory) Health, Standard 01/03/2005

Establishment – outpatient clinic type Health, Standard 04/07/2007

Establishment – outpatient clinic type Health, Superseded 04/07/2007

Establishment – patients/clients in residence at year end Health, Standard 01/03/2005

Establishment – quality accreditation/certification standard indicator Health, Standard 01/03/2005

Establishment – recurrent expenditure Health, Standard 08/12/2004

Establishment – recurrent expenditure (administrative expenses) Health, Standard 01/03/2005

Establishment – recurrent expenditure (Department of Veterans' Affairs funded) Health, Standard 08/12/2004

Establishment – recurrent expenditure (depreciation) Health, Standard 01/03/2005

Establishment – recurrent expenditure (domestic services) Health, Standard 01/03/2005

Establishment – recurrent expenditure (drug supplies) Health, Standard 01/03/2005

Establishment – recurrent expenditure (food supplies) Health, Standard 01/03/2005

Establishment – recurrent expenditure (indirect health care) Health, Standard 01/03/2005

Establishment – recurrent expenditure (interest payments) Health, Standard 01/03/2005

Establishment – recurrent expenditure (medical and surgical supplies) Health, Standard 01/03/2005

Establishment – recurrent expenditure (National Mental Health Strategy payments) Health, Standard 08/12/2004

Establishment – recurrent expenditure (non-salary operating costs) Health, Standard 01/03/2005

Establishment – recurrent expenditure (other Commonwealth Government funded expenditure) Health, Standard 08/12/2004

Establishment – recurrent expenditure (other patient revenue funded expenditure) Health, Standard 08/12/2004

Establishment – recurrent expenditure (other recurrent expenditure) Health, Standard 01/03/2005

Establishment – recurrent expenditure (other revenue funded expenditure) Health, Standard 08/12/2004

Establishment – recurrent expenditure (other state or territory funded expenditure) Health, Standard 08/12/2004

Establishment – recurrent expenditure (patient transport cost) Health, Standard 01/03/2005

Establishment – recurrent expenditure (recoveries funded expenditure) Health, Standard 08/12/2004

Establishment – recurrent expenditure (repairs and maintenance) Health, Standard 01/03/2005

Establishment – recurrent expenditure (salaries and wages) Health, Standard 01/03/2005

Establishment – recurrent expenditure (state or territory health authority funded) Health, Standard 08/12/2004

Establishment – recurrent expenditure (superannuation employer contributions) Health, Standard 01/03/2005

Establishment – recurrent expenditure (visiting medical officer payments) Health, Standard 01/03/2005

Establishment – region identifier Health, Standard 01/03/2005

Establishment – revenue (other revenue) Health, Superseded 05/12/2007

Establishment – revenue (other revenue) Health, Standard 05/12/2007

Establishment – revenue (patient) Health, Superseded 05/12/2007

Establishment – revenue (patient) Health, Standard 05/12/2007

Establishment – revenue (recoveries) Health, Superseded 05/12/2007

Establishment – revenue (recoveries) Health, Standard 05/12/2007

Establishment – sector Health, Standard 01/03/2005

Establishment – specialised service indicator Health, Standard 01/03/2005

Establishment – teaching status (university affiliation) Health, Standard 01/03/2005

---

# Female

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	269000
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A human being of the sex which conceives and brings forth young.
<i>Specialisation of:</i>	Person (Sex)

## Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
<i>Origin:</i>	Macquarie University 2003. The Macquarie Dictionary 3rd ed. Sydney: The Macquarie Library Pty Ltd.

## Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Female (mother) – postpartum perineal status Health, Standard 01/03/2005
	Female (pregnant) – estimated gestational age Health, Standard 01/03/2005
	Female (pregnant) – maternal medical condition Health, Standard 01/03/2005
	Female – pregnancy indicator Health, Standard 21/09/2005
	Female – caesarean section indicator Health, Standard 29/11/2006
	Female – current pregnancy status Health, Superseded 21/09/2005
	Female – number of caesarean sections Health, Standard 29/11/2006
	Female – number of previous pregnancies Health, Standard 01/03/2005
	Female – parity Health, Standard 29/11/2006

---

## Health industry relevant organisation

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	352194
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>Definition:</i>	An organisation that provides health care goods and services to prevent or cure disease, care for illness, impairment, disability or handicap, or non-health care good and services to support these activities.

### Source and reference attributes

<i>Submitting organisation:</i>	Health Expenditure Advisory Committee
---------------------------------	---------------------------------------

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Health industry relevant organisation – main activity type Health, Standard 05/12/2007
	Health industry relevant organisation – source of revenue Health, Standard 05/12/2007



---

# Health professional

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268985
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A person whose primary employment role is to diagnose and treat physical and mental illnesses and conditions or recommend, administer, dispense and develop medications and treatment to promote or restore good health.
<i>Specialisation of:</i>	Individual service provider (Health professional status)

## Collection and usage attributes

<i>Guide for use:</i>	Health professionals include medical practitioners, nursing professionals, dental practitioners, pharmacists, physiotherapists and podiatrists.
-----------------------	---

## Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
<i>Origin:</i>	ABS (Australian Bureau of Statistics) 1997. Australian Standard Classification of Occupations, 2nd ed. Cat. no. 1220.0. Canberra: ABS

## Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Health professional – area of clinical practice (principal) Health, Standard 01/03/2005
	Health professional – establishment type (employment) Health, Standard 01/03/2005
	Health professional – hours worked Health, Standard 01/03/2005
	Health professional – labour force status Health, Standard 01/03/2005
	Health professional – occupation Health, Standard 01/03/2005
	Health professional – principal role Health, Standard 01/03/2005

---

## Health service event

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268979
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An interaction between one or more health care providers with one or more persons for assessment, care, consultation and/or treatment.
<i>Specialisation of:</i>	Service/care event (Health service event status)

### Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
---------------------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Health service event – fasting indicator Health, Standard 01/03/2005
	Health service event – presentation date Health, Standard 01/03/2005
	Health service event – presentation time Health, Standard 01/03/2005
	Health service event – referral to ophthalmologist status Health, Superseded 21/09/2005
	Health service event – referral to rehabilitation service date Health, Standard 01/03/2005
	Health service event – service commencement date Health, Superseded 07/12/2005
	Health service event – service commencement time Health, Superseded 07/12/2005

---

# Hospital

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268971
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A health care facility established under Commonwealth, state or territory legislation as a hospital or a free-standing day procedure unit, and authorised to provide treatment and/or care to patients.
<i>Context:</i>	Admitted patient care, admitted patient palliative care, admitted patient mental health care and public hospital establishments.
<i>Specialisation of:</i>	Establishment (Hospital status)

## Collection and usage attributes

<i>Comments:</i>	<p>A hospital thus defined may be located at one physical site or may be a multicampus hospital. A multicampus hospital treats movements of patients between sites as ward transfers.</p> <p>For the purposes of these definitions, the term hospital includes satellite units managed and staffed by the hospital.</p> <p>This definition includes, but is not limited to, hospitals as recognised under Australian Health Care Agreements.</p> <p>Residential aged care services as approved under the National Health Act 1953 (Cwlth.) or equivalent state legislation are excluded from this definition.</p> <p>This definition includes entities with multipurpose facilities (e.g. those which contain both recognised and non-recognised components).</p>
------------------	---

## Source and reference attributes

<i>Origin:</i>	National Health Data Committee
----------------	--------------------------------

## Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Hospital, version 1, DEC, NHDD, NHIMG, Superseded 01/03/2005.pdf</a> (13.79 KB)
<i>Data Element Concepts implementing this Object Class:</i>	Hospital – contract role Health, Standard 01/03/2005 Hospital – contract type Health, Standard 01/03/2005

---

# Hospital census

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	269010
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A point in time count by a hospital of all its admitted patients and/or patients currently on a waiting list.
<i>Context:</i>	Admitted patient care.
<i>Specialisation of:</i>	Service/care event (Hospital census status)

## Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Hospital census, version 1, DEC, NHDD, NHIMG, Superseded 01/03/2005.pdf</a> (11.77 KB)
<i>Data Element Concepts implementing this Object Class:</i>	Hospital census (of elective surgery waitlist patients) – census date Health, Standard 01/03/2005

---

## Hospital service

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	269008
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A service provided within a hospital, characterised by only one care type.
<i>Specialisation of:</i>	Service/care event (Hospital service status)

### Collection and usage attributes

<i>Guide for use:</i>	Includes hospital services provided to an admitted patient, to a <b>hospital boarder</b> , and to an organ donor who has been declared brain dead.
-----------------------	--

### Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
---------------------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Hospital service – care type Health, Standard 01/03/2005
--	--

---

# Household

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268977
<i>Registration status:</i>	Community services, Superseded 27/04/2007 Housing assistance, Standard 01/03/2005
<i>Definition:</i>	A group of two or more related or unrelated people who usually reside in the same dwelling, and who make common provision for food or other essentials for living. Or a single person living in a dwelling who makes provision for his or her own food and other essentials for living, without combining with any other person.
<i>Context:</i>	Together with family, household is considered one of the basic groups of social aggregation. Information on household numbers and composition aids in identifying groups within the population such as Indigenous households or the number of people living alone.
<i>Specialisation of:</i>	Group of persons (Household status)

## Collection and usage attributes

<i>Guide for use:</i>	<p>For the Commonwealth-State Housing Agreement (CSHA) data collections, the number of tenancy agreements is a practical proxy for calculating the number of households receiving housing assistance.</p> <p>The persons in the group may pool their incomes and have a common budget to a greater or lesser extent: they may be related or unrelated persons, or a combination of both.</p> <p>Only usual residents of the household are included as members of the household. Visitors to a household are, by definition, excluded from the household.</p>
-----------------------	--

## Source and reference attributes

<i>Origin:</i>	CSHA Public rental housing data manual 2001-02
----------------	--

## Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Household, version 2, DEC, NHADD, NHDAMG, Superseded 01/03/2005.pdf</a> (13.6 KB) Supersedes <a href="#">Household, version 2, DEC, NCSDD, NCSIMG, Superseded 01/03/2005.pdf</a> (13.72 KB)
<i>Data Element Concepts implementing this Object Class:</i>	Household – gross income Health, Standard 15/12/2005 Housing assistance, Retired 10/02/2006

---

## Individual service provider

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	269021
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 01/03/2005
<i>Definition:</i>	A person who provides a service and/or care.
<i>Specialisation of:</i>	Service/care provider (Organisation status)

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Individual service provider – occupation (self-identified) Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Individual service provider – occupation end date Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Individual service provider – occupation start date Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	---

---

# Injury event

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268967
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An occurrence of injury, poisoning or other adverse effect inflicted on the person as the direct or indirect result of an environmental event, circumstance or condition.
<i>Specialisation of:</i>	Life event (Injury event status)

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

## Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Injury event – activity type Health, Standard 01/03/2005
	Injury event – external cause Health, Standard 01/03/2005
	Injury event – human intent of injury Health, Standard 24/11/2005
	Injury event – nature of main injury Health, Standard 01/03/2005
	Injury event – place of occurrence Health, Standard 01/03/2005



---

## Jurisdiction

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	352330
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>Definition:</i>	The territory or area over which authority is exercised.

---

## Laboratory standard

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	310463
<i>Registration status:</i>	Health, Standard 27/10/2005
<i>Definition:</i>	The acknowledged measure of comparison of a laboratory test result for the specified laboratory. The measure of comparison can vary between laboratories.

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Laboratory standard – upper limit of normal range for creatine kinase myocardial band isoenzyme Health, Standard 04/06/2004
	Laboratory standard – upper limit of normal range for microalbumin Health, Standard 01/03/2005
	Laboratory standard – upper limit of normal range of glycosylated haemoglobin Health, Standard 01/03/2005
	Laboratory standard – upper limit of normal range of troponin assay Health, Standard 04/06/2004

---

# Medical practitioner

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	269005
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A person whose primary employment role is to diagnose physical and mental illnesses, disorders and injuries and prescribe medications and treatment to promote or restore good health.
<i>Specialisation of:</i>	Health professional (Profession)

## Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
<i>Origin:</i>	ABS (Australian Bureau of Statistics) 1997. Australian Standard Classification of Occupations, 2nd ed. Cat. no. 1220.0. Canberra: ABS

## Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Medical practitioner – hours on-call Health, Standard 01/03/2005
	Medical practitioner – hours worked Health, Standard 01/03/2005

---

## Mental health service contact

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	286670
<i>Registration status:</i>	Health, Standard 08/12/2004
<i>Definition:</i>	The provision of a clinically significant service by a specialised mental health service provider(s) for patients/clients, other than those patients/clients admitted to psychiatric hospitals or designated psychiatric units in acute care hospitals, and those resident in 24 hour staffed specialised residential mental health services, where the nature of the service would normally warrant a dated entry in the clinical record of the patient/client in question.
<i>Specialisation of:</i>	Service/care event (Service contact status)

### Collection and usage attributes

<i>Guide for use:</i>	<p>A service contact must involve at least two persons, one of whom must be a specialised mental health service provider.</p> <p>Mobile and outreach services and consultation and liaison services are included as service contacts.</p> <p>Service contacts are not restricted to in person communication but can include telephone, video link or other forms of direct communication.</p> <p>Service contacts can either be with a patient/client, or with a third party such as a carer or family member, other professional or mental health worker or other service provider. Services involving only a service provider and a third party(ies) are included as service contacts, where the nature of the service would normally warrant a dated entry in the clinical record of the patient/client in question.</p> <p>There may be multiple service contacts on any one day for a patient/client or a third party(ies) and each service contact should be recorded separately.</p> <p>A service contact should be recorded for each patient/client for which the service is provided, whether by phone or other electronic means or in person, regardless of the number of patients/clients or third parties participating or the number of service providers providing the service. Service provision is only regarded as a service contact if it is relevant to the clinical condition of the patient/client. This means that it does not include services of an administrative nature (e.g. telephone contact to schedule an appointment) except where the nature of the service would normally warrant a dated entry in the clinical record of the patient/client in question.</p> <p>There may however be instances where notes are made in the patient/client clinical record that have not been prompted by a service provision for a patient/client (e.g. noting receipt of test results that require no further action). These instances would not be regarded as service contacts.</p> <p>In instances where documenting the patient/client's service contact details is separated in time from the service provision, this is not counted as a separate service contact.</p> <p>Travel to or from the location at which the service is provided, for example to or from outreach facilities or private homes, is not to be</p>
-----------------------	--

reported as a service contact.

### **Source and reference attributes**

*Submitting organisation:* Australian Institute of Health and Welfare

### **Relational attributes**

*Data Element Concepts implementing this Object Class:*

- Mental health service contact – mental health service contact duration Health, Standard 08/12/2004
- Mental health service contact – patient/client participation indicator Health, Standard 08/12/2004
- Mental health service contact – service contact date Health, Standard 08/12/2004
- Mental health service contact – session type Health, Standard 08/12/2004

---

# Non-admitted patient emergency department service episode

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268976
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The treatment or care between when a patient presents at an <b>emergency department</b> and when the non-admitted patient emergency department treatment or care ends.
<i>Context:</i>	Emergency department care.

## Collection and usage attributes

<i>Guide for use:</i>	<p>Includes patients who do not wait for treatment once registered or triaged, and those who are dead on arrival at the emergency department.</p> <p>Both a non-admitted patient emergency department service episode and an admitted patient episode of care should be recorded for patients who subsequently undergo a formal admission. The end of the non-admitted patient emergency department service episode should indicate the commencement of the admitted episode of care, if applicable.</p> <p>A non-admitted patient emergency department service episode ends when either the patient is admitted or, if the patient is not to be admitted, when the patient is recorded as ready to leave the emergency department or when they are recorded as having left at their own risk.</p>
<i>Comments:</i>	This metadata item has been defined to support the national minimum data set for Non-admitted patient emergency department care.

## Source and reference attributes

<i>Submitting organisation:</i>	National reference group for non-admitted patient data development, 2001-02
---------------------------------	---

## Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Non-admitted patient emergency department service episode, version 1, DEC, NHDD, NHIMG, Superseded 01/03/2005.pdf</a> (14.4 KB)
<i>Data Element Concepts implementing this Object Class:</i>	<p>Non admitted patient emergency department service episode - presenting problem Health, Standard 05/12/2007</p> <p>Non-admitted patient emergency department service episode - principal diagnosis Health, Standard 05/12/2007</p> <p>Non-admitted patient emergency department service episode – episode end date Health, Standard 24/03/2006</p> <p>Non-admitted patient emergency department service episode – episode end status Health, Standard 24/03/2006</p> <p>Non-admitted patient emergency department service episode – episode end time Health, Standard 24/03/2006</p> <p>Non-admitted patient emergency department service episode – patient departure status Health, Superseded 24/03/2006</p> <p>Non-admitted patient emergency department service episode –</p>

service commencement date Health, Standard 07/12/2005

Non-admitted patient emergency department service episode – service commencement time Health, Standard 07/12/2005

Non-admitted patient emergency department service episode – service episode length Health, Standard 01/03/2005

Non-admitted patient emergency department service episode – transport mode Health, Standard 01/03/2005

Non-admitted patient emergency department service episode – triage category Health, Standard 01/03/2005

Non-admitted patient emergency department service episode – triage date Health, Standard 07/12/2005

Non-admitted patient emergency department service episode – triage time Health, Standard 07/12/2005

Non-admitted patient emergency department service episode – type of visit to emergency department Health, Standard 01/03/2005

Non-admitted patient emergency department service episode – waiting time Health, Standard 01/03/2005

Non-admitted patient emergency department service episode – waiting time (to hospital admission) Health, Standard 01/03/2005

---

## Non-admitted patient service event

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268972
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An interaction between one or more health care professionals with one or more non-admitted patients, for assessment, consultation and/or treatment intended to be unbroken in time. A service event means that a dated entry is made in the patient/client's medical record.
<i>Context:</i>	Hospital non-admitted patient care: This definition applies to non-admitted hospital patients and is not intended to apply to community based services.
<i>Specialisation of:</i>	Service/care event (Non-admitted patient service event status)

### Collection and usage attributes

<i>Guide for use:</i>	<p>The period of interaction can be broken but still regarded as one service event if it was intended to be unbroken in time. This covers those circumstances in which treatment during a service event is temporarily interrupted for unexpected reasons, for example, a clinician is called to assess another patient who requires more urgent care.</p> <p>Service events can occur in an outpatient, emergency, radiology, pathology and/or pharmacy department or, by a hospital-based outreach service, in a location that is not part of the hospital campus.</p> <p>Service events may or may not be pre-arranged (except for telephone calls).</p> <p>Imaging, pathology and/or pharmacy services that are ASSOCIATED with a service event in an outpatient clinic, <b>emergency department</b> or outreach service are NOT regarded as service events themselves.</p> <p>Imaging, pathology or pharmacy services provided INDEPENDENT of a service event in an outpatient clinic, emergency department or outreach service are regarded as individual service events.</p> <p>Service events delivered via a telephone call are included if</p> <ul style="list-style-type: none"><li>• they are a substitute for a face-to-face service event, and</li><li>• they are pre-arranged, and</li><li>• a record of the service event is included in the patient's medical record.</li></ul> <p>Service events include when the patient is participating via a video link (telemedicine). A service event can be counted at each site participating via the video link.</p> <p>If a carer/relative accompanies a patient during a service event, this is not considered to be a service event for the carer/relative, provided that the carer/relative is not a patient in their own right for the service contact.</p> <p>Where both are patients, it is considered that service events have been provided for the person(s) in whose medical record the service event is noted.</p>
-----------------------	---



A service event is regarded as having occurred when a consultation occurs between their carer/relative and a service provider at an appointment when the patient is not present, provided that the carer/relative is not a patient in their own right for the service contact. Where both are patients, it is considered that service events have been provided for the person(s) in whose medical record the service event is noted. A service event is regarded as having occurred for each patient who attends a group session such as an antenatal class. Outpatient department services provided to admitted patients are not regarded as service events. Work-related services provided in clinics for staff are not service events.

## Source and reference attributes

*Origin:* National Health Data Committee

## Relational attributes

*Related metadata references:* Supersedes [Non-admitted patient service event, version 1, DEC, NHDD, NHIMG, Superseded 01/03/2005.pdf](#) (18.02 KB)

*Data Element Concepts implementing this Object Class:*

- Non-admitted patient service event – multi-disciplinary team status Health, Standard 01/03/2005
- Non-admitted patient service event – new/repeat service event status Health, Standard 01/03/2005
- Non-admitted patient service event – patient present status Health, Standard 01/03/2005
- Non-admitted patient service event – service event type (clinical) Health, Standard 01/03/2005
- Non-admitted patient service event – service mode Health, Standard 01/03/2005

---

# Organisation

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	354505
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>Definition:</i>	The smallest type of accounting unit within a management unit within a State or Territory of Australia which controls its productive activities and for which a specified range of detailed data is available, at least on an annual basis, thus enabling measures such as value added to be calculated.

## Source and reference attributes

<i>Reference documents:</i>	Australian Bureau of Statistics 2002. Standard Economic Sector Classifications of Australia (SESCA). ABS cat. no. 1218.0. Canberra: ABS.
-----------------------------	--

## Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Organisation – depreciation expenses Health, Standard 05/12/2007
	Organisation – employee related expenses Health, Standard 05/12/2007
	Organisation – expenses Health, Standard 05/12/2007
	Organisation – purchase of goods and services Health, Standard 05/12/2007
	Organisation – revenue Health, Standard 05/12/2007
	Organisation – type of health or health related function Health, Standard 05/12/2007

---

# Patient

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268959
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A person for whom a health service accepts responsibility for treatment and or care.
<i>Specialisation of:</i>	Person (Patient status)

## Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
---------------------------------	---

## Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Patient, version 1, DEC, NHDD, NHIMG, Superseded 01/03/2005.pdf</a> (13.24 KB)
<i>Data Element Concepts implementing this Object Class:</i>	Patient – compensable status Health, Standard 01/03/2005 Patient – diagnosis date Health, Standard 01/03/2005 Patient – hospital insurance status Health, Standard 01/03/2005 Patient – initial visit since diagnosis indicator (diabetes mellitus) Health, Standard 21/09/2005 Patient – initial visit since diagnosis status (diabetes mellitus) Health, Superseded 21/09/2005 Patient – insulin start date Health, Standard 01/03/2005 Patient – number of psychiatric outpatient clinic/day program attendances Health, Standard 01/03/2005 Patient – previous specialised treatment Health, Standard 01/03/2005

---

# Person

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268955
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 01/03/2005
<i>Definition:</i>	A human being, whether man, woman or child.
<i>Specialisation of:</i>	Person/group of persons (Group status)

## Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
<i>Origin:</i>	Macquarie University 2003. <i>The Macquarie Dictionary 3rd edn.</i> Sydney: The Macquarie Library Pty. Ltd

## Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Person (address) – address line Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Person (address) – address type Health, Standard 01/03/2005 Community services, Standard 30/09/2005 Person (address) – Australian postcode Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 10/02/2006 Person (address) – building/complex sub-unit identifier Health, Standard 01/03/2005 Community services, Standard 30/09/2005 Person (address) – building/complex sub-unit type Health, Standard 01/03/2005 Community services, Standard 30/09/2005 Person (address) – building/property name Health, Standard 01/03/2005 Community services, Standard 30/09/2005 Person (address) – country identifier Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Person (address) – electronic communication address Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Person (address) – electronic communication medium Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Person (address) – electronic communication usage code Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Person (address) – floor/level identifier Health, Standard 01/03/2005 Community services, Standard 30/09/2005 Person (address) – floor/level type Health, Standard 01/03/2005 Community services, Standard 30/09/2005 Person (address) – health address line Health, Superseded 04/05/2005
--	--

Person (address) – house/property identifier Health, Standard 01/03/2005

Person (address) – international postcode Health, Standard 04/05/2005

Community services, Standard 30/09/2005

Person (address) – lot/section identifier Health, Standard 01/03/2005

Person (address) – non-Australian state/province Health, Standard 04/05/2005

Community services, Standard 30/09/2005

Person (address) – postal delivery point identifier Health, Standard 01/03/2005

Community services, Standard 01/03/2005

Person (address) – postal delivery service type identifier Health, Standard 01/03/2005

Person (address) – street name Health, Standard 01/03/2005

Community services, Standard 30/09/2005

Person (address) – street suffix Health, Standard 01/03/2005

Community services, Standard 30/09/2005

Person (address) – street type Health, Standard 01/03/2005

Community services, Standard 30/09/2005

Person (address) – suburb/town/locality name Health, Standard 01/03/2005

Community services, Standard 01/03/2005

Person (identifier) – identifier type Health, Standard 01/03/2005

Person (male) – erectile dysfunction Health, Standard 01/03/2005

Person (name) – family name Health, Standard 01/03/2005

Community services, Standard 01/03/2005

Housing assistance, Standard 28/07/2005

Person (name) – given name Health, Standard 01/03/2005

Community services, Standard 01/03/2005

Housing assistance, Standard 01/08/2005

Person (name) – given name sequence number Health, Standard 04/05/2005

Community services, Standard 30/09/2005

Person (name) – name conditional use flag Health, Standard 04/05/2005

Community services, Standard 25/08/2005

Person (name) – name context flag Health, Superseded 04/05/2005

Community services, Superseded 25/08/2005

Person (name) – name suffix Health, Standard 01/03/2005

Community services, Standard 01/03/2005

Person (name) – name suffix sequence number Health, Standard 04/05/2005

Community services, Standard 30/09/2005

Person (name) – name title Health, Standard 01/03/2005

Community services, Standard 01/03/2005

Person (name) – name title sequence number Health, Standard 04/05/2005

Community services, Standard 30/09/2005

Person (name) – name type Health, Standard 01/03/2005

Community services, Standard 30/09/2005

Person (overseas born) – year of first arrival in Australia Health, Standard 04/05/2005

Community services, Standard 01/03/2005  
 Person (requiring care) – carer availability status Health, Superseded 04/07/2007  
 Community services, Superseded 02/05/2006  
 Person (telephone) – telephone number type Health, Standard 01/03/2005  
 Community services, Standard 01/03/2005  
 Person – accommodation type Health, Standard 01/03/2005  
 Person – activity and participation life area Health, Standard 29/11/2006  
 Community services, Standard 16/10/2006  
 Person – acute coronary syndrome concurrent clinical condition Health, Standard 04/06/2004  
 Person – acute coronary syndrome procedure type Health, Standard 04/06/2004  
 Person – acute coronary syndrome risk stratum Health, Standard 04/06/2004  
 Person – age Health, Standard 04/05/2005  
 Community services, Standard 04/05/2005  
 Housing assistance, Standard 17/06/2005  
 Person – age range Health, Standard 04/05/2005  
 Community services, Standard 30/11/2007  
 Person – alcohol consumption amount Health, Standard 01/03/2005  
 Person – alcohol consumption frequency Health, Standard 01/03/2005  
 Person – angiotensin converting enzyme inhibitors therapy status Health, Standard 04/06/2004  
 Person – area of usual residence Health, Standard 01/03/2005  
 Person – aspirin therapy status Health, Standard 04/06/2004  
 Person – Australian state/territory identifier Health, Standard 01/03/2005  
 Community services, Standard 01/03/2005  
 Housing assistance, Standard 10/02/2006  
 Person – beta-blocker therapy status Health, Standard 04/06/2004  
 Person – bleeding episode status Health, Standard 04/06/2004  
 Person – blindness Health, Standard 01/03/2005  
 Person – blood pressure (diastolic) Health, Standard 01/03/2005  
 Person – blood pressure (systolic) Health, Standard 01/03/2005  
 Person – bodily location of main injury Health, Standard 01/03/2005  
 Person – body function Health, Standard 29/11/2006  
 Community services, Standard 16/10/2006  
 Person – body mass index (classification) Health, Standard 01/03/2005  
 Person – body structure Health, Standard 29/11/2006  
 Community services, Standard 16/10/2006  
 Person – cardiovascular disease condition targeted by drug therapy Health, Standard 01/03/2005  
 Person – cardiovascular medication taken Health, Standard 01/03/2005  
 Person – cataract status Health, Standard 01/03/2005  
 Person – cerebral stroke due to vascular disease Health, Standard

01/03/2005

Person – chest pain pattern Health, Standard 04/06/2004

Person – cholesterol level Health, Standard 01/03/2005

Person – clinical evidence status (chronic lung disease) Health, Standard 04/06/2004

Person – clinical evidence status (heart failure) Health, Standard 13/06/2004

Person – clinical evidence status (peripheral arterial disease) Health, Standard 13/06/2004

Person – clinical evidence status (sleep apnoea syndrome) Health, Standard 13/06/2004

Person – clinical evidence status (stroke) Health, Standard 13/06/2004

Person – clinical procedure timing Health, Standard 04/06/2004

Person – clopidogrel therapy status Health, Standard 04/06/2004

Person – congenital malformation Health, Standard 01/03/2005

Person – coronary artery disease intervention Health, Standard 01/03/2005

Person – country of birth Health, Standard 01/03/2005

Community services, Standard 01/03/2005

Housing assistance, Standard 27/07/2005

Person – creatine kinase myocardial band isoenzyme measured date Health, Standard 04/06/2004

Person – creatine kinase myocardial band isoenzyme measured time Health, Standard 04/06/2004

Person – creatine kinase-myocardial band isoenzyme level Health, Standard 04/06/2004

Person – creatinine serum level Health, Standard 01/03/2005

Person – date of birth Health, Standard 01/03/2005

Community services, Standard 01/03/2005

Housing assistance, Standard 27/07/2005

Person – date of death Health, Standard 04/05/2005

Community services, Standard 30/09/2005

Person – dependency in activities of daily living Health, Standard 01/03/2005

Person – diabetes mellitus status Health, Standard 01/03/2005

Person – diabetes therapy type Health, Standard 01/03/2005

Person – dyslipidaemia treatment status (anti-lipid medication) Health, Superseded 22/09/2005

Person – dyslipidaemia treatment with anti-lipid medication indicator Health, Standard 21/09/2005

Person – electrocardiogram change location Health, Standard 04/06/2004

Person – electrocardiogram change type Health, Standard 04/06/2004

Person – eligibility status Health, Standard 04/01/2006

Community services, Standard 04/01/2006

Person – end-stage renal disease status Health, Standard 01/03/2005

Person – environmental factor Health, Standard 29/11/2006

Community services, Standard 16/10/2006

Person – extent of environmental factor influence Health, Standard 29/11/2006

Community services, Standard 16/10/2006

Person – extent of impairment of body function Health, Standard 29/11/2006

Community services, Standard 16/10/2006

Person – extent of impairment of body structure Health, Standard 29/11/2006

Community services, Standard 16/10/2006

Person – extent of participation in a life area Health, Standard 29/11/2006

Community services, Standard 16/10/2006

Person – fibrinolytic drug administered Health, Standard 04/06/2004

Person – fibrinolytic therapy status Health, Standard 04/06/2004

Person – first angioplasty balloon inflation or stenting date Health, Standard 04/06/2004

Person – first angioplasty balloon inflation or stenting time Health, Standard 04/06/2004

Person – foot deformity indicator Health, Standard 01/03/2005

Person – foot lesion indicator Health, Standard 01/03/2005

Person – foot ulcer history status Health, Standard 01/03/2005

Person – foot ulcer indicator Health, Standard 21/09/2005

Person – foot ulcer status (current) Health, Superseded 21/09/2005

Person – formal community support access indicator Health, Standard 01/03/2005

Person – functional stress test element Health, Standard 04/06/2004

Person – functional stress test ischaemic result Health, Standard 04/06/2004

Person – glycoprotein IIb/IIIa receptor antagonist status Health, Standard 04/06/2004

Person – glycosylated haemoglobin level Health, Standard 01/03/2005

Person – government funding identifier Health, Standard 01/03/2005

Community services, Standard 31/08/2007

Person – health professionals attended for diabetes mellitus Health, Standard 01/03/2005

Person – heart rate Health, Standard 04/06/2004

Person – heart rhythm type Health, Standard 04/06/2004

Person – height Health, Standard 01/03/2005

Person – high-density lipoprotein cholesterol level Health, Standard 01/03/2005

Person – hip circumference Health, Standard 01/03/2005

Person – hypertension treatment status (antihypertensive medication) Health, Superseded 21/09/2005

Person – hypertension treatment with antihypertensive medication indicator Health, Standard 21/09/2005

Person – Indigenous status Health, Standard 01/03/2005

Community services, Standard 01/03/2005

Housing assistance, Standard 01/03/2005

Person – informal carer existence indicator Health, Standard 04/07/2007

Community services, Standard 02/05/2006



Person – interpreter service required Health, Standard 08/02/2006  
 Community services, Standard 10/04/2006  
 Person – interpreter service required status (health) Health,  
 Superseded 08/02/2006  
 Person – intravenous fibrinolytic therapy date Health, Standard  
 04/06/2004  
 Person – intravenous fibrinolytic therapy time Health, Standard  
 04/06/2004  
 Person – Killip classification Health, Standard 04/06/2004  
 Person – labour force status Health, Standard 01/03/2005  
 Community services, Standard 01/03/2005  
 Housing assistance, Standard 01/08/2005  
 Person – level of difficulty with activities in a life area Health,  
 Standard 29/11/2006  
 Community services, Standard 16/10/2006  
 Person – level of satisfaction with participation in a life area Health,  
 Standard 29/11/2006  
 Community services, Standard 16/10/2006  
 Person – lipid-lowering therapy status Health, Standard  
 04/06/2004  
 Person – living arrangement Health, Standard 19/04/2005  
 Community services, Standard 01/03/2005  
 Person – location of impairment of body structure Health, Standard  
 29/11/2006  
 Community services, Standard 16/10/2006  
 Person – low-density lipoprotein cholesterol level Health, Standard  
 01/03/2005  
 Person – lower limb amputation due to vascular disease Health,  
 Standard 01/03/2005  
 Person – main language other than English spoken at home Health,  
 Standard 01/03/2005  
 Community services, Standard 01/03/2005  
 Housing assistance, Standard 10/02/2006  
 Person – marital status Health, Standard 01/03/2005  
 Community services, Standard 01/03/2005  
 Housing assistance, Standard 10/02/2006  
 Person – microalbumin level Health, Standard 01/03/2005  
 Person – mother's original family name Health, Standard  
 01/03/2005  
 Community services, Standard 01/03/2005  
 Person – myocardial infarction Health, Standard 01/03/2005  
 Person – nature of impairment of body structure Health, Standard  
 29/11/2006  
 Community services, Standard 16/10/2006  
 Person – need for assistance with activities in a life area Health,  
 Standard 29/11/2006  
 Community services, Standard 16/10/2006  
 Person – number of cigarettes smoked Health, Standard  
 01/03/2005  
 Person – number of service contact dates Health, Standard  
 01/03/2005  
 Person – occupation (main) Health, Superseded 04/07/2007  
 Community services, Superseded 27/03/2007  
 Housing assistance, Superseded 10/08/2007

Person – occupation (main) Health, Standard 04/07/2007  
 Community services, Standard 27/03/2007  
 Housing assistance, Standard 10/08/2007  
 Person – ophthalmological assessment outcome Health, Standard 01/03/2005  
 Person – ophthalmoscopy performed indicator Health, Standard 21/09/2005  
 Person – ophthalmoscopy performed status Health, Superseded 21/09/2005  
 Person – period of residence in Australia Health, Standard 01/03/2005  
 Person – peripheral neuropathy indicator Health, Standard 01/03/2005  
 Person – peripheral vascular disease indicator (foot) Health, Standard 01/03/2005  
 Person – person identifier Health, Standard 04/05/2005  
 Community services, Standard 25/08/2005  
 Person – person identifier (within establishment/agency) Health, Superseded 04/05/2005  
 Community services, Superseded 25/08/2005  
 Person – physical activity sufficiency status Health, Standard 01/03/2005  
 Person – postal delivery service type Health, Standard 01/03/2005  
 Person – preferred language Health, Standard 01/03/2005  
 Community services, Standard 10/04/2006  
 Person – premature cardiovascular disease family history status Health, Standard 01/03/2005  
 Person – proficiency in spoken English Health, Standard 01/03/2005  
 Community services, Standard 01/03/2005  
 Housing assistance, Standard 10/02/2006  
 Person – proteinuria status Health, Standard 01/03/2005  
 Person – reason for readmission following acute coronary syndrome episode Health, Standard 04/06/2004  
 Person – referral to ophthalmologist indicator Health, Standard 21/09/2005  
 Person – regular tobacco smoking indicator Health, Standard 21/09/2005  
 Person – renal disease therapy Health, Standard 01/03/2005  
 Person – severe hypoglycaemia history Health, Superseded 21/09/2005  
 Person – severe hypoglycaemia indicator Health, Standard 21/09/2005  
 Person – sex Health, Standard 01/03/2005  
 Community services, Standard 01/03/2005  
 Housing assistance, Standard 10/02/2006  
 Person – technical nursing care requirement Health, Standard 13/10/2005  
 Person – telephone number Health, Standard 01/03/2005  
 Community services, Standard 01/03/2005  
 Person – time since quitting tobacco smoking Health, Standard 01/03/2005  
 Person – tobacco product smoked Health, Standard 01/03/2005  
 Person – tobacco smoking daily use status Health, Standard

01/03/2005

Person – tobacco smoking duration Health, Standard 01/03/2005

Person – tobacco smoking frequency Health, Standard 01/03/2005

Person – tobacco smoking quit age Health, Standard 01/03/2005

Person – tobacco smoking start age Health, Standard 01/03/2005

Person – tobacco smoking status Health, Standard 01/03/2005

Person – tobacco smoking status (last three months) Health,  
Superseded 21/09/2005

Person – triglyceride level Health, Standard 01/03/2005

Person – troponin assay type Health, Standard 04/06/2004

Person – troponin level Health, Standard 04/06/2004

Person – troponin level measured date Health, Standard  
04/06/2004

Person – troponin level measured time Health, Standard  
04/06/2004

Person – vascular condition status Health, Standard 01/03/2005

Person – vascular procedure Health, Standard 01/03/2005

Person – visual acuity Health, Standard 01/03/2005

Person – waist circumference Health, Standard 01/03/2005

Person – weight Health, Standard 01/03/2005

---

## Person with cancer

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268990
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A person who has been diagnosed with a cancer.
<i>Specialisation of:</i>	Person (Health condition)

### Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
---------------------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Person with cancer – degree of spread of a cancer Health, Standard 01/03/2005
	Person with cancer – distant metastasis status Health, Standard 13/06/2004
	Person with cancer – extent of primary cancer Health, Standard 04/06/2004
	Person with cancer – histopathological grade Health, Standard 04/06/2004
	Person with cancer – laterality of primary cancer Health, Standard 01/03/2005
	Person with cancer – melanoma thickness Health, Standard 01/03/2005
	Person with cancer – morphology of cancer Health, Standard 01/03/2005
	Person with cancer – most valid basis of diagnosis of a cancer Health, Standard 01/03/2005
	Person with cancer – number of positive regional lymph nodes Health, Standard 04/06/2004
	Person with cancer – number of regional lymph nodes examined Health, Standard 04/06/2004
	Person with cancer – oestrogen receptor assay results Health, Standard 04/06/2004
	Person with cancer – primary site of cancer Health, Standard 01/03/2005
	Person with cancer – primary tumour status Health, Standard 13/06/2004
	Person with cancer – progesterone receptor assay results Health, Standard 13/06/2004
	Person with cancer – region of first recurrence of cancer Health, Standard 04/06/2004
	Person with cancer – regional lymph node metastasis status Health, Standard 13/06/2004
	Person with cancer – solid tumour size Health, Standard 01/03/2005

---

# Pregnancy

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268966
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The period during which a woman carries a developing fetus, normally in the uterus. Pregnancy lasts for approximately 266 days, from conception until the baby is born, or 280 days from the first day of the last menstrual period. During pregnancy menstruation is absent, there may be a great increase in appetite, and the breasts increase in size; the woman may also experience morning sickness. These and other changes brought about by a hormone (progesterone) produced at first day the ovary and later by the placenta. Definite evidence of pregnancy is provided by various pregnancy tests, by the detection of the heartbeat of the fetus, and by ultrasound.
<i>Specialisation of:</i>	Life event (Pregnancy event status)

## Source and reference attributes

<i>Submitting organisation:</i>	Australia Institute of Health and Welfare
<i>Origin:</i>	University of Oxford 2002. Concise Colour Medical Dictionary 3rd ed. UK: Oxford University Press

## Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Pregnancy (current) – complication Health, Standard 01/03/2005
	Pregnancy (last previous) – pregnancy completion date Health, Standard 01/03/2005
	Pregnancy (last previous) – pregnancy outcome Health, Standard 01/03/2005
	Pregnancy – first day of the last menstrual period Health, Standard 01/03/2005

---

## Residential stay

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268960
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The period of care beginning with a formal start of residential care and ending with a formal end of the residential care and accommodation. It may involve more than one reference period, that is, more than one episode of residential care.
<i>Context:</i>	Specialised mental health services (Residential mental health care).
<i>Specialisation of:</i>	Service/care (Residential stay status)

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Residential stay – episode start date Health, Standard 01/03/2005
--	---

---

## Service contact

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268983
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	<p>A contact between a patient/client and an ambulatory care health unit (including outpatient and community health units) which results in a dated entry being made in the patient/client record.</p>
<i>Context:</i>	<p>Identifies service delivery at the patient level for mental health services (including consultation/liaison, mobile and outreach services).</p> <p>A service contact can include either face-to-face, telephone or video link service delivery modes. Service contacts would either be with a client, carer or family member or another professional or mental health worker involved in providing care and do not include contacts of an administrative nature (e.g. telephone contact to schedule an appointment) except where a matter would need to be noted on a patient's record.</p> <p>Service contacts may be differentiated from administrative and other types of contacts by the need to record data in the client record. However, there may be instances where notes are made in the client record that have not been prompted by a service contact with a patient/client (e.g. noting receipt of test results that require no further action). These instances would not be regarded as a service contact.</p>
<i>Specialisation of:</i>	Service/care event (Service contact status)

### Collection and usage attributes

<i>Comments:</i>	<p>The proposed definition is not able to measure case complexity or level of resource usage with each service contact alone. This limitation also applies to the concept of occasions of service (in admitted patient care) and hospital separations. The National Health Data Committee also acknowledges that information about group sessions or activities that do not result in a dated entry being made in each individual participant's patient/client record is not currently covered by this metadata item.</p>
------------------	---

### Source and reference attributes

<i>Steward:</i>	Australian Bureau of Statistics (ABS)
-----------------	---------------------------------------

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Service contact, version 1, DEC, NHDD, NHIMG, Superseded 01/03/2005.pdf</a> (14.57 KB)
<i>Data Element Concepts implementing this Object Class:</i>	Service contact – group session status Health, Standard 04/05/2005
	Service contact – service contact date Health, Standard 01/03/2005

---

## Service delivery outlet

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268970
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A site from which an organisation, or sub-unit of an organisation, delivers a health/community service.
<i>Context:</i>	Alcohol and other drug treatment services: Required to identify the agency sites that conduct treatment episodes, as distinguished from administration centres. Identification of sites from which health care or community services are delivered facilitates assessment of the accessibility of services to the population.
<i>Specialisation of:</i>	Service provider organisation (Service delivery outlet status)

### Collection and usage attributes

<i>Comments:</i>	<p>An organisation may have one or more service delivery outlets. An organisation with a devolved structure for service delivery may or may not devolve all functions to the service delivery outlet level. It is common for administrative functions, including personnel management, to be retained at a higher or central level of an organisation. The service delivery outlet is the lowest level of an organisation at which, or from which, services are delivered. The site from which a service is delivered relates to the physical location of the service and is to be clearly differentiated from the service delivery setting which refers to the type of physical setting in which a service is actually provided to a client (e.g. client's home, non-residential treatment facility etc).</p> <p>For example, where a service provider regularly delivers a service at a variety of clients' homes (e.g. home visits every Monday, Wednesday and Friday) or a mobile service delivers a service to a variety of different locations, then the service delivery outlet should be recorded as the location of the clinic in which the service provider is based. However, where a mobile unit regularly (e.g. every Monday) delivers a service from the same geographical location then this location will be recorded as the service delivery outlet.</p>
------------------	---

### Source and reference attributes

<i>Submitting organisation:</i>	Intergovernmental Committee on Drugs NMDS-WG
---------------------------------	--

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Service delivery outlet, version 1, DEC, NHDD, NHIMG, Superseded 01/03/2005.pdf</a> (14.75 KB)
<i>Data Element Concepts implementing this Object Class:</i>	Service delivery outlet – geographic location Health, Standard 01/03/2005



---

## Service provider organisation

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	269022
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 01/03/2005
<i>Definition:</i>	An organisation that provides services and/or care.
<i>Specialisation of:</i>	Service/care provider (Organisation status)

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Service provider organisation (address) – address line Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – address type Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – Australian postcode Health, Standard 04/05/2005 Community services, Standard 31/08/2005 Service provider organisation (address) – building/complex sub-unit identifier Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – building/complex sub-unit type Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – building/property name Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – electronic communication address Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – electronic communication medium Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – floor/level identifier Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – floor/level type Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – house/property identifier Health, Standard 04/05/2005 Service provider organisation (address) – international postcode Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – lot/section identifier Health, Standard 04/05/2005 Service provider organisation (address) – non-Australian state/province Health,
--	---

Standard 04/05/2005  
 Community services, Standard 30/09/2005  
 Service provider organisation (address) – postal delivery point identifier Health, Standard 04/05/2005  
 Community services, Standard 31/08/2005  
 Service provider organisation (address) – street name Health, Standard 04/05/2005  
 Community services, Standard 30/09/2005  
 Service provider organisation (address) – street suffix Health, Standard 04/05/2005  
 Community services, Standard 30/09/2005  
 Service provider organisation (address) – street type Health, Standard 04/05/2005  
 Community services, Standard 30/09/2005  
 Service provider organisation (address) – suburb/town/locality name Health, Standard 04/05/2005  
 Community services, Standard 31/08/2005  
 Service provider organisation (name) – name type Health, Standard 04/05/2005  
 Community services, Standard 30/09/2005  
 Service provider organisation (name) – organisation name Health, Standard 04/05/2005  
 Community services, Standard 30/09/2005  
 Service provider organisation – Australian state/territory identifier Health, Standard 04/05/2005  
 Community services, Standard 07/12/2005  
 Service provider organisation – coordinator of volunteers indicator Health, Standard 05/12/2007  
 Service provider organisation – feedback collection indicator Health, Standard 05/12/2007  
 Service provider organisation – feedback collection method Health, Standard 05/12/2007  
 Service provider organisation – level of service delivery Health, Standard 05/12/2007  
 Service provider organisation – most common service delivery setting Health, Standard 05/12/2007  
 Service provider organisation – organisation end date Health, Standard 04/05/2005  
 Community services, Standard 30/09/2005  
 Service provider organisation – organisation start date Health, Standard 04/05/2005  
 Community services, Standard 30/09/2005  
 Service provider organisation – partner organisation type Health, Standard 05/12/2007  
 Service provider organisation – service delivery setting Health, Standard 05/12/2007  
 Community services, Standard 29/04/2006  
 Service provider organisation – standards assessment indicator Health, Standard 05/12/2007  
 Service provider organisation – standards assessment level Health, Standard 05/12/2007  
 Service provider organisation – standards assessment method Health, Standard 05/12/2007  
 Service provider organisation – working partnership indicator Health, Standard 05/12/2007

---

## Specialised mental health service

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	268984
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	Specialised mental health services are those with a primary function to provide treatment, rehabilitation or community health support targeted towards people with a mental disorder or psychiatric disability. These activities are delivered from a service or facility that is readily identifiable as both specialised and serving a mental health care function.
<i>Context:</i>	Hospitals and community mental health establishments and residential mental health establishments.
<i>Specialisation of:</i>	Health service provider (Specialised mental health service status)

### Collection and usage attributes

<i>Guide for use:</i>	<p>The concept of a specialised mental health service is not dependent on the inclusion of the service within the state or territory mental health budget.</p> <p>A service is not defined as a specialised mental health service solely because its clients include people affected by a mental disorder or psychiatric disability.</p> <p>The definition excludes specialist drug and alcohol services and services for people with intellectual disabilities, except where they are established to assist people affected by a mental disorder who also have drug and alcohol related disorders or intellectual disability.</p> <p>These services can be a sub-unit of a hospital even where the hospital is not a specialised mental health establishment itself (e.g. designated psychiatric units and wards, outpatient clinics etc.).</p>
-----------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Specialised mental health service— admitted patient care program type Health, Standard 08/12/2004
	Specialised mental health service— co-location with acute care hospital Health, Standard 08/12/2004
	Specialised mental health service— number of hours staffed Health, Standard 08/12/2004
	Specialised mental health service— number of supported public housing places Health, Standard 08/12/2004
	Specialised mental health service— residual expenditure (academic positions) Health, Standard 08/12/2004
	Specialised mental health service— residual expenditure (education and training) Health, Standard 08/12/2004
	Specialised mental health service— residual expenditure (insurance) Health, Standard 08/12/2004
	Specialised mental health service— residual expenditure (mental health promotion) Health, Standard 08/12/2004
	Specialised mental health service— residual expenditure (mental health research) Health, Standard 08/12/2004
	Specialised mental health service— residual expenditure (other

indirect expenditure) Health, Standard 08/12/2004  
Specialised mental health service – residual expenditure (patient transport services) Health, Standard 08/12/2004  
Specialised mental health service – residual expenditure (program administration) Health, Standard 08/12/2004  
Specialised mental health service – residual expenditure (property leasing costs) Health, Standard 08/12/2004  
Specialised mental health service – residual expenditure (superannuation) Health, Standard 08/12/2004  
Specialised mental health service – residual expenditure (support services) Health, Standard 08/12/2004  
Specialised mental health service – residual expenditure (workers compensation) Health, Standard 08/12/2004  
Specialised mental health service – service setting Health, Standard 01/03/2005  
Specialised mental health service – specialised mental health service target population group Health, Standard 08/12/2004

---

# Specialised mental health service organisation

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	286449
<i>Registration status:</i>	Health, Standard 08/12/2004
<i>Definition:</i>	A separately constituted specialised mental health service that is responsible for the clinical governance, administration and financial management of service units providing specialised mental health care.
<i>Context:</i>	Specialised mental health services.

## Collection and usage attributes

<i>Guide for use:</i>	<p>A specialised mental health service organisation may consist of one or more service units based in different locations and providing services in admitted patient, residential and ambulatory settings. For example, a specialised mental health service organisation may consist of several hospitals or two or more community centres. Where the specialised mental health service organisation consists of multiple service units, those units can be considered to be components of the same organisation where they:</p> <ul style="list-style-type: none"><li>• operate under a common clinical governance arrangement;</li><li>• aim to work together as interlocking services that provide integrated, coordinated care to consumers across all mental health service settings; and</li><li>• share clinical records or, in the case where is more than one physical clinical record for each patient, staff may access (if required) the information contained in all of the physical records held by the organisation for that patient.</li></ul> <p>For most states and territories, the Specialised mental health service organisation object class is equivalent to the Area/District Mental Health Service. These are usually organised to provide the full range of admitted patient, residential and ambulatory services to a given catchment population. However, the object class may also be used to refer to health care organisations which provide only one type of mental health service (e.g. acute admitted patient care) or which serve a specialised or state-wide function.</p>
-----------------------	--

## Source and reference attributes

<i>Origin:</i>	Department of Health and Ageing 2003. Mental Health National Outcomes and Casemix Collection. Technical specification of State and Territory reporting requirements for the outcomes and casemix components of 'Agreed Data', Version 1.50. Canberra: Department of Health and Ageing
----------------	---

## Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Specialised mental health service organisation – accommodation services grants to non-government organisations Health, Standard 08/12/2004
	Specialised mental health service organisation – advocacy services grants to non-government organisations Health, Standard 08/12/2004
	Specialised mental health service organisation – carer participation

arrangements status (carer consultants employed) Health, Standard 08/12/2004

Specialised mental health service organisation— carer participation arrangements status (carer satisfaction surveys) Health, Standard 08/12/2004

Specialised mental health service organisation— carer participation arrangements status (formal complaints mechanism) Health, Standard 08/12/2004

Specialised mental health service organisation— carer participation arrangements status (formal participation policy) Health, Standard 08/12/2004

Specialised mental health service organisation— carer participation arrangements status (regular discussion groups) Health, Standard 08/12/2004

Specialised mental health service organisation— community awareness/health promotion services grants to non-government organisations Health, Standard 08/12/2004

Specialised mental health service organisation— consumer committee representation arrangements Health, Standard 08/12/2004

Specialised mental health service organisation— consumer participation arrangements (consumer consultants employed) Health, Standard 08/12/2004

Specialised mental health service organisation— consumer participation arrangements (consumer satisfaction surveys) Health, Standard 08/12/2004

Specialised mental health service organisation— consumer participation arrangements (formal internal complaints mechanism) Health, Standard 08/12/2004

Specialised mental health service organisation— consumer participation arrangements (formal participation policy) Health, Standard 08/12/2004

Specialised mental health service organisation— consumer participation arrangements (regular discussion groups) Health, Standard 08/12/2004

Specialised mental health service organisation— counselling services grants to non-government organisations Health, Standard 08/12/2004

Specialised mental health service organisation— independent living skills support services grants to non-government organisations Health, Standard 08/12/2004

Specialised mental health service organisation— other and unspecified mental health services grants to non-government organisations Health, Standard 07/12/2005

Specialised mental health service organisation— other and unspecified services grants to non-government organisations Health, Superseded 07/12/2005

Specialised mental health service organisation— pre-vocational training services grants for non-government organisations Health, Standard 08/12/2004

Specialised mental health service organisation— psychosocial support services grants for non-government organisations Health, Standard 08/12/2004

Specialised mental health service organisation— recreation services grants to non-government organisations Health, Standard

08/12/2004

Specialised mental health service organisation – recurrent expenditure (residual mental health) Health, Standard 08/12/2004

Specialised mental health service organisation – respite services grants to non-government organisations Health, Standard 08/12/2004

Specialised mental health service organisation – self-help support groups services grants for non-government organisations Health, Standard 08/12/2004

---

## Specialised mental health service unit

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	287787
<i>Registration status:</i>	Health, Standard 08/12/2004
<i>Definition:</i>	A specialised mental health service unit.

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	Specialised mental health service unit – implementation of National standards for mental health services status Health, Standard 08/12/2004
--	---



---

## State or Territory Government

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Object Class
<i>METeOR identifier:</i>	301333
<i>Registration status:</i>	Health, Standard 07/12/2005 Community services, Standard 30/11/2007
<i>Definition:</i>	A separately constituted legal entity established by political processes which have legislative, judicial or executive authority over a specific state or territory and is responsible for the governance, administration and financial management of that state or territory.

### Source and reference attributes

<i>Reference documents:</i>	Australian Bureau of Statistics 2002. Standard Economic Sector Classifications of Australia (SESCA). ABS cat. no. 1218.0. Canberra: ABS.
-----------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Object Class:</i>	State or Territory Government – mental health services grants to non-government organisations by non-health departments Health, Standard 07/12/2005
--	---

# Properties

---

## Accommodation services grants to non-government organisations

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	286596
<i>Registration status:</i>	Health, Standard 08/12/2004
<i>Definition:</i>	Grants made to non-government organisations for the provision of accommodation services.
<i>Property group:</i>	Funding characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Specialised mental health service organisation – accommodation services grants to non-government organisations Health, Standard 08/12/2004
--	--

---

## Accommodation type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269143
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A descriptor of the class of accommodation.
<i>Property group:</i>	Accommodation/living characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – accommodation type Health, Standard 01/03/2005
--	---

---

## Accrued mental health care days

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	286766
<i>Registration status:</i>	Health, Standard 08/12/2004
<i>Definition:</i>	Mental health care days are days of admitted patient care provided to admitted patients in psychiatric hospitals, designated psychiatric units and days of residential care provided to residents in residential mental health services. Accrued mental health care days can also be referred to as occupied bed days in specialised mental health services.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Establishment – accrued mental health care days Health, Standard 08/12/2004
--	---

---

## Accuracy indicator

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	294414
<i>Registration status:</i>	Health, Standard 04/05/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	The level of detail to which recorded information is correct.
<i>Property group:</i>	Performance indicators

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Date—accuracy indicator Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	--

---

## Activity and participation life area

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	324432
<i>Registration status:</i>	Health, Standard 29/11/2006 Community services, Standard 16/10/2006
<i>Definition:</i>	Life areas in which individuals may participate or undertake activities.
<i>Property group:</i>	Physical characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—activity and participation life area Health, Standard 29/11/2006 Community services, Standard 16/10/2006
--	--

---

## Activity type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269042
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A descriptor of the class of activity.
<i>Property group:</i>	Lifestyle characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Injury event – activity type Health, Standard 01/03/2005
--	--



---

## Acute coronary syndrome concurrent clinical condition

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	284875
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	Concurrent medical conditions, which are pertinent to the risk stratification and treatment of acute coronary syndrome.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – acute coronary syndrome concurrent clinical condition Health, Standard 04/06/2004
--	---

---

## Acute coronary syndrome procedure type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	284640
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The type of procedure performed for the treatment of acute coronary syndrome.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – acute coronary syndrome procedure type Health, Standard 04/06/2004
--	---

---

## Acute coronary syndrome risk stratum

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	284646
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	Risk stratum of clinical features consistent with an acute coronary syndrome.
<i>Property group:</i>	Service/care urgency

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – acute coronary syndrome risk stratum Health, Standard 04/06/2004
--	---

---

## Additional diagnosis

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269371
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A condition or complaint either coexisting with the principal diagnosis or arising during a service event or episode.
<i>Property group:</i>	Service provision event

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of care – additional diagnosis Health, Standard 01/03/2005
--	--

---

## Address line

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	292741
<i>Registration status:</i>	Health, Standard 04/05/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	A composite of one or more standard address components that describes a low level of geographical/physical description of a location.
<i>Property group:</i>	Location characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Health address line</a> Health, Superseded 04/05/2005
<i>Data Element Concepts implementing this Property:</i>	Person (address) – address line Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – address line Health, Standard 04/05/2005 Community services, Standard 30/09/2005

---

## Address type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269037
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	A descriptor of the class of a geographical/physical location.
<i>Property group:</i>	Location characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (address) – address type Health, Standard 01/03/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – address type Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	---

---

## Admission date

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269247
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The date on which an episode of admitted patient care commences.
<i>Property group:</i>	Entry into service event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of admitted patient care – admission date Health, Standard 01/03/2005
--	---

---

## Admission mode

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269028
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The method by which an episode of admitted patient care commences.
<i>Property group:</i>	Entry into service event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of admitted patient care – admission mode Health, Standard 01/03/2005
--	---



---

## Admission time

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269046
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The time at which an episode of admitted patient care commences
<i>Property group:</i>	Entry into service event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of admitted patient care – admission time Health, Standard 01/03/2005
--	---

---

## Admission urgency status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269032
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of the urgency status assigned to an <b>admission</b> .
<i>Property group:</i>	Service/care urgency

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of admitted patient care – admission urgency status Health, Standard 01/03/2005
--	--

---

## Admitted patient care program type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	288881
<i>Registration status:</i>	Health, Standard 08/12/2004
<i>Definition:</i>	The type of admitted patient care program.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Specialised mental health service— admitted patient care program type Health, Standard 08/12/2004
--	---

---

## Advocacy services grants to non-government organisations

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	286876
<i>Registration status:</i>	Health, Standard 08/12/2004
<i>Definition:</i>	Grants made to non-government organisations for the provision of advocacy services.
<i>Property group:</i>	Funding characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Specialised mental health service organisation—advocacy services grants to non-government organisations Health, Standard 08/12/2004
--	---

---

# Age

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269152
<i>Registration status:</i>	Health, Standard 04/05/2005 Community services, Standard 04/05/2005 Housing assistance, Standard 01/03/2005
<i>Definition:</i>	The length of life or existence.
<i>Property group:</i>	Physical characteristics

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Origin:</i>	Macquarie University 2003. The Macquarie Dictionary 3rd ed. Sydney: The Macquarie Library Pty Ltd

## Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—age Health, Standard 04/05/2005 Community services, Standard 04/05/2005 Housing assistance, Standard 17/06/2005
--	--

---

## Age range

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	290491
<i>Registration status:</i>	Health, Standard 04/05/2005 Community services, Standard 30/11/2007
<i>Definition:</i>	A chronological grouping of age.
<i>Property group:</i>	Physical characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – age range Health, Standard 04/05/2005 Community services, Standard 30/11/2007
--	---

---

## Alcohol consumption amount

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>Synonymous names:</i>	Alcohol consumption - concept; Ethanol consumption
<i>METeOR identifier:</i>	269217
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of the amount of alcohol consumed.
<i>Property group:</i>	Lifestyle characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Cardiovascular Data Working Group
<i>Origin:</i>	Australian Alcohol Guidelines: Health Risks and Benefits, NH&MRC, October 2001

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Alcohol consumption - concept, version 1, DEC, NHDD, NHIMG, Superseded 01/03/2005.pdf</a> (11.74 KB)
<i>Data Element Concepts implementing this Property:</i>	Person – alcohol consumption amount Health, Standard 01/03/2005

---

## Alcohol consumption frequency

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269363
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of how frequently alcohol is consumed.
<i>Property group:</i>	Lifestyle characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – alcohol consumption frequency Health, Standard 01/03/2005
--	--



---

## Anaesthesia administered

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269079
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	Drug or other medical intervention administered to cause inability to feel pain.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Origin:</i>	Dorland's Illustrated Medical Dictionary 30th ed. Philadelphia: Saunders

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Birth event – anaesthesia administered Health, Superseded 07/12/2005
	Birth event – anaesthesia administered Health, Standard 07/12/2005

---

## **Analgesia administered**

---

### **Identifying and definitional attributes**

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269080
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An agent given to alleviate pain without causing loss of consciousness.
<i>Property group:</i>	Service provision event

### **Source and reference attributes**

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Origin:</i>	Dorland's Illustrated Medical Dictionary 30th ed. Philadelphia: Saunders

### **Relational attributes**

<i>Data Element Concepts implementing this Property:</i>	Birth event – analgesia administered Health, Superseded 07/12/2005
	Birth event – analgesia administered Health, Standard 07/12/2005

---

# Angiotensin converting enzyme inhibitors therapy status

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>Synonymous names:</i>	ACE inhibitors therapy status
<i>METeOR identifier:</i>	284728
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	An indicator of the use of angiotensin converting enzyme (ACE) inhibitors therapy.
<i>Property group:</i>	Health and wellbeing

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

## Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – angiotensin converting enzyme inhibitors therapy status Health, Standard 04/06/2004
--	---

---

## Anticipated accommodation status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	319942
<i>Registration status:</i>	No registration status
<i>Definition:</i>	An indicator of whether a person has nominated to be treated as either a public or private patient. The anticipated accommodation status is not binding on the patient and may vary from the elected accommodation status.
<i>Property group:</i>	Funding characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Elective surgery waiting list episode – anticipated accommodation status Health, Standard 01/03/2005
--	--

---

# Apgar score

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269035
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The score used to evaluate the fitness of a newborn infant, based on heart rate, respiration, muscle tone, cough reflex, and colour.
<i>Property group:</i>	Health and wellbeing

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Origin:</i>	Macquarie University 2003. The Macquarie Dictionary 3rd ed. Sydney: The Macquarie Library Pty Ltd

## Relational attributes

<i>Data Element Concepts</i>	Birth – Apgar score Health, Superseded 07/12/2005
<i>implementing this Property:</i>	Birth – Apgar score Health, Standard 07/12/2005

---

## Area of clinical practice

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269350
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A field of clinical activity or area of responsibility.
<i>Property group:</i>	Labour characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Health professional – area of clinical practice (principal) Health, Standard 01/03/2005
--	---

---

## Area of usual residence

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269104
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The geographical region in which a person or group of people usually reside.
<i>Property group:</i>	Location characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – area of usual residence Health, Standard 01/03/2005
--	--

---

## Aspirin therapy status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	284754
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	An indicator of the use of aspirin therapy.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – aspirin therapy status Health, Standard 04/06/2004
--	---



---

## Australian postcode

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269316
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 22/10/2005
<i>Definition:</i>	The numeric descriptor for a postal delivery area, aligned with locality, suburb or place.
<i>Context:</i>	Postcode is an important part of a postal address and facilitates written communication. It is one of a number of geographic identifiers that can be used to determine a geographic location.
<i>Property group:</i>	Location characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Standards Australia Australian Institute of Health and Welfare
---------------------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (address) – Australian postcode Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 10/02/2006 Service provider organisation (address) – Australian postcode Health, Standard 04/05/2005 Community services, Standard 31/08/2005
--	--

---

## Australian state/territory identifier

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269056
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 22/10/2005
<i>Definition:</i>	An identifier of the Australian state or territory.
<i>Context:</i>	This is a <b>geographic indicator</b> which is used for analysis of the distribution of clients or patients, agencies or establishments and services.
<i>Property group:</i>	Location characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Establishment – Australian state/territory identifier Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Person – Australian state/territory identifier Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 10/02/2006 Service provider organisation – Australian state/territory identifier Health, Standard 04/05/2005 Community services, Standard 07/12/2005
--	--

---

## Baby resuscitation method

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269026
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The action taken for a baby to revive from apparent death or unconsciousness.
<i>Property group:</i>	Birth event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Origin:</i>	Macquarie University 2003. The Macquarie Dictionary 3rd ed. Sydney: The Macquarie Library Pty Ltd

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Birth event – baby resuscitation method Health, Standard 01/03/2005
--	---

---

## Behaviour-related risk factor intervention

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269285
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The action taken to address a behaviour-related risk factor.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of care – behaviour-related risk factor intervention Health, Standard 01/03/2005
--	--

---

## Behaviour-related risk factor intervention purpose

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269286
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A lifestyle choice related risk factor associated with an intervention.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of care – behaviour-related risk factor intervention purpose Health, Standard 01/03/2005
--	--

---

## Beta-blocker therapy status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	284791
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	An indicator of the use of beta-blocker therapy.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – beta-blocker therapy status Health, Standard 04/06/2004
--	--

---

## Birth method

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	337674
<i>Registration status:</i>	Health, Standard 06/09/2006
<i>Definition:</i>	The method of complete expulsion or extraction from its mother of a product of conception.
<i>Property group:</i>	Birth event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Delivery method</a> Health, Superseded 06/09/2006
<i>Data Element Concepts implementing this Property:</i>	Birth event – birth method Health, Standard 06/09/2006

---

## Birth order

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269038
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The sequence number in the multiple birth.
<i>Context:</i>	National Minimum Data Set (NMDS) Perinatal: Required to analyse pregnancy outcome according to birth order and identify the individual baby resulting from a multiple birth pregnancy. Multiple births have higher risks of perinatal mortality and morbidity. Multiple birth pregnancies are often associated with obstetric complications, labour and delivery complications, higher rates of neonatal morbidity, low <b>birthweight</b> , and a higher perinatal death rate. Data Set Specification (DSS) - Health care client identification: While this piece of information is normally recorded for multiple births against the mother's record, if the health care client volunteers the information, it should be recorded.
<i>Property group:</i>	Birth event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Origin:</i>	AS5017 Health Care Client Identification

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Birth – birth order Health, Standard 01/03/2005
--	---



---

## Birth plurality

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269039
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of multiple birth, showing the total number of births resulting from a single pregnancy.
<i>Context:</i>	National Minimum Data Set (NMDS) Perinatal: Multiple pregnancy increases the risk of complications during pregnancy, labour and delivery and is associated with higher risk of perinatal morbidity and mortality. Data Set Specification (DSS) Health Care Client Identification: While this piece of information is normally recorded for multiple births against the mother's record, if the health care client volunteers the information, it should be recorded.
<i>Property group:</i>	Birth event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Birth event – birth plurality Health, Standard 01/03/2005
--	---

---

## Birth presentation

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269062
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	Presenting part of the fetus (at lower segment of uterus).
<i>Property group:</i>	Birth event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts</i>	Birth event – birth presentation Health, Standard 06/09/2006
<i>implementing this Property:</i>	Birth event – birth presentation Health, Superseded 06/09/2006

---

## Birth status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269064
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	Status of the baby at birth as an outcome of pregnancy.
<i>Property group:</i>	Birth event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Birth – birth status Health, Standard 01/03/2005
--	--

---

## Birth weight

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269347
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The weight of a newborn as recorded at birth.
<i>Property group:</i>	Physical characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Birth – birth weight Health, Standard 01/03/2005
--	--

---

## Bleeding episode status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	284804
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	An episode of bleeding as described by the Thrombolysis In Myocardial Infarction (TIMI) criteria.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – bleeding episode status Health, Standard 04/06/2004
--	--

---

# Blindness

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269103
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	Blindness is less than 6/60 vision in the better eye with glasses. Vision 6/60 is the ability to see only at 6 metres what the normal eye can see at 60 metres. An indicator of the presence or development of a visual impairment or inability to see.
<i>Property group:</i>	Health and wellbeing

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

## Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—blindness Health, Standard 01/03/2005
--	--

---

# Blood pressure

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269105
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The pressure exerted by blood against the inner walls of the blood vessels
<i>Property group:</i>	Health and wellbeing

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Origin:</i>	Macquarie University 2003. The Macquarie Dictionary 3rd ed. Sydney: The Macquarie Library Pty Ltd

## Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—blood pressure (diastolic) Health, Standard 01/03/2005
	Person—blood pressure (systolic) Health, Standard 01/03/2005

---

## Bodily location of main injury

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>Synonymous names:</i>	Site
<i>METeOR identifier:</i>	269098
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The position on the body of the primary injury of concern.
<i>Property group:</i>	Crisis event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person –bodily location of main injury Health, Standard 01/03/2005
--	--



---

## Body function

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	320237
<i>Registration status:</i>	Health, Standard 29/11/2006 Community services, Standard 16/10/2006
<i>Definition:</i>	The physiological or psychological function of body system.
<i>Property group:</i>	Physical characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person–body function Health, Standard 29/11/2006 Community services, Standard 16/10/2006
--	---

---

## Body mass index

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269114
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A measure of body fat that gives an indication of nutritional status. Body mass index is the weight in kilograms divided by the square of the height in meters.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Origin:</i>	Dorland's Illustrated Medical Dictionary 30th ed. Philadelphia: Saunders
----------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Adult – body mass index Health, Standard 01/03/2005
	Child – body mass index Health, Standard 01/03/2005
	Person – body mass index (classification) Health, Standard 01/03/2005

---

## Body structure

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	320249
<i>Registration status:</i>	Health, Standard 29/11/2006 Community services, Standard 16/10/2006
<i>Definition:</i>	An anatomical part of the body such as organs, limbs or their components.
<i>Property group:</i>	Physical characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—body structure Health, Standard 29/11/2006 Community services, Standard 16/10/2006
--	--

---

## Building/complex sub-unit identifier

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269388
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	The specification of the number or identifier of a building/complex, marina, etc. to clearly distinguish it from another.
<i>Context:</i>	Australian addresses.
<i>Property group:</i>	Location characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Health Data Standards Committee
---------------------------------	---------------------------------

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (address) – building/complex sub-unit identifier Health, Standard 01/03/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – building/complex sub-unit identifier Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	---

---

## Building/complex sub-unit type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269380
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	The specification of the type of a separately identifiable portion within a building/complex, marina, etc. to clearly distinguish it from another.
<i>Context:</i>	Australian addresses.
<i>Property group:</i>	Location characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Health Data Standards Committee
<i>Origin:</i>	Australia Post Address Presentation Standard.

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (address) – building/complex sub-unit type Health, Standard 01/03/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – building/complex sub-unit type Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	---

---

## Building/property name

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269387
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	The full name used to identify the physical building or property as part of its location.
<i>Context:</i>	Australian addresses.
<i>Property group:</i>	Location characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Health Data Standards Committee
---------------------------------	---------------------------------

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (address) – building/property name Health, Standard 01/03/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – building/property name Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	---

---

## Caesarean section indicator

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	302129
<i>Registration status:</i>	Health, Standard 29/11/2006
<i>Definition:</i>	Pregnancy resulting in a live birth or a stillbirth.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	National Perinatal Data Development Committee
---------------------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Female – caesarean section indicator Health, Standard 29/11/2006
--	--

---

## Cancer staging scheme source

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	296984
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The reference which describes in detail the methods of staging and the definitions for the classification system used in determining the extent of cancer.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Reference documents:</i>	UICC TNM Classification of Malignant Tumours (5th Edition) (1997)

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Cancer staging—cancer staging scheme source Health, Standard 04/06/2004
--	---



---

## Cancer staging scheme source edition number

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	297000
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The edition number of the reference used for the purposes of staging a cancer.
<i>Property group:</i>	Health and wellbeing

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Cancer staging—cancer staging scheme source edition number Health, Standard 04/06/2004
--	---

---

## Cancer treatment type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	288143
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The type of cancer treatment provided.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Cancer treatment—cancer treatment type Health, Standard 04/06/2004
--	--

---

## Cardiovascular disease condition targeted by drug therapy

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269329
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A descriptor of the cardiovascular disease condition for which a drug therapy is being used.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—cardiovascular disease condition targeted by drug therapy Health, Standard 01/03/2005
--	---

---

## Cardiovascular medication taken

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269391
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	Medication taken for a cardiovascular condition.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – cardiovascular medication taken Health, Standard 01/03/2005
--	--

---

## Care type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269177
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A descriptor of the overall nature of a service provided.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Hospital service – care type Health, Standard 01/03/2005
--	--

---

## Carer participation arrangements

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	288821
<i>Registration status:</i>	Health, Standard 08/12/2004
<i>Definition:</i>	Mechanisms in place to promote the participation of mental health carers in the planning, delivery and evaluation of a service.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Specialised mental health service organisation – carer participation arrangements status (carer consultants employed) Health, Standard 08/12/2004
	Specialised mental health service organisation – carer participation arrangements status (carer satisfaction surveys) Health, Standard 08/12/2004
	Specialised mental health service organisation – carer participation arrangements status (formal complaints mechanism) Health, Standard 08/12/2004
	Specialised mental health service organisation – carer participation arrangements status (formal participation policy) Health, Standard 08/12/2004
	Specialised mental health service organisation – carer participation arrangements status (regular discussion groups) Health, Standard 08/12/2004

---

## Cataract status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269230
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of previous experience with cataracts.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – cataract status Health, Standard 01/03/2005
--	--

---

## Category reassignment date

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269115
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The date on which a clinical urgency category or patient listing status category is reassigned.
<i>Property group:</i>	Service/care urgency

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Elective care waiting list episode – category reassignment date Health, Standard 01/03/2005
--	--



---

## Census date

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269364
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The date on which a population is officially enumerated and characterised.
<i>Property group:</i>	Performance indicators

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Hospital census (of elective surgery waitlist patients) – census date Health, Standard 01/03/2005
--	--

---

## Cerebral stroke due to vascular disease

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269298
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of previous experience of a cerebral stroke due to vascular disease and the recency of the stroke.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – cerebral stroke due to vascular disease Health, Standard 01/03/2005
--	--

---

## Cessation reason

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269077
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The reason for ending an event or process.
<i>Property group:</i>	Exit/leave from service event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of treatment for alcohol and other drugs – cessation reason Health, Standard 01/03/2005
--	--

---

## Chest pain pattern

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	284815
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	Identification of the frequency and severity of chest pain of myocardial ischaemic origin.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – chest pain pattern Health, Standard 04/06/2004
--	---

---

## Cholesterol level

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269323
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The amount of cholesterol in the blood, usually indicated by a number within a range going from low to high, these numbers being correlated with the risk of coronary heart disease.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Origin:</i>	Macquarie University 2003. The Macquarie Dictionary 3rd ed. Sydney: The Macquarie Library Pty Ltd.

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—cholesterol level Health, Standard 01/03/2005
--	--

---

## Client type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269128
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	Whether treatment is focused on the client's conditions and problems or on those of another person.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of treatment for alcohol and other drugs – client type Health, Standard 01/03/2005
--	---

---

## Clinical evidence status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	285279
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	Indicator of the status of evidence of a pre-existing clinical condition.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Acute Coronary Syndrome Data Working Group
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – clinical evidence status (chronic lung disease) Health, Standard 04/06/2004
	Person – clinical evidence status (heart failure) Health, Standard 13/06/2004
	Person – clinical evidence status (peripheral arterial disease) Health, Standard 13/06/2004
	Person – clinical evidence status (sleep apnoea syndrome) Health, Standard 13/06/2004
	Person – clinical evidence status (stroke) Health, Standard 13/06/2004

---

## Clinical procedure timing

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	284841
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	Identifies when a clinical procedure was performed.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – clinical procedure timing Health, Standard 04/06/2004
--	--



---

## Clinical urgency

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269075
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A clinical assessment of the urgency with which care, treatment or assistance is required.
<i>Property group:</i>	Service/care urgency

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Elective surgery waiting list episode – clinical urgency Health, Standard 01/03/2005
--	--

---

## Clpidogrel therapy status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	284865
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	An indicator of the use of clopidogrel therapy.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – clopidogrel therapy status Health, Standard 04/06/2004
--	---

---

## Co-location with acute care hospital

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	286929
<i>Registration status:</i>	Health, Standard 08/12/2004
<i>Definition:</i>	The co-location of a service with an acute care hospital.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Specialised mental health service— co-location with acute care hospital Health, Standard 08/12/2004
--	---

---

## Community awareness/health promotion services grants to non-government organisations

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	287005
<i>Registration status:</i>	Health, Standard 08/12/2004
<i>Definition:</i>	Grants made to non-government organisations for the provision of community awareness/health promotion services.
<i>Property group:</i>	Funding characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Specialised mental health service organisation—community awareness/health promotion services grants to non-government organisations Health, Standard 08/12/2004
--	---

---

## Compensable status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269123
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of an entitlement for compensation.
<i>Property group:</i>	Funding characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Patient – compensable status Health, Standard 01/03/2005
--	--

---

# Complication

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269096
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A disease or disorder concurrent with another disease, disorder or condition.
<i>Property group:</i>	Health and wellbeing

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Origin:</i>	Dorland's Illustrated Medical Dictionary 30th ed. Philadelphia: Saunders

## Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Birth event – complication Health, Standard 01/03/2005
	Birth event – complication (postpartum) Health, Standard 01/03/2005
	Pregnancy (current) – complication Health, Standard 01/03/2005

---

## Condition onset flag

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	354805
<i>Registration status:</i>	Health, Standard 05/02/2008
<i>Definition:</i>	A qualifier for each coded diagnosis to indicate the onset of the condition relative to the beginning of the episode of care.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Diagnosis onset type</a> Health, Superseded 05/02/2008
<i>Data Element Concepts implementing this Property:</i>	Episode of admitted patient care – condition onset flag Health, Standard 05/02/2008

---

## Congenital malformation

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269324
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An anomaly that is present at birth.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – congenital malformation Health, Standard 01/03/2005
--	--



---

## Consumer committee representation arrangements

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	288847
<i>Registration status:</i>	Health, Standard 08/12/2004
<i>Definition:</i>	An indicator of the extent of formal committee mechanisms in place to promote the participation of mental health consumers.
<i>Property group:</i>	Organisational characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare.
---------------------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Specialised mental health service organisation – consumer committee representation arrangements Health, Standard 08/12/2004
--	---

---

## Consumer participation arrangements

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	288859
<i>Registration status:</i>	Health, Standard 08/12/2004
<i>Definition:</i>	An indicator of whether mechanisms are in place to promote the participation of mental health consumers.
<i>Property group:</i>	Organisational characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Specialised mental health service organisation – consumer participation arrangements (consumer consultants employed) Health, Standard 08/12/2004
	Specialised mental health service organisation – consumer participation arrangements (consumer satisfaction surveys) Health, Standard 08/12/2004
	Specialised mental health service organisation – consumer participation arrangements (formal internal complaints mechanism) Health, Standard 08/12/2004
	Specialised mental health service organisation – consumer participation arrangements (formal participation policy) Health, Standard 08/12/2004
	Specialised mental health service organisation – consumer participation arrangements (regular discussion groups) Health, Standard 08/12/2004

---

## Contract role

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269131
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The assigned responsibility under a contractual arrangement.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Hospital – contract role Health, Standard 01/03/2005
--	--

---

## Contract type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269174
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A descriptor of the class of a contractual agreement.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Hospital – contract type Health, Standard 01/03/2005
--	--

---

## Contracted care commencement date

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269263
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The date the period of contracted care commenced.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Contracted hospital care – contracted care commencement date Health, Standard 01/03/2005
--	---

---

## Contracted care completed date

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269102
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The date the period of contracted care is completed.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Contracted hospital care – contracted care completed date Health, Standard 01/03/2005
--	---

---

## Contracted procedure flag

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269345
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	Indicator that a procedure was performed as a contracted service.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of care (procedure) – contracted procedure flag Health, Standard 01/03/2005
--	---

---

## Coordinator of volunteers indicator

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	352858
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>Definition:</i>	An indicator of whether a person is designated to coordinate the volunteer labour force.
<i>Property group:</i>	Organisational characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Service provider organisation—coordinator of volunteers indicator Health, Standard 05/12/2007
--	--



---

## Coronary artery disease intervention

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269207
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of whether treatment has been received for a coronary artery condition.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – coronary artery disease intervention Health, Standard 01/03/2005
--	---

---

## Counselling services grants to non-government organisations

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	287013
<i>Registration status:</i>	Health, Standard 08/12/2004
<i>Definition:</i>	Grants made to non-government organisations for the provision of counselling services.
<i>Property group:</i>	Funding characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Specialised mental health service organisation—counselling services grants to non-government organisations Health, Standard 08/12/2004
--	--

---

## Country identifier

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	288063
<i>Registration status:</i>	Health, Standard 04/05/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	The country component of an address.
<i>Property group:</i>	Identifier characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (address) – country identifier Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	--

---

## Country of birth

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269206
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 22/10/2005
<i>Definition:</i>	The country in which an individual was born.
<i>Property group:</i>	Demographic/social/cultural characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—country of birth Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 27/07/2005
--	---

---

# Creatine kinase myocardial band isoenzyme measured date

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	284969
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The date creatine kinase myocardial band (CK-MB) isoenzyme was measured.
<i>Property group:</i>	Service provision event

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

## Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—creatin kinase myocardial band isoenzyme measured date Health, Standard 04/06/2004
--	---

---

# Creatine kinase myocardial band isoenzyme measured time

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	285175
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The time at which the creatine kinase myocardial band (CK-MB) isoenzyme was measured.
<i>Property group:</i>	Service provision event

## Source and reference attributes

<i>Submitting organisation:</i>	Acute coronary syndrome data working group
---------------------------------	--

## Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—creatin kinase myocardial band isoenzyme measured time Health, Standard 04/06/2004
--	---

---

## Creatine kinase-myocardial band isoenzyme level

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	284893
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The level of creatine kinase-myocardial band (CK-MB) isoenzyme.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – creatine kinase-myocardial band isoenzyme level Health, Standard 04/06/2004
--	--

---

## Creatinine serum level

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269319
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The amount of creatinine in the blood.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – creatinine serum level Health, Standard 01/03/2005
--	---



---

## Date of birth

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269318
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 22/10/2005
<i>Definition:</i>	The date on which an individual was born.
<i>Property group:</i>	Demographic/social/cultural characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – date of birth Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 27/07/2005
--	--

---

## Date of change to qualification status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269082
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The date on which a <b>newborn qualification status</b> changes.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of admitted patient care (newborn) – date of change to qualification status Health, Standard 01/03/2005
--	---

---

## Date of death

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	287292
<i>Registration status:</i>	Health, Standard 04/05/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	Date on which an individual died.
<i>Context:</i>	
<i>Property group:</i>	Demographic/social/cultural characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – date of death Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	---

---

## Degree of spread of a cancer

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269182
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The progression/extent of a cancer measured at a particular point in time.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person with cancer – degree of spread of a cancer Health, Standard 01/03/2005
--	---

---

## Dependency in activities of daily living

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269342
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of the extent to which help is required for tasks of everyday life.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – dependency in activities of daily living Health, Standard 01/03/2005
--	---

---

## Depreciation expenses

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	360155
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>Definition:</i>	Expenses of an organisation consisting of consumption of fixed capital (depreciation).
<i>Property group:</i>	Financial characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Organisation – depreciation expenses Health, Standard 05/12/2007
--	--

---

## Diabetes mellitus status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269209
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of a risk of developing diabetes mellitus or a diagnosis of diabetes mellitus.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – diabetes mellitus status Health, Standard 01/03/2005
--	---

---

## Diabetes therapy type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269378
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The class of treatment received for diabetes.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	National diabetes data working group
---------------------------------	--------------------------------------

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – diabetes therapy type Health, Standard 01/03/2005
--	--



---

## Diagnosis date

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269392
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The date a disease or condition is diagnosed.
<i>Context:</i>	Health services and clinical setting: Diagnostic information provides the basis for analysis of health service usage, epidemiological studies and monitoring of specific disease entities and conditions.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Patient – diagnosis date Health, Standard 01/03/2005
--	--

---

## Diagnosis related group

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269188
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A resource utilisation classification based on diagnosed conditions, usage of hospital resources, and demographic characteristics of the patient.
<i>Context:</i>	The development of Australian refined diagnosis related groups has created a descriptive framework for studying hospitalisation. Diagnosis related groups provide a summary of the varied reasons for hospitalisation and the complexity of cases a hospital treats. Moreover, as a framework for describing the products of a hospital (that is, patients receiving services), they allow meaningful comparisons of hospitals' efficiency and effectiveness under alternative systems of health care provision.
<i>Property group:</i>	Service provision event

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of admitted patient care – diagnosis related group Health, Standard 01/03/2005
--	--

---

## Distant metastasis status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	293228
<i>Registration status:</i>	Health, Standard 13/06/2004
<i>Definition:</i>	The absence or presence of distant metastasis.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Origin:</i>	Sobin LH (Editors) (1997) International Union Against Cancer (UICC) TNM classification of malignant tumours, 5th edition. Wiley-Liss, New York

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person with cancer – distant metastasis status Health, Standard 13/06/2004
--	--

---

## Drug of concern

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269127
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A descriptor of the psychoactive substance that is of concern.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of treatment for alcohol and other drugs – drug of concern Health, Standard 01/03/2005
	Episode of treatment for alcohol and other drugs – drug of concern (principal) Health, Superseded 13/10/2005

---

# Dyslipidaemia treatment with anti-lipid medication indicator

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	304483
<i>Registration status:</i>	Health, Standard 22/09/2005
<i>Definition:</i>	An indicator of the receipt of treatment for abnormal lipid levels using anti-lipid medication.
<i>Property group:</i>	Health and wellbeing

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

## Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Dyslipidaemia treatment status</a> Health, Superseded 22/09/2005
<i>Data Element Concepts implementing this Property:</i>	Person – dyslipidaemia treatment with anti-lipid medication indicator Health, Standard 21/09/2005

---

## Elective care type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>Synonymous names:</i>	Waiting list category
<i>METeOR identifier:</i>	269040
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A descriptor of the class of elective hospital care.
<i>Property group:</i>	Service provision event

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Elective care waiting list episode – elective care type Health, Standard 01/03/2005
--	---

---

## Electrocardiogram change location

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>Synonymous names:</i>	ECG change location
<i>METeOR identifier:</i>	285065
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The area in which the change is located on a 12-lead electrocardiogram (ECG).
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – electrocardiogram change location Health, Standard 04/06/2004
--	--

---

## Electrocardiogram change type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	285301
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The type of change to the heart rhythm as seen on an electrocardiogram (ECG).
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—electrocardiogram change type Health, Standard 04/06/2004
--	--



---

## Electronic communication address

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	287451
<i>Registration status:</i>	Health, Standard 04/05/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	The characters used for the purpose of communication by electronic means.
<i>Property group:</i>	Location characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (address) – electronic communication address Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – electronic communication address Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	---

---

## Electronic communication medium

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	287501
<i>Registration status:</i>	Health, Standard 04/05/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	The type of mechanism used for electronic communication.
<i>Property group:</i>	Location characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (address) – electronic communication medium Health, Standard 04/05/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – electronic communication medium Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	---

---

## Electronic communication usage code

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	287523
<i>Registration status:</i>	Health, Standard 04/05/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	The manner of use of an electronic communication address.
<i>Property group:</i>	Location characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (address) – electronic communication usage code Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	---

---

## Eligibility status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	304551
<i>Registration status:</i>	Health, Standard 05/01/2006 Community services, Standard 04/01/2006
<i>Definition:</i>	An indicator of eligibility for services.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – eligibility status Health, Standard 04/01/2006 Community services, Standard 04/01/2006
--	--

---

## Employee related expenses

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	360140
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>Definition:</i>	The expenditure incurred for wages, salaries and supplements, superannuation employer contributions, workers compensation premiums and payouts.
<i>Property group:</i>	Financial characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Organisation – employee related expenses Health, Standard 05/12/2007
--	--

---

## End-stage renal disease status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269307
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of the development of end-stage renal disease.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – end-stage renal disease status Health, Standard 01/03/2005
--	---

---

## Environmental factor

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	320223
<i>Registration status:</i>	Health, Standard 29/11/2006 Community services, Standard 16/10/2006
<i>Definition:</i>	Environmental factors make up the physical, social and attitudinal environment in which individuals live and conduct their lives.
<i>Property group:</i>	Environmental characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—environmental factor Health, Standard 29/11/2006 Community services, Standard 16/10/2006
--	--

---

## Episode end date

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269252
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 16/05/2006
<i>Definition:</i>	The date on which an episode is completed.
<i>Property group:</i>	Exit/leave from service event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of residential care – episode end date Health, Standard 01/03/2005 Non-admitted patient emergency department service episode – episode end date Health, Standard 24/03/2006
--	--



---

## Episode end mode

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269144
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The method by which an episode ends.
<i>Property group:</i>	Exit/leave from service event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of residential care – episode end mode Health, Standard 01/03/2005
--	--

---

## Episode end status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	322637
<i>Registration status:</i>	Health, Standard 24/03/2006
<i>Definition:</i>	The status of the patient at the end of the episode of care or service episode.
<i>Property group:</i>	Exit/leave from service event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Government Department of Health and Ageing
---------------------------------	---

### Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Patient departure status</a> Health, Superseded 24/03/2006
<i>Data Element Concepts implementing this Property:</i>	Non-admitted patient emergency department service episode – episode end status Health, Standard 24/03/2006

---

## Episode end time

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	322612
<i>Registration status:</i>	Health, Standard 24/03/2006
<i>Definition:</i>	The time at which an episode is completed.
<i>Property group:</i>	Exit/leave from service event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Government Department of Health and Ageing.
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Non-admitted patient emergency department service episode – episode end time Health, Standard 24/03/2006
--	--

---

## Episode start date

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269253
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 16/05/2006
<i>Definition:</i>	The date on which an episode commenced.
<i>Property group:</i>	Entry into service event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of residential care – episode start date Health, Standard 01/03/2005 Residential stay – episode start date Health, Standard 01/03/2005
--	---

---

## Episode start mode

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269106
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The method by which an episode begins.
<i>Property group:</i>	Entry into service event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of residential care – episode start mode Health, Standard 01/03/2005
--	--

---

# Erectile dysfunction

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>Synonymous names:</i>	Impotence
<i>METeOR identifier:</i>	269149
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The inability to achieve or maintain an erection of sufficient rigidity to perform sexual intercourse successfully.
<i>Property group:</i>	Health and wellbeing

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

## Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (male) – erectile dysfunction Health, Standard 01/03/2005
--	--

---

## Establishment type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269027
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A descriptor of the class of establishment.
<i>Property group:</i>	Organisational characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Establishment – establishment type Health, Standard 01/03/2005 Health professional – establishment type (employment) Health, Standard 01/03/2005
--	---

---

## Estimated gestational age

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269025
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The period of development of the fetus from the time of fertilisation until birth.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	National perinatal data development committee
---------------------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Female (pregnant) – estimated gestational age Health, Standard 01/03/2005
--	---



---

# Expenses

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	356286
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>Definition:</i>	Expenses consisting mainly of wages, salaries and supplements, purchases of goods and services and consumption of fixed capital (depreciation).
<i>Property group:</i>	Financial characteristics

## Collection and usage attributes

<i>Collection methods:</i>	Data are collected and nationally collated for the reporting period – the financial year ending in 30 June each year.
----------------------------	---

## Source and reference attributes

<i>Submitting organisation:</i>	Health Expenditure Advisory Committee
<i>Reference documents:</i>	Australian Bureau of Statistics 2006. Australian System of Government Finance Statistics: Concepts, sources and methods, 2005. Cat. no. 5514.0.55.001 Canberra: ABS. Australian Accounting Standards Board 1049, September 2006, < <a href="http://www.asb.com.au">www.asb.com.au</a> >.

## Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Organisation – expenses Health, Standard 05/12/2007
--	---

---

## Extended wait patient indicator

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269074
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of a patient who has experienced a prolonged wait for care.
<i>Property group:</i>	Performance indicators

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Elective surgery waiting list episode—extended wait patient indicator Health, Standard 01/03/2005
--	---

---

## Extent of environmental factor influence

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	320232
<i>Registration status:</i>	Health, Standard 29/11/2006 Community services, Standard 16/10/2006
<i>Definition:</i>	The degree to which specified environmental factors influence functioning and disability.
<i>Property group:</i>	Environmental characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—extent of environmental factor influence Health, Standard 29/11/2006 Community services, Standard 16/10/2006
--	--

---

## Extent of impairment of body function

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	320240
<i>Registration status:</i>	Health, Standard 29/11/2006 Community services, Standard 16/10/2006
<i>Definition:</i>	The degree of impairment in a specified body function.
<i>Property group:</i>	Physical characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—extent of impairment of body function Health, Standard 29/11/2006 Community services, Standard 16/10/2006
--	---

---

## Extent of impairment of body structure

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	320252
<i>Registration status:</i>	Health, Standard 29/11/2006 Community services, Standard 16/10/2006
<i>Definition:</i>	The degree of impairment in a specified body structure.
<i>Property group:</i>	Physical characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—extent of impairment of body structure Health, Standard 29/11/2006 Community services, Standard 16/10/2006
--	--

---

## Extent of participation in a life area

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	324449
<i>Registration status:</i>	Health, Standard 29/11/2006 Community services, Standard 16/10/2006
<i>Definition:</i>	The degree of participation in a life area.
<i>Property group:</i>	Lifestyle characteristics

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—extent of participation in a life area Health, Standard 29/11/2006 Community services, Standard 16/10/2006
--	--

---

## Extent of primary cancer

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	296911
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	Degree of spread of the primary cancer.
<i>Property group:</i>	Health and wellbeing

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person with cancer – extent of primary cancer Health, Standard 04/06/2004
--	---

---

## External cause

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269034
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The circumstances in which an injury, poisoning or other adverse effect has occurred.
<i>Property group:</i>	Crisis event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Reference documents:</i>	International Classification of Diseases - Tenth Revision - Australian Modification (3rd Edition 2002) National Centre for Classification in Health, Sydney

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Injury event – external cause Health, Standard 01/03/2005
--	---



---

## Family name

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269355
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 22/10/2005
<i>Definition:</i>	A designation for a family.
<i>Property group:</i>	Name characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (name) – family name Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 28/07/2005
--	---

---

## Fasting indicator

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269148
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of abstinence from all food and drink except water.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Reference documents:</i>	Dorland I & Newman W.A 2003. Dorland's illustrated medical dictionary, 30th ed. Philadelphia: Saunders.

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Health service event – fasting indicator Health, Standard 01/03/2005
--	--

---

## Feedback collection indicator

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	290389
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>Definition:</i>	An indicator of whether feedback relating to services and service delivery is actively and routinely collected.
<i>Property group:</i>	Performance indicators

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Service provider organisation – feedback collection indicator Health, Standard 05/12/2007
--	--

---

## Feedback collection method

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	356484
<i>Registration status:</i>	Health, Standard 05/12/2007
<i>Definition:</i>	The method employed to actively and routinely collect feedback.
<i>Property group:</i>	Performance indicators

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Service provider organisation – feedback collection method Health, Standard 05/12/2007
--	--

---

## Fibrinolytic drug administered

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	285073
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The type of fibrinolytic drug therapy used.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – fibrinolytic drug administered Health, Standard 04/06/2004
--	---

---

## Fibrinolytic therapy status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	285081
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	An indicator of the use of fibrinolytic therapy.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – fibrinolytic therapy status Health, Standard 04/06/2004
--	--

---

## First angioplasty balloon inflation or stenting date

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	284975
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The date of the first angioplasty balloon inflation or stent placement.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – first angioplasty balloon inflation or stenting date Health, Standard 04/06/2004
--	---

---

## First angioplasty balloon inflation or stenting time

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	285181
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The time of the first angioplasty balloon inflation or stent placement.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Acute coronary syndrome data working group
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – first angioplasty balloon inflation or stenting time Health, Standard 04/06/2004
--	---



---

## First contact date

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269337
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The date on which first contact between a service provider and a patient/client occurred.
<i>Property group:</i>	Entry into service event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Community nursing service episode – first contact date Health, Standard 01/03/2005
--	--

---

## First day of the last menstrual period

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269086
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	Date of the first day of the last menstrual period (LMP).
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Pregnancy – first day of the last menstrual period Health, Standard 01/03/2005
--	--

---

## First service delivery date

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269359
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	Date on which service is delivered for the first time.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of care – first service delivery date (community setting) Health, Standard 01/03/2005
--	--

---

## Floor/level identifier

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269053
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	Descriptor used to identify the floor or level of a multi-storey building/complex.
<i>Context:</i>	Australian addresses
<i>Property group:</i>	Location characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (address) – floor/level identifier Health, Standard 01/03/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – floor/level identifier Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	---

---

## Floor/level type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269379
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	Descriptor used to classify the type of floor or level of a multi-storey building/complex.
<i>Context:</i>	Australian addresses.
<i>Property group:</i>	Location characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Health Data Standards Committee
---------------------------------	---------------------------------

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (address) – floor/level type Health, Standard 01/03/2005 Community services, Standard 30/09/2005 Service provider organisation (address) – floor/level type Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	---

---

## Foot deformity indicator

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>Synonymous names:</i>	Foot malformation
<i>METeOR identifier:</i>	269160
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of the presence of a distortion of the normal shape or size of either foot.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Reference documents:</i>	United States National Library of Medicine 2004. Medical Subject Headings (MESH) Browser. National Library of Medicine, Maryland. Viewed 21 June 2004,

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—foot deformity indicator Health, Standard 01/03/2005
--	---

---

## Foot lesion indicator

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269162
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of the presence of a foot lesion other than an ulcer on either foot.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – foot lesion indicator Health, Standard 01/03/2005
--	--

---

## Foot ulcer indicator

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269163
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of the presence of a lesion on the surface of the skin of either foot, produced by the sloughing of inflammatory necrotic tissue.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Reference documents:</i>	Dorland I & Newman W.A 2003. Dorland's illustrated medical dictionary, 30th ed. Philadelphia: Saunders United States National Library of Medicine 2004. Medical Subject Headings (MESH) Browser. National Library of Medicine, Maryland. Viewed 21 June 2004,

### Relational attributes

<i>Data Element Concepts</i>	Person—foot ulcer indicator Health, Standard 21/09/2005
<i>implementing this Property:</i>	Person—foot ulcer status (current) Health, Superseded 21/09/2005



---

## Formal community support access indicator

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269170
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of the receipt of community-based assistance from paid workers or volunteers organised by formal services (including paid staff in funded group houses).
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—formal community support access indicator Health, Standard 01/03/2005
--	--

---

## Full-time equivalent staff

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269172
<i>Registration status:</i>	Health, Standard 13/05/2005 Community services, Standard 01/03/2005
<i>Definition:</i>	Hours actually worked divided by the number of normal hours worked by a full-time staff member.
<i>Property group:</i>	Labour characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Establishment – full-time equivalent staff (paid) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (administrative and clerical staff) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (carer consultants) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (consultant psychiatrists and psychiatrists) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (consumer consultants) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (diagnostic and health professionals) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (domestic and other staff) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (enrolled nurses) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (occupational therapists) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (other diagnostic and health professionals) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (other medical officers) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (other personal care staff) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (psychiatry registrars and trainees) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (psychologists) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (registered nurses) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (salaried medical officers) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (social workers) Health, Standard 08/12/2004
	Establishment – full-time equivalent staff (paid) (student nurses) Health, Standard 01/03/2005
	Establishment – full-time equivalent staff (paid) (trainee/pupil

nurses) Health, Standard 01/03/2005

---

## Functional stress test element

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	285091
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The element included in an electrocardiogram stress test.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – functional stress test element Health, Standard 04/06/2004
--	---

---

## Functional stress test ischaemic result

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	285099
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The result of an electrocardiogram stress test in terms of ischaemic outcome.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – functional stress test ischaemic result Health, Standard 04/06/2004
--	--

---

## Funding eligibility indicator

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269120
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	Whether eligible services are actually funded.
<i>Property group:</i>	Funding characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Episode of care – funding eligibility indicator Health, Standard 01/03/2005
--	---

---

## Geographic location

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269234
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Retired 10/02/2006
<i>Definition:</i>	A description of physical location.
<i>Property group:</i>	Location characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Establishment – geographic location Health, Standard 01/03/2005 Service delivery outlet – geographic location Health, Standard 01/03/2005
--	--

---

## Given name

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269222
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 22/10/2005
<i>Definition:</i>	A designation for an individual within the family group or by which the individual is socially identified.
<i>Property group:</i>	Name characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (name) – given name Health, Standard 01/03/2005 Community services, Standard 01/03/2005 Housing assistance, Standard 01/08/2005
--	--



---

## Given name sequence number

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	287587
<i>Registration status:</i>	Health, Standard 04/05/2005 Community services, Standard 30/09/2005
<i>Definition:</i>	An order of given name or initials.
<i>Property group:</i>	Name characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (name) – given name sequence number Health, Standard 04/05/2005 Community services, Standard 30/09/2005
--	---

---

# Glycoprotein IIb/IIIa receptor antagonist therapy status

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	285107
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	An indicator of the use of glycoprotein IIb/IIIa receptor antagonist therapy.
<i>Property group:</i>	Health and wellbeing

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

## Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – glycoprotein IIb/IIIa receptor antagonist status Health, Standard 04/06/2004
--	---

---

## Glycosylated haemoglobin level

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>Synonymous names:</i>	HbA1c
<i>METeOR identifier:</i>	269273
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of the level of blood glucose.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – glycosylated haemoglobin level Health, Standard 01/03/2005
--	---

---

## Goal of care

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269203
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The expected outcome of planned care.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Community nursing service episode – goal of care Health, Standard 01/03/2005
--	--

---

## Government funding identifier

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269238
<i>Registration status:</i>	Health, Standard 01/03/2005 Community services, Recorded 27/03/2007
<i>Definition:</i>	An identifier allocated by a government department for the purpose of identifying those eligible for specific services.
<i>Property group:</i>	Identifier characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – government funding identifier Health, Standard 01/03/2005 Community services, Standard 31/08/2007
--	---

---

## Gross capital expenditure

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269024
<i>Registration status:</i>	Health, Standard 01/03/2005 Housing assistance, Standard 10/02/2006
<i>Definition:</i>	Expenditure on the acquisition or enhancement of a <b>non-financial asset</b> .
<i>Property group:</i>	Financial characteristics

### Collection and usage attributes

<i>Guide for use:</i>	National health data dictionary specific: Gross capital expenditure is capital expenditure as reported by the particular establishment having regard to state health authority and other authoritative guidelines as to the differentiation between capital and recurrent expenditure. (A concise indication of the basis on which capital and recurrent expenditure have been differentiated is to form part of national minimum data sets). National housing assistance data dictionary specific: Expenditure on the acquisition or enhancement of an asset (excluding financial assets). A non-financial asset is an entity functioning as a store of value, over which ownership may be derived over a period of time, and which is not a financial asset. Capital includes: acquisitions (purchase of properties); construction costs; redevelopment and improvement (of properties); land acquisitions and development; joint ventures.
-----------------------	---

### Source and reference attributes

<i>Submitting organisation:</i>	National minimum data set working parties
---------------------------------	---

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Establishment – gross capital expenditure (accrual accounting) Health, Standard 01/03/2005 Establishment – gross capital expenditure (accrual accounting) (buildings and building services) Health, Standard 01/03/2005 Establishment – gross capital expenditure (accrual accounting) (constructions) Health, Standard 01/03/2005 Establishment – gross capital expenditure (accrual accounting) (equipment) Health, Standard 01/03/2005 Establishment – gross capital expenditure (accrual accounting) (information technology) Health, Standard 01/03/2005 Establishment – gross capital expenditure (accrual accounting) (intangible assets) Health, Standard 01/03/2005 Establishment – gross capital expenditure (accrual accounting) (land) Health, Standard 01/03/2005 Establishment – gross capital expenditure (accrual accounting) (major medical equipment) Health, Standard 01/03/2005 Establishment – gross capital expenditure (accrual accounting) (other equipment) Health, Standard 01/03/2005 Establishment – gross capital expenditure (accrual accounting) (transport) Health, Standard 01/03/2005
--	--

Establishment – gross capital expenditure (computer equipment/installations) Health, Standard 01/03/2005

Establishment – gross capital expenditure (intangible assets) Health, Standard 01/03/2005

Establishment – gross capital expenditure (land and buildings) Health, Standard 01/03/2005

Establishment – gross capital expenditure (major medical equipment) Health, Standard 01/03/2005

Establishment – gross capital expenditure (other capital expenditure) Health, Standard 01/03/2005

Establishment – gross capital expenditure (plant and other equipment) Health, Standard 01/03/2005

---

## Gross income

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269270
<i>Registration status:</i>	Housing assistance, Standard 01/03/2005
<i>Definition:</i>	The total income before business and tax deductions are accounted for.
<i>Property group:</i>	Financial characteristics

### Source and reference attributes

<i>Origin:</i>	Australian taxation office 2004. Definitions. Australian taxation office, Canberra. Viewed 22 October 2004
----------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Household – gross income Health, Standard 15/12/2005 Housing assistance, Retired 10/02/2006
--	--



---

## Group session status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	294406
<i>Registration status:</i>	Health, Standard 17/05/2005
<i>Definition:</i>	An indicator of services, care or assistance simultaneously being provided to more than one person.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Service contact – group session status Health, Standard 04/05/2005
--	--

---

## Health professionals attended for diabetes mellitus

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269315
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	A descriptor of the class of health professional that has been consulted for diabetes mellitus.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—health professionals attended for diabetes mellitus Health, Standard 01/03/2005
--	--

---

## Heart rate

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	285117
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The number of heart beats per unit time, usually expressed as beats per minute.
<i>Property group:</i>	Physical characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – heart rate Health, Standard 04/06/2004
--	---

---

## Heart rhythm type

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	285127
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	The rhythm of a beating heart.
<i>Property group:</i>	Physical characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – heart rhythm type Health, Standard 04/06/2004
--	--

---

# Height

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>Synonymous names:</i>	Stature
<i>METeOR identifier:</i>	269299
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The standing height or recumbent length of a body.
<i>Property group:</i>	Physical characteristics

## Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

## Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—height Health, Standard 01/03/2005
--	---

---

## High-density lipoprotein cholesterol level

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	310764
<i>Registration status:</i>	Health, Standard 27/10/2005
<i>Definition:</i>	The level of the serum cholesterol carried on high-density lipoproteins, approximately 20 to 30 percent of the total serum cholesterol.
<i>Property group:</i>	Health and wellbeing

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
<i>Origin:</i>	Dorland's Illustrated Medical Dictionary 30th ed. Philadelphia: Saunders

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person—high-density lipoprotein cholesterol level Health, Standard 01/03/2005
--	---

---

## Hip circumference

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269302
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The distance around the human body at the level of maximum posterior extension of the buttocks.
<i>Property group:</i>	Physical characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person – hip circumference Health, Standard 01/03/2005
--	--

---

## Histopathological grade

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	288655
<i>Registration status:</i>	Health, Standard 04/06/2004
<i>Definition:</i>	An indicator of how a tumour resembles the normal tissue from which it arose.
<i>Property group:</i>	Service provision event

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person with cancer – histopathological grade Health, Standard 04/06/2004
--	--



---

## Hospital insurance status

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269219
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	An indicator of private insurance cover for hospital expenses.
<i>Property group:</i>	Funding characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Patient – hospital insurance status Health, Standard 01/03/2005
--	---

---

## Hours on-call

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269154
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The amount of time devoted to being available to provide advice, respond to any emergencies etc. over a specified period.
<i>Property group:</i>	Labour characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Medical practitioner – hours on-call Health, Standard 01/03/2005
--	--

---

## Hours worked

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269066
<i>Registration status:</i>	Community services, Standard 01/03/2005
<i>Definition:</i>	The amount of time devoted to a work activity over a specified period.
<i>Property group:</i>	Labour characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Australian Institute of Health and Welfare
---------------------------------	--

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Health professional – hours worked Health, Standard 01/03/2005
	Medical practitioner – hours worked Health, Standard 01/03/2005

---

## House/property identifier

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	269386
<i>Registration status:</i>	Health, Standard 01/03/2005
<i>Definition:</i>	The numeric or alphanumeric reference number of a house or property that is unique within a street name.
<i>Context:</i>	Australian addresses.
<i>Property group:</i>	Location characteristics

### Source and reference attributes

<i>Submitting organisation:</i>	Health Data Standards Committee
---------------------------------	---------------------------------

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Person (address) – house/property identifier Health, Standard 01/03/2005
	Service provider organisation (address) – house/property identifier Health, Standard 04/05/2005

---

## Human intent of injury

---

### Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	313828
<i>Registration status:</i>	No registration status
<i>Definition:</i>	The human intent of an injury.

### Relational attributes

<i>Data Element Concepts implementing this Property:</i>	Injury event – human intent of injury Health, Standard 24/11/2005
--	---

---

# Hypertension treatment with antihypertensive medication indicator

---

## Identifying and definitional attributes

<i>Metadata item type:</i>	Property
<i>METeOR identifier:</i>	304493
<i>Registration status:</i>	Health, Standard 22/09/2005
<i>Definition:</i>	An indicator of receipt of therapy for hypertension using antihypertensive medication.
<i>Property group:</i>	Health and wellbeing

## Source and reference attributes

<i>Submitting organisation:</i>	National diabetes data working group
---------------------------------	--------------------------------------

## Relational attributes

<i>Related metadata references:</i>	Supersedes <a href="#">Hypertension treatment status</a> Health, Superseded 22/09/2005
<i>Data Element Concepts implementing this Property:</i>	Person – hypertension treatment with antihypertensive medication indicator Health, Standard 21/09/2005