

Injury event—place of occurrence, code (ICD-10-AM 3rd edn) ANN{.N[N]}

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Injury event—place of occurrence, code (ICD-10-AM 3rd edn) ANN{.N[N]}

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Place of occurrence of external cause of injury
METEOR identifier:	268948
Registration status:	Health , Superseded 28/06/2004
Definition:	The place where the external cause of injury, poisoning or adverse effect occurred, as represented by a code.
Data Element Concept:	Injury event—place of occurrence
Value Domain:	Place of occurrence (ICD-10-AM 3rd edn) ANN{.N[N]}

Value domain attributes

Representational attributes

Classification scheme:	International Statistical Classification of Diseases and Related Health Problems, Tenth Revision, Australian Modification 3rd edition
Representation class:	Code
Data type:	String
Format:	ANN{.N[N]}
Maximum character length:	6

Data element attributes

Collection and usage attributes

Guide for use:	Admitted patient: Use External Causes of Morbidity and Mortality Place of Occurrence codes from the current edition of ICD-10-AM. Used with all ICD-10-AM external cause codes and assigned according to the Australian Coding Standards. External cause codes in the range W00 to Y34, except Y06 and Y07 must be accompanied by a place of occurrence code. External cause codes V01 to Y34 must be accompanied by an activity code.
Comments:	Enables categorisation of injury and poisoning according to factors important for injury control. Necessary for defining and monitoring injury control targets, injury costing and identifying cases for in-depth research.

Source and reference attributes

Origin:	National Health Data Committee National Centre for Classification in Health AIHW National Injury Surveillance Unit National Data Standards for Injury Surveillance Advisory Group
----------------	--

Relational attributes

**Related metadata
references:**

Has been superseded by [Injury event—place of occurrence, code \(ICD-10-AM 4th edn\) ANN{.N\[N\]}](#)

[Health](#), Superseded 07/12/2005

Is re-engineered from  [Place of occurrence of external cause of injury, version 6, DE, NHDD, NHIMG, Superseded 01/03/2005.pdf](#) (17.1 KB)

No registration status

**Implementation in Data Set
Specifications:**

[Admitted patient care NMDS](#)

[Health](#), Superseded 07/12/2005

Implementation start date: 01/07/2005

Implementation end date: 30/06/2006

DSS specific information: To be used with ICD-10-AM external cause codes.

[Injury surveillance NMDS](#)

[Health](#), Superseded 07/12/2005