

# Birth event—baby resuscitation method

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Birth event—baby resuscitation method

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element Concept
<b>METEOR identifier:</b>	269410
<b>Registration status:</b>	<a href="#">Health</a> , Superseded 12/12/2018
<b>Definition:</b>	Active measures taken immediately after birth to establish independent respiration and heartbeat, or to treat depressed respiratory effort and to correct metabolic disturbances.
<b>Context:</b>	Perinatal

## Object Class attributes

### Identifying and definitional attributes

<b>Object class:</b>	<a href="#">Birth event</a>
<b>METEOR identifier:</b>	268965
<b>Registration status:</b>	<a href="#">Indigenous</a> , Standard 13/03/2015 <a href="#">Health</a> , Superseded 12/12/2018
<b>Definition:</b>	The sequence of actions by which a baby and the afterbirth (placenta) are expelled or extracted from the uterus at childbirth. The process usually starts spontaneously about 280 days after conception with onset of labour, but it may be started by artificial means.
<b>Specialisation of:</b>	<a href="#">Life event</a>

### Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
<b>Origin:</b>	University of Oxford 2002. Concise Colour Medical Dictionary 3rd ed. UK: Oxford University Press

## Property attributes

### Identifying and definitional attributes

<b>Property:</b>	<a href="#">Baby resuscitation method</a>
<b>METEOR identifier:</b>	269026
<b>Registration status:</b>	<a href="#">Health</a> , Superseded 12/12/2018
<b>Definition:</b>	The action taken for a baby to revive from apparent death or unconsciousness.
<b>Property group:</b>	<a href="#">Birth event</a>

### Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
<b>Origin:</b>	Macquarie University 2003. The Macquarie Dictionary 3rd ed. Sydney: The Macquarie Library Pty Ltd

## Data element concept attributes

### Relational attributes

**Related metadata  
references:**

Has been superseded by [Product of birth—active resuscitation method](#)  
[Health](#), Superseded 03/12/2020

**Data Elements  
implementing this Data  
Element Concept:**

[Birth event—baby resuscitation method, code N](#)  
[Health](#), Superseded 12/12/2018