

Birth event—setting (intended)

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Birth event—setting (intended)

Identifying and definitional attributes

Metadata item type: Data Element Concept

METEOR identifier: 269420

Registration status: [Health](#), Superseded 08/12/2005

Definition: The intended place of birth at the onset of labour.

Context: Perinatal care:

Women who plan to give birth in birth centres or at home usually have different risk factors for outcome compared to those who plan to give birth in hospitals. Women who are transferred to hospital after the onset of labour have increased risks of intervention and adverse outcomes.

Object Class attributes

Identifying and definitional attributes

Object class: [Birth event](#)

METEOR identifier: 268965

Registration status: [Indigenous](#), Standard 13/03/2015
[Health](#), Superseded 12/12/2018

Definition: The sequence of actions by which a baby and the afterbirth (placenta) are expelled or extracted from the uterus at childbirth. The process usually starts spontaneously about 280 days after conception with onset of labour, but it may be started by artificial means.

Specialisation of: [Life event](#)

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Origin: University of Oxford 2002. Concise Colour Medical Dictionary 3rd ed. UK: Oxford University Press

Property attributes

Identifying and definitional attributes

Property: [Setting of birth](#)

Synonymous names: Birth setting

METEOR identifier: 269110

Registration status: [Health](#), Superseded 12/12/2018

Definition: The type of physical environment where the birth occurred.

Property group: [Location characteristics](#)

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Data element concept attributes

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Relational attributes

Related metadata references: Has been superseded by [Birth event—setting of birth Health](#), Superseded 12/12/2018