Episode of treatment for alcohol and other drugs cessation reason

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Episode of treatment for alcohol and other drugs cessation reason

Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	269484
Registration status:	<u>Health</u> , Standard 01/03/2005 <u>Tasmanian Health</u> , Standard 06/12/2023
Definition:	The reason for the client ceasing to receive a treatment episode from an alcohol and other drug treatment service.
Context:	Alcohol and other drug treatment services

Object Class attributes

Identifying and definitional attributes

Object class:	Episode of treatment for alcohol and other drugs
Definition:	The period of contact, with defined dates of commencement and cessation, between a client and a treatment provider or team of providers in which there is no change in the main treatment type or the principal drug of concern, and there has not been a non-planned absence of contact for greater than three months.
Context:	Alcohol and drug treatment services. This concept is required to provide the basis for a standard approach to recording and monitoring patterns of service utilisation by clients.
Specialisation of:	Service episode
Collection and usage attributes	
Guide for use:	A treatment episode must have a defined date of commencement of treatment episode for alcohol and other drugs and a date of cessation of treatment episode for alcohol and other drugs.
	A treatment episode can have only one main treatment type for alcohol and other
	drugs and only one principal drug of concern. If the main treatment or principal drug changes then the treatment episode is closed and a new treatment episode is opened.

A treatment episode may also be considered closed (ceased) if there is a change in the treatment delivery setting or the service delivery outlet. Where the change reflects a substantial alteration in the nature of the treatment episode, for instance where an agency operates in more than one treatment setting (or outlet) they may consider that a change from one setting (or outlet), to another necessitates closure of one episode and commencement of a new one.

Collection methods: Is taken as the period starting from the date of commencement of treatment and ending at the date of cessation of treatment episode.

Source and reference attributes

Submitting organisation:	Intergovernmental Committee on Drugs National Minimum Data Set - Working
	Group

Property attributes

Identifying and definitional attributes

Property: <u>Cessation reason</u>

Definition: The reason for ending an event or process.

Property group: Exit/leave from service event

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Data element concept attributes

Relational attributes

Data Elements implementing this Data Element Concept: Episode of treatment for alcohol and other drugs—cessation reason, code N[N] Health, Standard 01/03/2005 Tasmanian Health, Standard 06/12/2023