Birth event—analgesia administered

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Birth event—analgesia administered

Identifying and definitional attributes

| Metadata item type: | Data Element Concept |
|----------------------|--|
| METEOR identifier: | 269488 |
| Registration status: | Health, Superseded 07/12/2005 |
| Definition: | Agents administered to the mother by injection or inhalation to relieve pain during labour and delivery. |
| Context: | Perinatal statistics: |
| | Analgesia use may influence the duration of labour, may affect the health status of the baby at birth and is an indicator of obstetric intervention. |

Object Class attributes

Identifying and definitional attributes

| Object class: | Birth event | | | |
|---------------------------------|---|--|--|--|
| Definition: | The sequence of actions by which a baby and the afterbirth (placenta) are expelled or extracted from the uterus at childbirth. The process usually starts spontaneously about 280 days after conception with onset of labour, but it may be started by artificial means. | | | |
| Specialisation of: | Life event | | | |
| Source and reference attributes | | | | |
| Submitting organisation: | Australian Institute of Health and Welfare | | | |

| 0 | · | 0 | |
|---------|---|---|--|
| Origin: | | | University of Oxford 2002. Concise Colour Medical Dictionary 3rd ed. UK: Oxford University Press |

Property attributes

Identifying and definitional attributes

| Property: | Analgesia administered |
|-----------------|---|
| Definition: | An agent given to alleviate pain without causing loss of consciousness. |
| Property group: | Service provision event |

Source and reference attributes

| Submitting organisation: | Australian Institute of Health and Welfare |
|--------------------------|--|
| Origin: | Dorland's Illustrated Medical Dictionary 30th ed. Philadelphia: Saunders |

Data element concept attributes

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Relational attributes

| Related metadata | Has been superseded by Birth event—analgesia administered |
|------------------|---|
| references: | Health, Superseded 07/02/2013 |

Data Elements implementing this Data Element Concept: Birth event—analgesia administered, code N Health, Superseded 07/12/2005