

# Birth event—labour augmentation type

<b>Metadata item type:</b>	Data Element Concept
<b>METEOR identifier:</b>	269507
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Health</a>, Standard 01/03/2005</li></ul>
<b>Definition:</b>	Methods used to assist progress of labour.
<b>Context:</b>	Perinatal care

## Object Class attributes

### Identifying and definitional attributes

<b>Object class:</b>	<a href="#">Birth event</a>
<b>Definition:</b>	The sequence of actions by which a baby and the afterbirth (placenta) are expelled or extracted from the uterus at childbirth. The process usually starts spontaneously about 280 days after conception with onset of labour, but it may be started by artificial means.
<b>Specialisation of:</b>	<a href="#">Life event</a>

### Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
<b>Origin:</b>	University of Oxford 2002. Concise Colour Medical Dictionary 3rd ed. UK: Oxford University Press

## Property attributes

### Identifying and definitional attributes

<b>Property:</b>	<a href="#">Labour augmentation type</a>
<b>Definition:</b>	A descriptor of the method used to assist progress of labour.
<b>Property group:</b>	<a href="#">Birth event</a>

### Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
---------------------------------	--

## Data element concept attributes

### Relational attributes

<b>Data Elements implementing this Data Element Concept:</b>	<a href="#">Birth event—labour augmentation type, code N</a> <ul style="list-style-type: none"><li>• <a href="#">Health</a>, Standard 01/03/2005</li></ul>
--	--