

Laboratory standard—upper limit of normal range of glycosylated haemoglobin

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Laboratory standard—upper limit of normal range of glycosylated haemoglobin

Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	269771
Registration status:	Health , Standard 01/03/2005
Definition:	Laboratory standard for the value of glycosylated haemoglobin (HbA1c) that is the upper boundary of the normal reference range.
Context:	Public health, health care and clinical settings.

Object Class attributes

Identifying and definitional attributes

Object class:	Laboratory standard
Definition:	The acknowledged measure of comparison of a laboratory test result for the specified laboratory. The measure of comparison can vary between laboratories.
Specialisation of:	Service/care provider

Property attributes

Identifying and definitional attributes

Property:	Upper limit of normal range of glycosylated haemoglobin
Definition:	The value of glycosylated haemoglobin (HbA1c) that is the upper boundary of the normal reference range.
Property group:	Organisational characteristics

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
---------------------------------	--

Data element concept attributes

Collection and usage attributes

Comments:	The upper limit of normal range is the laboratory standard for the maximum level of HbA1c, which is still in normal range. These figures vary between laboratories.
------------------	--

Relational attributes

Data Elements implementing this Data Element Concept:	Laboratory standard—upper limit of normal range of glycosylated haemoglobin, percentage N[N].N Health , Standard 01/03/2005
--	--