Female (mother)—postpartum perineal status, code N Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Female (mother)—postpartum perineal status, code N

Identifying and definitional attributes

Metadata item type: Data Element
Short name: Perineal status

METEOR identifier: 269939

Registration status: Health, Superseded 07/02/2013

Definition: The state of the perineum following birth, as represented by a code.

Context: Perinatal

Data Element Concept: Female (mother)—postpartum perineal status

Value Domain: Perineal status code N

Value domain attributes

Representational attributes

Representation class: Code

Data type: Number

Format: N

Maximum character length: 1

	Value	Meaning
Permissible values:	1	Intact
	2	1st degree laceration/vaginal graze
	3	2nd degree laceration
	4	3rd degree laceration
	5	Episiotomy
	6	Combined laceration and episiotomy
	7	4th degree laceration
	8	Other
Supplementary values:	9	Not stated

Collection and usage attributes

Guide for use: Vaginal tear is included in the same group as 1st degree laceration to be

consistent with ICD-10-AM code. Other degrees of laceration are as defined in

ICD-10-AM.

Comments: While 4th degree laceration is more severe than an episiotomy it has not been

placed in order of clinical significance within the data domain. Instead it has been added to the data domain as a new code rather than modifying the existing order of data domain code values. This is because information gatherers are accustomed to the existing order of the codes. Modifying the existing order may result in miscoding of data. This approach is consistent with established practice in classifications wherein a new data domain identifier (or code number) is assigned to any new value meaning that occurs, rather than assigning this new value domain

meaning to an existing data domain identifier.

Data element attributes

Collection and usage attributes

Comments: Perineal laceration (tear) may cause significant maternal morbidity in the postnatal

period. Episiotomy is an indicator of management during labour and, to some

extent, of intervention rates.

Relational attributes

Related metadata references:

Has been superseded by Female (mother)—postpartum perineal status, code N[N]

Health, Superseded 02/08/2017

Is re-engineered from Perineal status, version 2, DE, NHDD, NHIMG,

Superseded 01/03/2005.pdf (15.8 KB)

No registration status

Implementation in Indicators:

National Core Maternity Indicators: PI 03-Episiotomy for females giving birth for the

first time and giving birth vaginally, 2018
Health, Superseded 19/06/2019

National Core Maternity Indicators: PI 03-Episiotomy for females giving birth for the

first time and giving birth vaginally, 2019 Health, Superseded 16/09/2020

National Core Maternity Indicators: PI 03-Episiotomy for females giving birth for the

first time and giving birth vaginally, 2023 Health, Standard 14/07/2023

National Core Maternity Indicators: PI 03-Episiotomy for females giving birth for the

first time and giving birth vaginally, 2024 Health, Recorded 21/02/2024

Used as Numerator

National Core Maternity Indicators: PI 03-Episiotomy for women giving birth for the

first time and giving birth vaginally (2013)
Health, Superseded 02/02/2016