

Birth event—labour induction type, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Birth event—labour induction type, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Type of labour induction
METEOR identifier:	270037
Registration status:	Health , Superseded 12/12/2018
Definition:	Method used to induce labour, as represented by a code.

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Birth event—labour induction type
METEOR identifier:	269508
Registration status:	Health , Superseded 12/12/2018
Definition:	Method used to induce labour.
Context:	Perinatal statistics
Object class:	Birth event
Property:	Labour induction type

Value domain attributes

Identifying and definitional attributes

Value domain:	Labour induction code N
METEOR identifier:	270646
Registration status:	Health , Superseded 12/12/2018
Definition:	A code set representing types of labour induction.

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N	
Maximum character length:	1	
Permissible values:	Value	Meaning
	0	None
	1	Oxytocin
	2	Prostaglandins
	3	Artificial rupture of membranes (ARM)
	4	Other

Data element attributes


Collection and usage attributes

Guide for use:	More than one method of induction can be recorded, except where 0=none applies.
Comments:	Type of induction determines the progress and duration of labour and may influence the method of delivery and the health status of the baby at birth.

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee
---------------------------------	---

Relational attributes

Related metadata references:	<p>Has been superseded by Birth event—labour induction method, code N[N] Health, Superseded 03/12/2020</p> <p>Is re-engineered from  Type of labour induction, version 1, DE, NHDD, NHIMG, Superseded 01/03/2005.pdf (13.9 KB)</p> <p><i>No registration status</i></p>
-------------------------------------	--