

# Person—cardiovascular medication taken (current), code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Person—cardiovascular medication taken (current), code N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	Cardiovascular medication (current)
<b>METEOR identifier:</b>	270237
<b>Registration status:</b>	<a href="#">Health</a> , Standard 01/03/2005
<b>Definition:</b>	Whether the individual is currently taking cardiovascular medication, as represented by a code.

## Data element concept attributes

### Identifying and definitional attributes

<b>Data element concept:</b>	<a href="#">Person—cardiovascular medication taken</a>
<b>METEOR identifier:</b>	269895
<b>Registration status:</b>	<a href="#">Health</a> , Standard 01/03/2005
<b>Definition:</b>	Whether the individual is taking some of the following cardiovascular medications: <ul style="list-style-type: none"><li>• Angiotensin converting enzyme (ACE) inhibitors</li><li>• Angiotensin II [A2] antagonists</li><li>• Beta blockers</li><li>• Calcium antagonists</li></ul>
<b>Context:</b>	Public health, health care and clinical settings.
<b>Object class:</b>	<a href="#">Person</a>
<b>Property:</b>	<a href="#">Cardiovascular medication taken</a>

## Value domain attributes

### Identifying and definitional attributes

<b>Value domain:</b>	<a href="#">Cardiovascular medication code N</a>
<b>METEOR identifier:</b>	270788
<b>Registration status:</b>	<a href="#">Health</a> , Standard 01/03/2005
<b>Definition:</b>	A code set representing cardiovascular medication currently being used by a person.

## Representational attributes

<b>Representation class:</b>	Code
<b>Data type:</b>	Number
<b>Format:</b>	N
<b>Maximum character length:</b>	1

	<b>Value</b>	<b>Meaning</b>
<b>Permissible values:</b>	1	Angiotensin converting enzyme (ACE) inhibitors
	2	Angiotensin II (A2) receptor blockers

	3	Beta blockers
	4	Calcium antagonists
	8	None of the above
<b>Supplementary values:</b>	9	Not stated/inadequately described

## Collection and usage attributes

### Guide for use:

CODE 1 Angiotensin converting enzyme (ACE) inhibitors

Use this code for ACE inhibitors (captopril, enalapril, fosinopril, lisinopril, perindopril, quinapril, ramipril andtrandolapril).

CODE 2 Angiotensin II (A2) receptor blockers

Use this code for Angiotensin II receptor blockers (candesartan, eprosartan, irbesartan and telmisartan).

CODE 3 Beta blockers

Use this code for Beta blockers (atenolol, carvedilol, labetalol, metoprolol, oxprenolol, pindolol, propranolol and sotalol).

CODE 4 Calcium antagonists

Use this code for Calcium antagonists ( amlodipine, diltiazem, felodipine, lercanidipine, nifedipine and verapamil).

CODE 8 None of the above

This code is used when none of the listed medications is being taken by the person.

CODE 9 Not stated/inadequately described

This code should only be used in situations where it is not practicable to ask the questions.

### Collection methods:

The person should be asked a series of questions about any current medication for a cardiovascular condition as follows:

Are you currently taking any medication for a cardiovascular condition?

Yes  No

If the person answers 'NO', then code 8 should be applied.

If the person answers 'YES', then ask which one(s) (from the list of drugs in the Guide for use).

Ace Inhibitors  Yes  No

Angiotensin II receptor blockers  Yes  No

Beta blockers  Yes  No

Calcium antagonists  Yes  No

The appropriate code should be recorded for each type of medication currently in use.

## Data element attributes

### Collection and usage attributes

**Collection methods:** A person may be taking one or more of the following medications for a cardiovascular condition. Therefore more than one code may be reported.

## Source and reference attributes

**Origin:** National Diabetes Outcomes Quality Review Initiative (NDOQRIN) data dictionary. Australian Medicines Handbook: last modified by February 2001 Contents of Cardiovascular, Version 3, 1999 Therapeutic Guidelines Limited (05.04.2002)].

## Relational attributes

**Related metadata references:** Is re-engineered from  [Cardiovascular medication - Superseded 01/03/2005, version 1, DE, NHDD, NHIMG, Superseded 01/03/2005.pdf](#) (18.1 KB)  
*No registration status*

**Implementation in Data Set Specifications:** [Diabetes \(clinical\) DSS Health, Superseded 21/09/2005](#)  
***DSS specific information:***

A person may be taking one or more of the following medications for a cardiovascular condition. Therefore more than one code may be reported.

Example 1:

If a person takes one of the ACE inhibitors and a Beta blocker, the code recorded would be 13.

Example 2:

If a person takes one of the ACE inhibitors, an Angiotensin II receptor blocker and a Beta blocker, the code recorded would be 123.

[Diabetes \(clinical\) NBPDS Health, Standard 21/09/2005](#)  
***DSS specific information:***

A person may be taking one or more of the following medications for a cardiovascular condition. Therefore more than one code may be reported.

Example 1:

If a person takes one of the ACE inhibitors and a Beta blocker, the code recorded would be 13.

Example 2:

If a person takes one of the ACE inhibitors, an Angiotensin II receptor blocker and a Beta blocker, the code recorded would be 123.