

Person—cardiovascular medication taken (current), code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person—cardiovascular medication taken (current), code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Cardiovascular medication (current)
METEOR identifier:	270237
Registration status:	Health , Standard 01/03/2005
Definition:	Whether the individual is currently taking cardiovascular medication, as represented by a code.
Data Element Concept:	Person—cardiovascular medication taken
Value Domain:	Cardiovascular medication code N

Value domain attributes

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N
Maximum character length:	1

	Value	Meaning
Permissible values:	1	Angiotensin converting enzyme (ACE) inhibitors
	2	Angiotensin II (A2) receptor blockers
	3	Beta blockers
	4	Calcium antagonists
	8	None of the above
Supplementary values:	9	Not stated/inadequately described

Collection and usage attributes

Guide for use:

CODE 1 Angiotensin converting enzyme (ACE) inhibitors

Use this code for ACE inhibitors (captopril, enalapril, fosinopril, lisinopril, perindopril, quinapril, ramipril and trandolapril).

CODE 2 Angiotensin II (A2) receptor blockers

Use this code for Angiotensin II receptor blockers (candesartan, eprosartan, irbesartan and telmisartan).

CODE 3 Beta blockers

Use this code for Beta blockers (atenolol, carvedilol, labetalol, metoprolol, oxprenolol, pindolol, propranolol and sotalol).

CODE 4 Calcium antagonists

Use this code for Calcium antagonists (amlodipine, diltiazem, felodipine, lercanidipine, nifedipine and verapamil).

CODE 8 None of the above

This code is used when none of the listed medications is being taken by the person.

CODE 9 Not stated/inadequately described

This code should only be used in situations where it is not practicable to ask the questions.

Collection methods:

The person should be asked a series of questions about any current medication for a cardiovascular condition as follows:

Are you currently taking any medication for a cardiovascular condition?

___ Yes ___ No

If the person answers 'NO', then code 8 should be applied.

If the person answers 'YES', then ask which one(s) (from the list of drugs in the Guide for use).

Ace Inhibitors ___ Yes ___ No

Angiotensin II receptor blockers ___ Yes ___ No

Beta blockers ___ Yes ___ No

Calcium antagonists ___ Yes ___ No

The appropriate code should be recorded for each type of medication currently in use.

Data element attributes

Collection and usage attributes

Collection methods:

A person may be taking one or more of the following medications for a cardiovascular condition. Therefore more than one code may be reported.


Source and reference attributes

Origin:

National Diabetes Outcomes Quality Review Initiative (NDOQRIN) data dictionary. Australian Medicines Handbook: last modified by February 2001 Contents of Cardiovascular, Version 3, 1999 Therapeutic Guidelines Limited (05.04.2002)].

Relational attributes

**Related metadata
references:**

Is re-engineered from  [Cardiovascular medication - Superseded 01/03/2005, version 1, DE, NHDD, NHIMG, Superseded 01/03/2005.pdf](#) (18.1 KB)
No registration status

**Implementation in Data Set
Specifications:**

[Diabetes \(clinical\) DSS](#)
[Health](#), Superseded 21/09/2005
DSS specific information:

A person may be taking one or more of the following medications for a cardiovascular condition. Therefore more than one code may be reported.

Example 1:

If a person takes one of the ACE inhibitors and a Beta blocker, the code recorded would be 13.

Example 2:

If a person takes one of the ACE inhibitors, an Angiotensin II receptor blocker and a Beta blocker, the code recorded would be 123.

[Diabetes \(clinical\) NBPDS](#)
[Health](#), Standard 21/09/2005
DSS specific information:

A person may be taking one or more of the following medications for a cardiovascular condition. Therefore more than one code may be reported.

Example 1:

If a person takes one of the ACE inhibitors and a Beta blocker, the code recorded would be 13.

Example 2:

If a person takes one of the ACE inhibitors, an Angiotensin II receptor blocker and a Beta blocker, the code recorded would be 123.