

# Person—dependency in activities of daily living (bladder continence), code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Person—dependency in activities of daily living (bladder continence), code N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	Dependency in activities of daily living—bladder continence
<b>METEOR identifier:</b>	270417
<b>Registration status:</b>	<a href="#">Health</a> , Standard 01/03/2005
<b>Definition:</b>	An indicator of the level of a person's bladder continence, as represented by a code.
<b>Context:</b>	Dependency reflects the person's need, rather than the actual service provision which addresses that need. This is essential information in the community environment, where the relationship between a person's functional status and care allocated is not direct. The involvement of 'informal' carers, the possibility of resource allocation being driven by availability rather than need, and the vulnerability of system to inequity, all require a 'standard' view of the person. It is against this background that resource allocation and carer burden can then be monitored. It is important to distinguish between this view of dependency and that of the institutional system, where a dependency 'measure' may be used to predict or dictate staffing needs or to allocate funding.

## Data element concept attributes

### Identifying and definitional attributes

<b>Data element concept:</b>	<a href="#">Person—dependency in activities of daily living</a>
<b>METEOR identifier:</b>	269825
<b>Registration status:</b>	<a href="#">Community Services (retired)</a> , Recorded 16/11/2009 <a href="#">Health</a> , Standard 01/03/2005
<b>Definition:</b>	An indicator of a person's ability to carry out activities of daily living without assistance.
<b>Object class:</b>	<a href="#">Person</a>
<b>Property:</b>	<a href="#">Dependency in activities of daily living</a>

## Value domain attributes

### Identifying and definitional attributes

<b>Value domain:</b>	<a href="#">Bladder continence code N</a>
<b>METEOR identifier:</b>	270915
<b>Registration status:</b>	<a href="#">Health</a> , Standard 01/03/2005
<b>Definition:</b>	A code set representing levels of bladder continence.

## Representational attributes

<b>Representation class:</b>	Code
<b>Data type:</b>	Number
<b>Format:</b>	N
<b>Maximum character length:</b>	1

	Value	Meaning
Permissible values:	1	Continent of urine (includes independence in use of device)
	2	Incontinent less than daily
	3	Incontinent once per 24 hour period
	4	Incontinent 2-6 times per 24 hour period
	5	Incontinent more than 6 times per 24 hour period
	6	Incontinent more than once at night only

## Data element attributes

### Collection and usage attributes

<b>Guide for use:</b>	<p>Services may elect to adopt the measures as defined in this metadata item or adopt one of the following tools now available, such as the Bryan, Barthel, Katz, Functional Independence Measure, Resource Utilisation Groups etc.</p> <p>Each agency should seek to adopt a dependency classification, which can be mapped to other classifications and produce equivalent scores.</p>
<b>Collection methods:</b>	Commencement of care episode (there may be several visits in which assessment data are gathered).
<b>Comments:</b>	<p>There are a significant number of dependency instruments in use in the community and institutional care. The Community Nursing Minimum Data Set Australia recommends the adoption of a dependency tool from a limited range of options as outlined in Guide for use.</p> <p>The Person dependency in activities of daily living metadata items consist of a number of standard elements, which can be used to map to and/or score from the majority of dependency instruments.</p>

### Source and reference attributes

<b>Submitting organisation:</b>	Australian Council of Community Nursing Services
<b>Reference documents:</b>	ACCNS 1997. Community nursing minimum data set Australia version 2.0: data dictionary and guidelines. Melbourne: ACCNS

### Relational attributes

<b>Related metadata references:</b>	<p>Is re-engineered from  <a href="#">Dependency in activities of daily living, version 2, DE, NHDD, NHIMG, Superseded 01/03/2005.pdf</a> (22.7 KB)</p> <p><i>No registration status</i></p>
-------------------------------------	---