

Renal disease therapy code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Renal disease therapy code N

Identifying and definitional attributes

| | |
|-----------------------------|--|
| Metadata item type: | Value Domain |
| METEOR identifier: | 270808 |
| Registration status: | Health , Standard 01/03/2005 |
| Definition: | A code set representing the type of therapy provided for treatment of renal disease. |

Representational attributes

| | |
|----------------------------------|--------|
| Representation class: | Code |
| Data type: | Number |
| Format: | N |
| Maximum character length: | 1 |

| | Value | Meaning |
|----------------------------|--------------|---|
| Permissible values: | 1 | Drugs for modification of renal disease |
| | 2 | Drugs for treatment of complications of renal disease |
| | 3 | Peritoneal dialysis |
| | 4 | Haemodialysis |
| | 5 | Functioning renal transplant |

Collection and usage attributes

| | |
|-----------------------|---|
| Guide for use: | <p>CODE 1 Drugs for modification of renal disease</p> <p>This code is used to indicate drugs for modification of renal disease, includes drugs intended to slow progression of renal failure. Examples include antiproteinurics such as angiotensin converting enzyme inhibitors (ACEI), angiotensin II receptor antagonists (ATRA) and immunosuppressants.</p> <p>CODE 2 Drugs for treatment of complications of renal disease</p> <p>This code is used to indicate drugs for the treatment of the complications of renal disease. Examples include antihypertensive agents and drugs that are intended to correct biochemical imbalances caused by renal disease (e.g. loop diuretics, ACEI, erythropoietin, calcitriol, etc).</p> <p>CODE 3 Peritoneal dialysis</p> <p>This code is used to indicate peritoneal dialysis, chronic peritoneal dialysis, delivered at home, at a dialysis satellite centre or in hospital.</p> <p>CODE 4 Haemodialysis</p> <p>This code is used to indicate haemodialysis, chronic haemodialysis delivered at home, at a dialysis satellite centre or in hospital.</p> <p>CODE 5 Functioning renal transplant</p> <p>This code is used to indicate functioning renal transplant, the presence of a functioning renal transplant.</p> |
|-----------------------|---|

Relational attributes

**Data elements
implementing this value
domain:**

[Person—renal disease therapy, code N](#)
[Health](#), Standard 01/03/2005