Time of first angioplasty balloon inflation or stenting

Important note: This is an archived metadata standard from the AIHW Knowledgebase. For current metadata standards and related information please access METeOR, the AIHW's Metadata Online Registry at http://meteor.aihw.gov.au

Identifying and Definitional Attributes

Data Dictionary: NHDD

Knowledgebase ID: 001049 Version number: 1

Metadata type: DATA ELEMENT

Registration NHIMG Admin status: SUPERSEDED

Authority: Effective date: 01-MAR-05

Definition: The time of the first angioplasty balloon inflation or stent placement.

Context: Health care and clinical settings.

Relational and Representational Attributes

Datatype: Numeric

Representational DATE

form:

Representation HHMM

layout:

Minimum Size: Maximum Size: 4

Data Domain: NOVAL Time in 24-hour clock format.

Guide For Use: For Acute coronary syndrome (ACS) reporting, refers to coronary

arteries.

Related metadata: is used in conjunction with Date of triage version 1

is used in conjunction with Time of triage version 1

is used in conjunction with Acute coronary syndrome procedure

type version 1

is used in conjunction with Date of first angioplasty balloon

inflation or stenting version 1

Administrative Attributes

Source Document:

Source Organisation: Acute Coronary Syndrome Data Working Group.

Data Element Links

Information Model Entities linked to this Data Element NHIM Service provision event Data Agreements which include this Data Element

DSS - Acute coronary syndrome (clinical) From 04-Jun-04 to