Lifestyle characteristics

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Lifestyle characteristics

Identifying and definitional attributes

Item type:	Property Group
METEOR identifier:	274652
Description:	Characteristics of the lifestyle of a person or group of people. For example, injecting drug use status, physical activity sufficiency status, tobacco smoking status.

Properties in this Property group

- Activity type
- Alcohol consumption after 20 weeks of pregnancy indicator
- <u>Alcohol consumption amount</u>
- <u>Alcohol consumption during pregnancy indicator</u>
- Alcohol consumption frequency
- <u>Alcohol consumption frequency after 20 weeks of pregnancy</u>
- Alcohol consumption frequency in the first 20 weeks of pregnancy
- <u>Alcohol consumption in prison indicator</u>
- <u>Alcohol consumption in the first 20 weeks of pregnancy indicator</u>
- <u>Alcohol treatment program participation indicator</u>
- <u>Assistance available to quit smoking</u>
- <u>Assistance used to quit smoking</u>
- <u>Average daily amount of alcohol consumed during pregnancy</u>
- <u>Average number of tobacco cigarettes smoked per day during pregnancy</u>
- <u>Change in tobacco consumption indicator</u>
- <u>Change in tobacco consumption since imprisonment indicator</u>
- <u>Consumption of 6 or more standard drinks on one occasion</u>
- <u>Current smoking status indicator</u>
- Ever smoked a full cigarette indicator
- Extent of participation in a life area
- Illicit substance use frequency
- Injecting drug use frequency
- Injecting drug use indicator
- Injecting drug use status
- Life expectancy
- <u>Like to quit smoking indicator</u>
- <u>Marijuana smoking during pregnancy indicator</u>
- <u>Method of drug use</u>
- <u>Needle sharing frequency</u>
- <u>Needle sharing indicator</u>
- Number of cigarettes smoked
- <u>Number of cigarettes smoked after 20 weeks of pregnancy</u>
- Number of cigarettes smoked first 20 weeks of pregnancy
- Number of standard drinks consumed when drinking alcohol after 20 weeks of pregnancy
- Number of standard drinks consumed when drinking alcohol in the first 20 weeks of pregnancy
- Number of tobacco cigarettes smoked per day after 20 weeks of pregnancy
- Number of tobacco cigarettes smoked per day in the first 20 weeks of pregnancy
- Physical activity change
- <u>Physical activity change</u>
- <u>Physical activity sufficiency status</u>
- Plan to continue smoking after release indicator
- Plan to continue smoking status
- <u>Recreational drug use during pregnancy indicator</u>
- <u>Regular tobacco smoking indicator</u>
- Smoking cessation program participation indicator
- <u>Sport/exercise type</u>
- <u>Substance used illicitly indicator</u>
- <u>Time since quitting tobacco smoking</u>
- <u>Tobacco product smoked</u>
- Tobacco smoking after 20 weeks of pregnancy indicator
- Tobacco smoking daily use status
- Tobacco smoking duration

<u>Tobacco smoking during pregnancy indicator</u>

- <u>Tobacco smoking frequency</u>
- <u>Tobacco smoking in household indicator</u>
- <u>Tobacco smoking in the first 20 weeks of pregnancy indicator</u>
- <u>Tobacco smoking indicator (after twenty weeks of pregnancy)</u>
- <u>Tobacco smoking indicator (first twenty weeks of pregnancy)</u>

- Tobacco smoking indicator (inst twenty weeks of pregnation in the pregnation of the pregnation in the presence of the pregnation is the presence of the pregnation is the presence of the pregnation is the presence of the presence