

# Fibrinolytic therapy status code NN

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Fibrinolytic therapy status code NN

## Identifying and definitional attributes

<b>Metadata item type:</b>	Value Domain
<b>METEOR identifier:</b>	285085
<b>Registration status:</b>	<a href="#">Health</a> , Standard 04/06/2004
<b>Definition:</b>	A code set representing whether or not fibrinolytic therapy is administered and the reason for not administering the therapy.

## Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	NN	
Maximum character length:	2	
	<b>Value</b>	<b>Meaning</b>
Permissible values:	10	Given
	21	Not given - therapy not indicated
	22	Not given - patient refusal
	23	Not given - previous haemorrhagic stroke at any time; other strokes or cerebrovascular events within 1 year
	24	Not given - known intracranial neoplasm
	25	Not given - active or recent (within 2 to 4 weeks) internal bleeding (does not include menses)
	26	Not given - suspected aortic dissection
	27	Not given - severe uncontrolled hypertension on presentation (blood pressure >180 mmHg systolic and/or 110 mmHg diastolic). Note: This could be an absolute contraindication in low-risk patients with MI.
	28	Not given - history of prior cerebrovascular accident or known intracerebral pathology not covered in 2.3 & 2.4 contraindications
	29	Not given - current use of anticoagulants in therapeutic doses (INR greater than or equal to 2); known bleeding diathesis
	30	Not given - recent trauma (within 2 to 4 weeks), including head trauma, traumatic or prolonged (greater than 10 minutes) CPR, or major surgery (less than 3 weeks)
	31	Not given - pregnancy
32	Not given - other	
Supplementary values:	90	Not stated/inadequately described

## Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
---------------------------------	--

## Relational attributes

**Data elements  
implementing this value  
domain:**

[Person—fibrinolytic therapy status, code NN](#)  
[Health](#), Standard 04/06/2004