

# Killip classification code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Killip classification code N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Value Domain
<b>METEOR identifier:</b>	285149
<b>Registration status:</b>	<a href="#">Health</a> , Standard 04/06/2004
<b>Definition:</b>	A code set representing the Killip class, as a measure of haemodynamic compromise.

## Representational attributes

<b>Representation class:</b>	Code
<b>Data type:</b>	Number
<b>Format:</b>	N
<b>Maximum character length:</b>	1

	<b>Value</b>	<b>Meaning</b>
<b>Permissible values:</b>	1	Class 1
	2	Class 2
	3	Class 3
	4	Class 4
<b>Supplementary values:</b>	8	Other
	9	Not stated/inadequately described

## Collection and usage attributes

**Guide for use:** Rales or crepitations represent evidence of pulmonary interstitial oedema on lung auscultation and an S<sub>3</sub> is an audible extra heart sound by cardiac auscultation.

CODE 1 Class 1

Absence of crepitations/rales over the lung fields and absence of S<sub>3</sub>.

CODE 2 Class 2

Crepitations/rales over 50% or less of the lung fields or the presence of an S<sub>3</sub>.

CODE 3 Class 3

Crepitations/rales over more than 50% of the lung fields.

CODE 4 Class 4

Cardiogenic Shock. Clinical criteria for cardiogenic shock are hypotension (a systolic blood pressure of less than 90 mmHg for at least 30 minutes or the need for supportive measures to maintain a systolic blood pressure of greater than or equal to 90 mmHg), end-organ hypoperfusion (cool extremities or a urine output of less than 30 ml/h, and a heart rate of greater than or equal to 60 beats per minute). The haemodynamic criteria are a cardiac index of no more than 2.2 l/min per square meter of body-surface area and a pulmonary-capillary wedge pressure of at least 15 mmHg.

## Relational attributes

**Data elements  
implementing this value  
domain:**

[Person—Killip classification, code N](#)  
[Health](#), Standard 04/06/2004