

Killip classification code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Killip classification code N

Identifying and definitional attributes

Metadata item type:	Value Domain
METEOR identifier:	285149
Registration status:	Health , Standard 04/06/2004
Definition:	A code set representing the Killip class, as a measure of haemodynamic compromise.

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N
Maximum character length:	1

	Value	Meaning
Permissible values:	1	Class 1
	2	Class 2
	3	Class 3
	4	Class 4
Supplementary values:	8	Other
	9	Not stated/inadequately described

Collection and usage attributes

Guide for use:	<p>Rales or crepitations represent evidence of pulmonary interstitial oedema on lung auscultation and an S₃ is an audible extra heart sound by cardiac auscultation.</p> <p>CODE 1 Class 1</p> <p>Absence of crepitations/rales over the lung fields and absence of S₃.</p> <p>CODE 2 Class 2</p> <p>Crepitations/rales over 50% or less of the lung fields or the presence of an S₃.</p> <p>CODE 3 Class 3</p> <p>Crepitations/rales over more than 50% of the lung fields.</p> <p>CODE 4 Class 4</p> <p>Cardiogenic Shock. Clinical criteria for cardiogenic shock are hypotension (a systolic blood pressure of less than 90 mmHg for at least 30 minutes or the need for supportive measures to maintain a systolic blood pressure of greater than or equal to 90 mmHg), end-organ hypoperfusion (cool extremities or a urine output of less than 30 ml/h, and a heart rate of greater than or equal to 60 beats per minute). The haemodynamic criteria are a cardiac index of no more than 2.2 l/min per square meter of body-surface area and a pulmonary-capillary wedge pressure of at least 15 mmHg.</p>
-----------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Relational attributes

**Data elements
implementing this value
domain:**

[Person—Killip classification, code N](#)
[Health](#), Standard 04/06/2004