

Reason for readmission following acute coronary syndrome episode code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Reason for readmission following acute coronary syndrome episode code N[N]

Identifying and definitional attributes

Metadata item type:	Value Domain
METEOR identifier:	285169
Registration status:	Health , Superseded 01/10/2008
Definition:	A code set representing the main reason for the admission following a previous discharge from an acute coronary syndrome episode.

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N[N]
Maximum character length:	2

	Value	Meaning
Permissible values:	1	ST elevation myocardial infarction
	2	non-ST elevation ACS with high-risk features
	3	non-ST elevation ACS with intermediate-risk features
	4	non-ST elevation ACS with low-risk features
	5	Planned Percutaneous Coronary Intervention (PCI)
	6	Planned Coronary Artery Bypass Grafting (CABG)
	7	Heart Failure (without MI)
	8	Arrhythmia (without MI)
	9	Conduction disturbance (without MI)
	88	Non-cardiac cause
Supplementary values:	99	Not stated/inadequately described

Collection and usage attributes

Guide for use:	CODE 5 Planned Percutaneous Coronary Intervention (PCI) This code is used when a readmission and PCI is planned, i.e. not precipitated by a recurrent ischaemic event. If a recurrent ischaemic event precipitates a readmission with an associated PCI undertaken, one of codes 1-4 should be coded.
	CODE 6 Planned Coronary Artery Bypass Grafting (CABG) This code is used coded when a readmission and CABG is planned, i.e. not precipitated by a recurrent ischaemic event. If a recurrent ischaemic event precipitates a readmission with an associated CABG undertaken, one of codes 1-4 should be coded.

Relational attributes

Related metadata references:

Has been superseded by [Reason for readmission following acute coronary syndrome episode code N\[N\]](#)
[Health](#), Standard 01/10/2008

Data elements implementing this value domain:

[Person—reason for readmission following acute coronary syndrome episode, code N\[N\]](#)
[Health](#), Superseded 01/10/2008