

Episode of community based palliative care— cessation reason

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Episode of community based palliative care—cessation reason

Identifying and definitional attributes

Metadata item type:	Data Element Concept
METEOR identifier:	287887
Registration status:	Health , Recorded 13/05/2008
Definition:	The reason a client's episode of community-based palliative care ends.

Object Class attributes

Identifying and definitional attributes

Object class:	Episode of community based palliative care
Definition:	The period of time between the start and cessation of community based palliative care, during which a patient with a life-limiting illness and/or their carer(s)/family/friends receives services in a community-based setting from a specific agency to improve their quality of life.

Collection and usage attributes

Guide for use:	<p>An episode of community based palliative care commences when the patient has been assessed and accepted for care by the service provider and the patient has consented to receive care. The episode ends when the patient dies, or discharge (case closure) occurs for another reason.</p> <p>During an episode of community based palliative care, a patient may be admitted to hospital (or a hospice) to receive care. The community based episode of care would continue as long as there is an expectation that the patient would be returning to the care of the community based palliative care service provider.</p>
----------------	---

Source and reference attributes

Submitting organisation:	Palliative Care Intergovernmental Forum
--------------------------	---

Property attributes

Identifying and definitional attributes

Property:	Cessation reason
Definition:	The reason for ending an event or process.
Property group:	Exit/leave from service event

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
--------------------------	--

Data element concept attributes

Source and reference attributes

Submitting organisation:	Palliative Care Intergovernmental Forum
--------------------------	---

Relational attributes

**Data Elements
implementing this Data
Element Concept:**

[Episode of community based palliative care—cessation reason, code N](#)
[Health](#), Recorded 13/05/2008