Service provider organisation—most common service delivery setting, code N

Exported from METEOR (AIHW's Metadata Online Registry)

Service provider organisation—most common service delivery setting, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Most common service delivery setting
METEOR identifier:	297708
Registration status:	Health, Retired 02/12/2015
Definition:	The setting in which the service provider organisation most commonly delivers services, as represented by a code.
Data Element Concept:	Service provider organisation—most common service delivery setting
Value Domain:	Most common service delivery setting code N

Value domain attributes

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N	
Maximum character length:	1	
	Value	**Meaning**
Permissible values:	1	Mostly community-based setting
	2	Mostly inpatient setting
	3	Similar proportion in both settings

Collection and usage attributes

Collection methods:	Record only one code.

Data element attributes

Collection and usage attributes

| **Guide for use:** | CODE 1   Mostly community based setting |
| | |

During the past 12 months, more than 60% of service delivery time was estimated to have been spent on delivering services to, and on behalf of, clients in community settings. This includes residential settings such as private residences (including caravans, mobile homes, houseboats or units in a retirement village), residential aged care facilities, prisons, and community living environments (including group homes); and non-residential settings such as day respite centres or day centres. It includes hospital outreach services and outpatient settings where these are delivered in the community setting.

CODE 2   Mostly inpatient setting

During the past 12 months, more than 60% of service delivery time was estimated to have been spent on delivering services to, and on behalf of, clients in inpatient settings. This includes hospitals, hospices or admitted patient settings. It excludes services delivered in outpatient settings and hospital outreach services delivered in the community setting.

CODE 3   Similar level in both settings

During the past 12 months, a similar proportion of service delivery time (between 40-60%) was estimated to have been spent on delivering services in community and inpatient settings.

Collection methods: Record only one code.

Source and reference attributes

Submitting organisation: Palliative Care Intergovernmental Forum

Relational attributes

Implementation in Data Set Specifications: Palliative care performance indicators DSS Health, Retired 02/12/2015