Activity difficulty level code (ICF 2001) N



© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Activity difficulty level code (ICF 2001) N

Identifying and definitional attributes

Metadata item type: Value Domain

Synonymous names: Activity - level of difficulty

METEOR identifier: 324621

Registration status: Community Services (retired), Standard 16/10/2006

<u>Disability</u>, Standard 13/08/2015 <u>Health</u>, Standard 29/11/2006

Definition: A code set representing the level of difficulty experienced in executing an <u>activity</u>

from the Activities and Participation component of the International Classification

of Functioning, Disability and Health (ICF 2001).

Context: Human functioning and disability.

Representational attributes

Classification scheme: International Classification of Functioning, Disability and Health 2001

Representation class: Code

Data type: Number

Format: N

Maximum character length: 1

	Value	Meaning
Permissible values:	0	No difficulty
	1	Mild difficulty
	2	Moderate difficulty
	3	Severe difficulty
	4	Complete difficulty
Supplementary values:	8	Not specified
	9	Not applicable

Collection and usage attributes

Guide for use:

This metadata item contributes to the definition of the concept 'Disability' and gives an indication of the experience of disability for a person.

In the context of health, an activity is the execution of a task or action by an individual. Activity limitations are difficulties an individual may have in executing an activity.

Difficulties with activities can arise when there is a qualitative or quantitative alteration in the way in which these activities are carried out. Difficulty includes matters such as 'with pain', 'time taken', 'number of errors', clumsiness', 'modification of manner in which an activity is performed' e.g. sitting to get dressed instead of standing. 'Difficulty' is a combination of the frequency with which the problem exists, the duration of the problem and the intensity of the problem. Activity limitations are assessed against a generally accepted population standard, relative to cultural and social expectations.

Activity limitation varies with the environment and is assessed in relation to a particular environment; the absence or presence of **assistance**, including aids and equipment, is an aspect of the environment.

The user will select the code that most closely summarises, in terms of duration, frequency, manner or outcome, the level of difficulty of the person for whom the data is recorded.

CODE 0 No difficulty in this life area

Is used when there is no difficulty in performing this activity. This scale has a margin of error of 5%. [0-4%]

CODE 1 Mild difficulty

Is recorded for example, when the level of difficulty is below the threshold for medical intervention, the difficulty is experienced less than 25% of the time, and/or with a low alteration in functioning which may happen occasionally over the last 30 days. [5-24%]

CODE 2 Moderate difficulty

Is used for example when the level of difficulty is experienced less than 50% of the time and/or with a significant, but moderate effect on functioning (Up to half the scale of total performance) which may happen regularly over the last 30 days. [25-49%]

CODE 3 Severe difficulty

Is used for example when performance in this life area can be achieved, but with only extreme difficulty, and/or with an extreme effect on functioning which may happen often over the last 30 days. [50-95%]

CODE 4 Complete difficulty

Is used when the person can not perform in this life area due of the difficulty in doing so. This scale has a margin of error of 5%. [96-100%]

CODE 8 Not specified

Is used where a person has difficulty with activities in a life area but there is insufficient information to use codes 0-4.

CODE 9 Not applicable

Is used where a life area is not applicable to this person, e.g. domestic life for a child under 5.

Source and reference attributes

Submitting organisation:

Australian Institute of Health and Welfare (AIHW) which is the Australian Collaborating Centre for the World Health Organization Family of International Classifications.

Origin: WHO 2001. ICF: International Classification of Functioning, Disability and Health.

Geneva: WHO

AlHW 2003. ICF Australian User Guide Version 1.0. Canberra: AlHW

Reference documents: Further information on the ICF, including more detailed codes, can be found in the

ICF itself and the ICF Australian User Guide (AIHW 2003), at the following

websites:

• WHO ICF website

http://www.who.int/classifications/icf/en/

 Australian Collaborating Centre ICF website http://www.aihw.gov.au/disability/icf/index.cfm

Relational attributes

Related metadata Supersedes Activity difficulty level code (ICF 2001) N

references: Community Services (retired), Superseded 16/10/2006

Data elements

Person—level of difficulty with activities in life areas, code (ICF 2001) N

implementing this value Community Services (retired), Standard 16/10/2006

domain: Disability, Standard 13/08/2015
Health, Standard 29/11/2006