

# Neonatal death

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Neonatal death

## Identifying and definitional attributes

<b>Metadata item type:</b>	Glossary Item
<b>METEOR identifier:</b>	327250
<b>Registration status:</b>	<a href="#">Health</a> , Standard 01/03/2005 <a href="#">Tasmanian Health</a> , Standard 14/11/2023
<b>Definition:</b>	The death of a live birth which occurs during the first 28 days of life. This may be subdivided into early neonatal deaths, occurring during the first seven days of life, and late neonatal deaths, occurring after the seventh day but before 28 completed days of life.
<b>Context:</b>	Perinatal


## Collection and usage attributes

<b>Comments:</b>	Age at death during the first day of life (day zero) should be recorded in units of completed minutes or hours of life. For the second (day one), third (day two) and through 27 completed days of life, age at death should be recorded in days (WHO 1992).
------------------	--

## Source and reference attributes

<b>Submitting organisation:</b>	National Perinatal Data Development Committee
<b>Origin:</b>	International Classification of Diseases, 10th Revision, WHO, 1992

## Relational attributes

<b>Related metadata references:</b>	Is re-engineered from  <a href="#">Neonatal death, version 1, DEC, NHDD, NHMG, Superseded 01/03/2005.pdf</a> (12.2 KB) <i>No registration status</i>
-------------------------------------	--

**Metadata items which use  
this glossary item:**

[Female—neonatal death at any previous birth indicator](#)

[Tasmanian Health](#), Standard 14/11/2023

[Female—neonatal death at any previous birth indicator, yes/no/not applicable/not  
stated/inadequately described code N](#)

[Tasmanian Health](#), Standard 14/11/2023

[Female—number of previous neonatal deaths](#)

[Tasmanian Health](#), Standard 14/11/2023

[Female—number of previous neonatal deaths, total count N\[N\]](#)

[Tasmanian Health](#), Standard 14/11/2023

[Neonatal death at any previous birth indicator](#)

[Tasmanian Health](#), Standard 14/11/2023

[Number of previous neonatal deaths](#)

[Tasmanian Health](#), Standard 14/11/2023

[Perinatal death](#)

[Health](#), Standard 17/12/2021

[Perinatal Mortality NBEDS 2022–23](#)

[Health](#), Superseded 07/02/2023

[Perinatal Mortality NBEDS 2023–24](#)

[Health](#), Standard 07/02/2023

[Perinatal Mortality NBEDS 2024–25](#)

[Health](#), Qualified 12/09/2023

[Product of birth—perinatal death type, code N](#)

[Health](#), Standard 17/12/2021

[Total neonatal deaths N\[N\]](#)

[Tasmanian Health](#), Standard 14/11/2023