

Person with acute coronary syndrome—underlying cause of acute coronary syndrome, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person with acute coronary syndrome—underlying cause of acute coronary syndrome, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Other/Underlying cause of acute coronary syndrome
Synonymous names:	Secondary cause of ACS
METEOR identifier:	338310
Registration status:	Health , Standard 01/10/2008
Definition:	The condition or event, other than the usual risk factors, which has caused a person's acute coronary syndrome symptoms, as represented by a code
Data Element Concept:	Person—underlying cause of acute coronary syndrome
Value Domain:	Underlying cause of acute coronary syndrome code N

Value domain attributes

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N[N]
Maximum character length:	9

	Value	Meaning
Permissible values:	1	Anaemia
	2	Severe valvular disease
	3	Thyrotoxicosis
	4	Fever
	5	Hypoxaemia
	6	Trauma
	7	Surgery
Supplementary values:	88	Other
	99	Not stated/inadequately described

Data element attributes

Collection and usage attributes

Collection methods:	This is to be recorded by the clinician.
Comments:	<p>This identifies whether the person experiencing acute coronary syndrome (ACS) symptoms is doing so due to another condition or event and where the treatment would be primarily targeted at managing that condition.</p> <p>The presence of one of these conditions or events has a significant impact on the appropriate treatment modalities for ACS. Therefore, the person's treatment may be different from those recommended for ACS.</p>

Relational attributes

Implementation in Data Set Specifications: [Acute coronary syndrome \(clinical\) DSS Health](#), Superseded 01/09/2012

[Acute coronary syndrome \(clinical\) DSS Health](#), Superseded 02/05/2013

[Acute coronary syndrome \(clinical\) NBPDS 2013-Health](#), Standard 02/05/2013

Implementation start date: 01/07/2013