
# Person—creatinine serum level measured date, DDMMYYYY



Metadata 343843

meteor@aihw.gov.au.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at

## Person—creatinine serum level measured date, DDMMYYYY

#### Identifying and definitional attributes

Metadata item type: Data Element

**Short name:** Date creatinine serum level measured

METEOR identifier: 343843

Registration status: Health, Standard 01/10/2008

**Definition:** The date when the person's creatinine serum level was measured.

Data Element Concept: Person—creatinine serum level measured date

Value Domain: <u>Date DDMMYYYY</u>

#### Value domain attributes

#### Representational attributes

Representation class: Date

Data type: Date/Time
Format: DDMMYYYY

Maximum character length: 8

#### Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

#### Data element attributes

#### Collection and usage attributes

**Collection methods:** Record the date of the most recent creatinine serum level measurement taken in

the last 12 months.

Date to be recorded from documentation on the laboratory test results and/or the

medical record.

#### Relational attributes

Related metadata

See also Person—creatinine serum level, micromoles per litre NN[NN]

references: Health, Superseded 01/10/2008

### **Specifications:**

Health, Superseded 01/09/2012

#### DSS specific information:

In settings where the monitoring of a person's health is ongoing and where a measure can change over time (such as general practice), the Service contact service contact date, DDMMYYYY should be recorded.

Record absolute result of the most recent serum creatinine measurement in the last 12 months to the nearest µmol/L (micromoles per litre).

Acute coronary syndrome (clinical) DSS Health, Superseded 02/05/2013

#### DSS specific information:

In settings where the monitoring of a person's health is ongoing and where a measure can change over time (such as general practice), the Service contact service contact date, DDMMYYYY should be recorded.

Record absolute result of the most recent serum creatinine measurement in the last 12 months to the nearest µmol/L (micromoles per litre).

Acute coronary syndrome (clinical) NBPDS 2013-Health, Standard 02/05/2013

Implementation start date: 01/07/2013

DSS specific information:

In settings where the monitoring of a person's health is ongoing and where a measure can change over time (such as general practice), the Service contact service contact date, DDMMYYYY should be recorded.

Record absolute result of the most recent serum creatinine measurement in the last 12 months to the nearest µmol/L (micromoles per litre).