

Functional stress test—assessment of cardiac perfusion, code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Functional stress test—assessment of cardiac perfusion, code N[N]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Functional stress test assessment of cardiac perfusion
Synonymous names:	Functional stress test method
METEOR identifier:	344432
Registration status:	Health , Standard 01/10/2008
Definition:	The method of functional assessment of cardiac perfusion undertaken in a person's stress test, as represented by a code.
Data Element Concept:	Functional stress test—assessment of cardiac perfusion
Value Domain:	Functional stress test method, code N[N]

Value domain attributes

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N
Maximum character length:	1

	Value	Meaning
Permissible values:	1	Exercise tolerance
	2	Pharmacological
Supplementary values:	9	Not stated/inadequately described

Collection and usage attributes

Guide for use:	CODE 1 Exercise tolerance Use this code when a treadmill, bicycle or arm-exercise was used to increase the cardiac work. CODE 2 Pharmacological Use this code when any form of pharmacologic augmentation was used to increase cardiac work. For example, dobutamine, atropine or persantin. CODE 9 Not stated/inadequately described Not for use in primary data collections.
-----------------------	---

Data element attributes

Relational attributes

Implementation in Data Set [Functional stress test cluster](#)
Specifications: [Health](#), Standard 01/10/2008

Conditional obligation: To be provided when a functional stress test is performed.