

# Functional stress test— assessment of cardiac perfusion, code N[N]

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	Functional stress test assessment of cardiac perfusion
<b>Synonymous names:</b>	Functional stress test method
<b>METEOR identifier:</b>	344432
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Health</a>, Standard 01/10/2008</li></ul>
<b>Definition:</b>	The method of functional assessment of cardiac perfusion undertaken in a person's stress test, as represented by a code.

## Data element concept attributes

### Identifying and definitional attributes

<b>Data element concept:</b>	<a href="#">Functional stress test—assessment of cardiac perfusion</a>
<b>METEOR identifier:</b>	344428
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Health</a>, Standard 01/10/2008</li></ul>
<b>Definition:</b>	The method of functional assessment of cardiac perfusion undertaken in a person's stress test.
<b>Object class:</b>	<a href="#">Functional stress test</a>
<b>Property:</b>	<a href="#">Assessment of cardiac perfusion method</a>

## Value domain attributes

### Identifying and definitional attributes

<b>Value domain:</b>	<a href="#">Functional stress test method, code N[N]</a>
<b>METEOR identifier:</b>	344430
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Health</a>, Standard 01/10/2008</li></ul>
<b>Definition:</b>	A code set representing the method of functional assessment for cardiac perfusion undertaken in the stress test.

## Representational attributes

<b>Representation class:</b>	Code
------------------------------	------

**Data type:** Number

**Format:** N

**Maximum character length:** 1

**Permissible values:**

**Value Meaning**

1 Exercise tolerance

2 Pharmacological

**Supplementary values:**

**Value Meaning**

9 Not stated/inadequately described

## Collection and usage attributes

**Guide for use:**

CODE 1 Exercise tolerance

Use this code when a treadmill, bicycle or arm-exercise was used to increase the cardiac work.

CODE 2 Pharmacological

Use this code when any form of pharmacologic augmentation was used to increase cardiac work. For example, dobutamine, atropine or persantin.

CODE 9 Not stated/inadequately described

Not for use in primary data collections.

## Data element attributes

### Relational attributes

**Implementation in Data Set Specifications:**

[Functional stress test cluster Health](#), Standard 01/10/2008

***Conditional obligation:***

To be provided when a functional stress test is performed.

© Australian Institute of Health and Welfare 2015–2022

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 3.0 (CC BY 3.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build upon this work. However, you must attribute the AIHW as the copyright holder of the work in compliance with our attribution policy available at [www.aihw.gov.au/copyright](http://www.aihw.gov.au/copyright). The full terms and conditions of this licence are available at <http://creativecommons.org/licenses/by3.0/au/>.

Enquiries relating to copyright should be addressed to the Head of the Communications, Media and Marketing Unit, Australian Institute of Health and Welfare, GPO Box 570, Canberra ACT 2601.