

Instrumented bleeding location code N(N)

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Instrumented bleeding location code N(N)

Identifying and definitional attributes

Metadata item type:	Value Domain
METEOR identifier:	344785
Registration status:	Health , Standard 01/10/2008
Definition:	A code set representing the location of bleeding arising from an instrumented site.

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N[N]
Maximum character length:	2

	Value	Meaning
Permissible values:	1	Percutaneous coronary procedure arterial access site
	2	Coronary artery bypass graft site
	3	Gastrointestinal site
	4	Genitourinary site
	5	Intracranial site
	6	Pulmonary site
	7	Pericardial site
	8	Other site(s)
	9	Unidentified site
Supplementary values:	99	Not stated/inadequately described

Collection and usage attributes

Guide for use:

CODE 1 Percutaneous coronary procedure arterial access site

Use this code when the person's bleeding is originating from the site of arterial access for a percutaneous coronary procedure. Procedures may include cardiac catheterisation, percutaneous coronary intervention, angiogram, intra-aortic balloon pump and/or arterial pressure monitoring sheaths.

CODE 2 Coronary artery bypass graft site

Use this code when the person's bleeding is originating from the site of a coronary artery bypass graft.

CODE 3 Gastrointestinal site

Use this code when the person's bleeding is originating from the gastrointestinal area with mechanical instrumentation.

CODE 4 Genitourinary site

Use this code when the person's bleeding is originating from the genitourinary area with mechanical instrumentation.

CODE 5 Intracranial site

Use this code when the person's bleeding is originating from an intracranial site with mechanical instrumentation.

CODE 6 Pulmonary site

Use this code when the person's bleeding is originating from a pulmonary site with mechanical instrumentation.

CODE 7 Pericardial site

Use this code when the person's bleeding is originating from the pericardium, following percutaneous coronary intervention. This code does not include bleeding that is secondary to a coronary artery bypass graft.

CODE 8 Other site(s)

Use this code when the person's bleeding is originating from a site with mechanical instrumentation that is not listed in codes 1-7, such as central line access.

CODE 9 Unidentified site

Use this code when the person has a fall in haemoglobin without an identifiable instrumented site of bleeding.

CODE 99 Not stated/inadequately described

Not for use in primary data collections.

Relational attributes

Data elements implementing this value domain:

[Person with acute coronary syndrome—bleeding location, instrumented code N\(N\) Health, Standard 01/10/2008](#)