

Person with acute coronary syndrome— pharmacotherapy type taken post discharge from hospital, code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person with acute coronary syndrome— pharmacotherapy type taken post discharge from hospital, code N[N]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Pharmacotherapy type taken for acute coronary syndrome post discharge
METEOR identifier:	344822
Registration status:	Health , Standard 01/10/2008
Definition:	The type of pharmacotherapy being taken by a person for the treatment of acute coronary syndrome following discharge from hospital, as represented by a code.

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Person with acute coronary syndrome—pharmacotherapy type taken post discharge from hospital
METEOR identifier:	338345
Registration status:	Health , Standard 01/10/2008
Definition:	The type of pharmacotherapy being taken by a person for the treatment of acute coronary syndrome following discharge from hospital.
Object class:	Person with acute coronary syndrome
Property:	Pharmacotherapy type taken post discharge from hospital

Value domain attributes

Identifying and definitional attributes

Value domain:	Acute coronary syndrome pharmacotherapy type taken post discharge code N[N]
METEOR identifier:	349476
Registration status:	Health , Standard 01/10/2008
Definition:	A code set representing the type of pharmacotherapy taken after discharge from hospital.

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N[N]
Maximum character length:	2

	Value	Meaning
Permissible values:	1	Aspirin
	2	Angiotensin converting enzyme (ACE) inhibitor
	3	Angiotensin II receptor blocker
	4	Beta-blocker

	5	Clopidogrel
	6	Statin
Supplementary values:	99	Not stated/inadequately described

Collection and usage attributes

Guide for use:	CODE 1 Aspirin
	Includes: aspirin, astrix, cardiprin, cartia, aspro, disprin and solprin
	CODE 2 Angiotensin converting enzyme (ACE) inhibitor
	Includes: captopril, enalapril, fosinopril, lisinopril, perindopril, quinapril, ramipril and trandolapril
	CODE 3 Angiotensin II receptor blocker
	Includes: candesartan, eprosartan, irbesartan, losartin and temisartan
	CODE 4 Beta-blocker
	Includes: atenolol, bisoprolol, carvedilol, esmolol, labetolol, metoprolol, oxprenolol, pindolol, propranolol and sotalol
	CODE 5 Clopidogrel
	Includes: iscover and plavix
	CODE 6 Statin
	Includes: atorvastatin, fluvastatin, pravastatin and simvastatin

Data element attributes

Collection and usage attributes

Guide for use:	A person may be taking one or more type of medication for acute coronary syndromes (ACS). Therefore more than one code may be recorded.
Collection methods:	Following a person's hospital stay for ACS, follow-up consultations with a clinician may occur at various intervals, such as 3, 6 or 12 months after discharge from hospital. The medications being taken by the person at the time of each follow-up consultation should be recorded.
Comments:	The pharmacotherapies for the treatment of ACS that could be taken post discharge from hospital are different from the types that could be taken during the hospital stay as not all of the pharmacotherapies used for the treatment of ACS are for out of hospital use.

Relational attributes

Implementation in Data Set Specifications:	Acute coronary syndrome pharmacotherapy data cluster Health, Standard 01/10/2008
	DSS specific information: To be provided at the follow-up visit following discharge from the hospital for each of the relevant pharmacotherapy types prescribed.