

Ventricular ejection fraction—test result, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Ventricular ejection fraction test result (code)
Synonymous names:	EF result (code)
METEOR identifier:	346993
Registration status:	<ul style="list-style-type: none">• Health, Standard 01/10/2008
Definition:	The person's ventricular ejection fraction result, as represented by a code.
Data Element Concept:	Ventricular ejection fraction—test result

Value domain attributes

Representational attributes

Representation class:	Code										
Data type:	Number										
Format:	N										
Maximum character length:	1										
Permissible values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>1</td><td>Normal</td></tr><tr><td>2</td><td>Mild</td></tr><tr><td>3</td><td>Moderate</td></tr><tr><td>4</td><td>Severe</td></tr></tbody></table>	Value	Meaning	1	Normal	2	Mild	3	Moderate	4	Severe
Value	Meaning										
1	Normal										
2	Mild										
3	Moderate										
4	Severe										

Supplementary values:	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>9</td><td>Not stated/inadequately described</td></tr></tbody></table>	Value	Meaning	9	Not stated/inadequately described
Value	Meaning				
9	Not stated/inadequately described				

Collection and usage attributes

Guide for use:

CODE 1 Normal

Use this code when the ejection fraction is greater than 50%

CODE 2 Mild

Use this code when the ejection fraction is greater than or equal to 45% but less than or equal to 50%

CODE 3 Moderate

Use this code when the ejection fraction is greater than or equal to 35% but less than 45%

CODE 4 Severe

Use this code when the ejection fraction is less than 35%

CODE 9 Not stated/inadequately described

Not for use in primary data collections.

Data element attributes

Relational attributes

Related metadata references:See also [Ventricular ejection fraction—test result, percentage N\[N\].N](#)

- [Health](#), Standard 01/10/2008

Implementation in Data Set Specifications:[Ventricular ejection fraction clusterHealth](#), Standard 01/10/2008***Conditional obligation:***

To be provided when the ventricular ejection fraction is measured.