

# Ventricular ejection fraction—test result, percentage N[N].N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	Ventricular ejection fraction test result (percentage)
<b>Synonymous names:</b>	EF result (percentage)
<b>METEOR identifier:</b>	347002
<b>Registration status:</b>	<ul style="list-style-type: none"><li>• <a href="#">Health</a>, Standard 01/10/2008</li></ul>
<b>Definition:</b>	A person's ventricular ejection fraction result expressed as a percentage.
<b>Data Element Concept:</b>	<a href="#">Ventricular ejection fraction—test result</a>

## Value domain attributes

### Representational attributes

<b>Representation class:</b>	Percentage				
<b>Data type:</b>	Number				
<b>Format:</b>	N[N].N				
<b>Maximum character length:</b>	3				
<b>Supplementary values:</b>	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>99.9</td><td>Not stated/inadequately described</td></tr></tbody></table>	Value	Meaning	99.9	Not stated/inadequately described
Value	Meaning				
99.9	Not stated/inadequately described				

## Data element attributes

### Collection and usage attributes

<b>Guide for use:</b>	The person's ejection fraction result recorded should be between 0 and 80%.
<b>Comments:</b>	The patient is not alive or is in Pulseless Electrical Activity (PEA) if the result is 0%.

### Relational attributes

<b>Related metadata references:</b>	See also <a href="#">Ventricular ejection fraction—test result, code N</a> <ul style="list-style-type: none"><li>• <a href="#">Health</a>, Standard 01/10/2008</li></ul>
<b>Implementation in Data Set Specifications:</b>	<a href="#">Ventricular ejection fraction clusterHealth</a> , Standard 01/10/2008

#### *Conditional obligation:*

To be provided when the ventricular ejection fraction is measured.

