

Person—reason for non prescription of pharmacotherapy, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Person—reason for non prescription of pharmacotherapy, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Reason for non prescription of pharmacotherapy
METEOR identifier:	347222
Registration status:	Health , Standard 01/10/2008
Definition:	The reason a pharmacotherapy was not prescribed for a person, as represented by a code.
Data Element Concept:	Person—reason for non prescription of pharmacotherapy
Value Domain:	Indicator for not prescribing pharmacotherapy code N

Value domain attributes

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	Not indicated
	2	Contraindicated
Supplementary values:	9	Not stated/inadequately described

Data element attributes

Collection and usage attributes

Guide for use:	CODE 1 Not indicated Record this code when a pharmacotherapy was not prescribed because it was not necessary to the treatment of the person. CODE 2 Contraindicated Record this code when a pharmacotherapy was not prescribed because of a condition or factor that increases the risks involved in using the pharmacotherapy. Examples of contraindications are allergy, intolerance, medical condition.
Collection methods:	For each type of pharmacotherapy not prescribed for the person, record whether it was not indicated or contraindicated.

Relational attributes

Related metadata references:	See also Person with acute coronary syndrome—pharmacotherapy type prescribed in hospital, code N[N] Health , Standard 01/10/2008
-------------------------------------	---

Implementation in Data Set [Acute coronary syndrome pharmacotherapy data cluster](#)
Specifications: [Health](#), Standard 01/10/2008

Conditional obligation: To be provided for each of the pharmacotherapies listed in the data element '*Pharmacotherapy type prescribed for acute coronary syndrome in hospital*' not prescribed.